

Firestone

World's Number 1
Air Spring.



FIRESTONE INDUSTRIAL PRODUCTS COMPANY

AIR SPRING REPLACEMENT GUIDE



WWW.FIRESTONEIP.COM

Table of Contents

Although air springs are produced in single, double and triple convoluted and reversible sleeve styles, only those manufactured by Firestone Industrial Products Company bear the trademark "Airide™."

Airide springs were pioneered and perfected by Firestone, and only Firestone offers a complete line of Airide springs, with replacement springs available for virtually every vehicular air suspension system. Today, Airide springs are used by practically all manufacturers who offer air suspension on their vehicles.

While it may appear simple, an air spring is actually a highly sophisticated and complex product. Even slight changes in design, methods of construction, or materials used can make vast and significant differences in performance.

It makes good sense to specify Airide springs by Firestone. That trade name on an air spring guarantees you the benefit of the very latest technical developments and improvements. It is your assurance of a product not only engineered and perfected to perform, but which also has a long history of superior performance in actual use.



Firestone Airide™ springs.....	1
Components of Airide springs.....	2
Identifying Airide springs.....	3
General Specifications.....	4

I. 1T Reversible Sleeve Style Springs

Reading the Parts Table.....	5-6
Parts Tables.....	7-96

II. Convoluted Style Springs

Reading the Parts Table.....	98-99
Single Convoluted.....	100-103
Double Convoluted.....	103-124
Triple Convoluted.....	124-134

III. Sleeve Style Springs

(Cab, Seat & Miscellaneous Applications)	
Reading the Parts Table.....	136
Components of Sleeve style springs.....	137
Parts Tables by Logo Color.....	138-157


IV. Cross Reference Information

Sleeve Cross Reference by Manufacturer.....	158-160
Sleeve by Cap and Piston Drawing No.	161-162
Sleeve by Cap and Piston Component No.	163-164
1T & Convoluted Manufacturer to Firestone No.	165-184
OE Suspension Index.....	185-190
1T & Convoluted Goodyear to Firestone Number	191-200
1T & Convoluted Triangle to Firestone Number	201-212
1T & Convoluted Contitech Assembly to Firestone	213-218
1T & Convoluted Bellows Indexes.....	219-225
1T Piston Indexes.....	226-243
All Parts Assembly Order Number Index.....	244-250

V. Miscellaneous

Warranty.....	251-254
Alignment Definitions.....	255

The Components of Airide™ springs



1. Stud

A permanent part of the bead plate assembly used to attach the airspring to the suspension.

2. Combo Stud

Combination mounting stud and air fitting.

3. Blind Nut

A permanent part of the bead plate assembly providing an alternate mounting system to the stud.

4. Air Fitting Hole

A tapped hole usually 1/4" N.P.T. providing air entrance for the part.

5. Bead Plate

Permanently crimped onto the bellows at the factory allowing complete part leak testing prior to shipment.

6. Bellows

The heart of an Airide spring. Includes at least four plies, or layers, of material—an inner layer, two plies of cord-reinforced fabric, and an outer layer.

7. Bumper (Optional)

A solid molded rubber fail-safe device used on many suspension applications. Prevents excessive damage to vehicle and suspension in the case of sudden air pressure loss.

8. Piston

The lower section of the 1T and 1X style of airspring made from aluminum, steel or fiber reinforced plastic. Provides lower mounting arrangement for the airspring in the form of tapped holes or studs.

9. Piston Bolt

Attaches the piston to the bellows assembly. Extended, in some cases, to serve as a means of attaching the spring to the suspension.


10. Girdle Hoop

A ring between the convolutions of the convoluted-type air spring.

Service Assembly

On Firestone Airide springs of the 1T style, the rubber bellows bead plate portion of the spring is a separate hermetically sealed unit, available for replacement use without the piston. Called a "service assembly," it includes a bead plate, bellows, internal bumper (if any), and all attaching hardware.


Identifying Airide™ springs



1. Read AON and bellows number.


The first step to identifying an Airide™ spring for replacement is to read the assembly order number on the label adhered to the bead plate (i.e., W01-358-9082). If the number is illegible, read the bellows number which is normally molded directly underneath the Firestone logo. A style number such as 1T15M-6 or 22 would tell exactly which bellows is needed and one could skip steps 2 and 3.

If the bellows number is illegible, then determine whether it is a convoluted style or a 1T style by comparing it to the pictures in this guide. Proceed to step 2 if 1T style or step 3 if convoluted.




2. 1T Style

Measure the bead plate diameter and molded (**uninflated**) diameter of the rubber bellows and compare this with the 1T styles in the bellows index until a match is found (please note that the molded diameter can grow slightly with years of service). Then measure from the bottom of the piston to the top of the bead plate while the part is **uninflated** and **extended**. Next, find this same or similar measurement in the specific bellows section that was previously determined. When this has been done, skip to step 4. If the piston number is illegible in step 5, measure the piston height and compare it to pictures with the same dimensions.



3. Convoluted style


First determine whether it is a single, double, or triple convoluted style by comparing it to the pictures in this guide. Then measure the bead plate diameter and the diameter of the bellows (**uninflated**) across its widest area and compare these dimensions with those given in the bellows index. Once a match has been made, proceed to step 4.



4. Rubber Bumper

Many Airide™ springs include a rubber bumper inside the spring. To determine if one is present, compress the spring to its minimum height and measure from the bottom plate or piston to the top of the bead plate.


Compare this compressed height with the pictures in the appropriate bellows section that was determined in step 2 (1T style) or step 3 (convoluted style). Proceed to step 5 if you have a 1T style spring or step 6 if you have a convoluted spring.



5. 1T style (bead plate and piston)

The same bellows is used with many different combinations of bead plates and pistons, so be sure to check closely. Compare the bead plate and piston with the pictures from the "Cross Section View", "Bead Plate Top View" and "Piston Bottom View" columns from the appropriate bellows section that was previously determined. Also, verify that the alignment (bead plate mounting in reference to piston mounting holes) is correct.

In addition, the piston can be further verified by reading the identification numbers inside the piston and comparing these with those shown in the "Piston Bottom View" or piston index. Once a match has been determined, the corresponding assembly order number (i.e. W01-358-9082) can be used to order the part.



6. Convoluted style (bead plates)

The same bellows is used with many different combinations of bead plates. Compare these bead plates with those diagrammed in this guide under the "Bead Plate Top View" and "Bead Plate Bottom View" columns for the specific style convoluted part that was previously determined and find the unit with the identical hardware, measurements and alignment (top bead plate mounting in reference to lower bead plate mounting). Once a match has been determined, the corresponding assembly order number (e.g., W01-358-7135) can be used to order the part.

General Specifications

Fastener Tightening Specifications

Description	Size	Torque (lb-ft)
· Bead ring nuts on bolts	5/16-24	17-22
· Bead ring bolts and nuts	3/8-24	28-32
· Bolts in blind nuts in bead plates	3/8-16	15-20
· End of adapter studs in blind nut	3/8-16	15-20
· Nut on end of adapter stud	1/2-13	25-30
· Studs on bead plates or blind nuts	1/2-13 or 1/2-20 M12 x 1.75	25-30
· Bolt to attach piston base to lower mounting surface	1/2-13	25-30
· Nut on air entrance stud	3/4-16 M16 x 1.5 M20 x 1.5	40-45
· Nut to an entrance stud	1 5/16-12UNF 1 1/4-12UNF	45-50
· NPT air supply fitting	1/4 & up	17-22
· Nut on end closure lower mounting	3/4-10	45-50

Operational Cautions

Air spring failure can be caused by a variety of situations, including internal or external rubbing, excessive heat and overextension. For further details, refer to Warranty Considerations.

Temperature/Pressure Range

The ambient operating temperature range for standard vehicular air springs may vary. See the website for temperature ranges for individual parts by part number. The maximum pressure is 100 psi.


Bumpers

In general, bumpers are used to support the vehicle weight to prevent damage to the flexible member during times when no air is in the system. They are also used as stops when the axle is raised by a lift unit. In applications that require frequent bumper contact, consult Firestone.

Down and Up Stops

Positive stops in both directions (compression and extension) should always be used with Airide™ springs.

1. In COMPRESSION, the minimum height shown for each air spring is at, or slightly above the PINCH POINT of the bellows. Here is a #22 shown in the collapsed or "pinch point" condition:



The bellows can be damaged if allowed to constantly bottom out as shown above; therefore, a downstop is required to prevent this. An external downstop can be something as simple as a steel block and should be sized at or slightly greater than the minimum height of the Airide™ spring. In our #22 example, the block would need to be at least 3.0 inches high. If an external downstop cannot be used, many parts are available with internal rubber bumpers.

2. In EXTENSION, an upstop is necessary to prevent the air spring from overextending. The reasons for this are twofold:
 - a) the life of the bellows may be reduced, and
 - b) the crimp may open up, allowing the bellows bead to blow out of the metal end closure. There are many ways to design-in an upstop, including:
 - a. shocks,
 - b. a chain,
 - c. a cable or strap,
 - d. contacting a metal stop, etc.

Contaminates

Shielding should be used to protect the bellows from exposure to hot metal, sand, petroleum base fluids, acids, etc. Please consult Firestone if you wish to know how the bellows will withstand a specific contaminant (For liquids such as acids, it is important to know both concentration and temperature.)

Storage

The best storage environment is a dark, dry area at normal room temperature.

WARNING

DO NOT INFLATE ASSEMBLY WHEN IT IS UNRESTRICTED. ASSEMBLY MUST BE RESTRICTED BY SUSPENSION OR OTHER ADEQUATE STRUCTURE. DO NOT INFLATE BEYOND PRESSURES RECOMMENDED IN DESIGN LITERATURE (CONTACT FIRESTONE FOR INFORMATION). IMPROPER USE OR OVERINFLATION MAY CAUSE ASSEMBLY TO BURST CAUSING PROPERTY DAMAGE OR SEVERE PERSONAL INJURY.

Reading the parts table for 1T-reversible sleeve style springs

1	2	3	4	5	6
BELLOW # ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT	REPLACES
1T15L-4 W01-358-9415 Service Assembly #0701				17.47	Kenworth K-303-5
Hardware Key ● Bolt or Stud 1/2-13 ⬇ Threaded Hole 3/8-16 Blind Nut on Bead Plate; 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard ⊕ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊖ Stud: Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗					

1T Style Springs

1. Bellows # and Assembly Order Number (AON)

This number identifies the specific bellows number and the assembly order number for ordering purposes. Complete Order No. for any type of electronic ordering (EDI) is W01-358-9415.

2. Airide Cross Section View

A cross sectional view of the Airide spring showing dimensional information in inches on **uninflated** diameter, maximum height, and collapsed height. A bumper drawing number is also referenced, if applicable (e.g.—3159).

3. Bead Plate—Top View

A top view of the upper bead plate with dimensional information and detail on mounting attachments (see hardware key). An Internal Firestone Reference Number is also shown.

4. Piston—Bottom View

A bottom view of the piston with dimensional information and detail on mounting attachments (see hardware key). The Internal Firestone Reference Number (4 digit) and the piston drawing number are also shown. Both of these numbers are molded in the underside of the piston for identification purposes. If available, a 4 digit order number is shown to order the piston separately (complete number for EDI purposes, WC1-358-0606).

5. Assembly Weight

Gives total weight of the assembly in pounds.

6. Replaces

Vehicle and suspension manufacturers' part numbers for the particular Airide springs.

7. Service Assembly

On Firestone Airide springs of the 1T style, the rubber bellows bead plate portion of the spring is a separate hermetically sealed unit, available for replacement use without the piston. Called a "service assembly," it includes a bead plate, bellows, internal bumper (if any), and all attaching hardware. Please note the service assembly has its own separate ordering number. For example, a W01-358-9082 uses Service Assembly Order Number W01-358-0712.

1T Reversible Sleeve Style



The Firestone 1T or Reversible Sleeve type spring is the most popular style used on suspensions. Most replacement work will probably be with this style.


Identification of the proper replacement assembly requires identifying the bellows type and the bead plate and piston type used, as well as whether the spring includes an internal rubber bumper.

As with other styles, the quickest way to identify the airspring is to read the manufacturer or Firestone order number on the bead plate. If the number is illegible, read the part number molded on the bellows, normally directly under the Firestone name. This will lead you directly to the proper section of the guide, narrowing your choice of assemblies to just a few.

Should the bellows number be unreadable, the type can still be determined by measuring the bead plate diameter and the bellows diameter (**uninflated**) and comparing this with the 1T styles in the bellows index until you find a match. Then measure the extended height as shown and compare this measurement with the maximum height shown in the "Cross Section View" of the parts tables for the general style of bellows (1T14, 1T15, 1T17 etc.) that was previously determined.

To determine whether the spring has an internal bumper, remove the air and compress the spring to its minimum collapsed height. Measure this, as shown, and compare it to the minimum height shown in the parts tables.

Finally, to complete identification of the assembly, carefully compare the bead plate and piston with those listed in the tables until you find a match.




Service Assembly Most 1T style springs are available as either a complete assembly, including the piston, or as a service assembly, which includes the bellows and bead plate only. Before you order a service assembly only, we advise close inspection of the piston to be reused. A slight imperfection or build-up of corrosion or dirt on the piston may cause a new bellows to wear out prematurely.

Special Note Further information on pistons used with 1T style springs can be found in the Piston Index section of this catalog.

In addition to the center attaching hole, most newer pistons have four threaded holes in the outer diameter to make the piston more universal. All of the outer holes may not be used in some cases. Check the drawing for the assembly you are replacing to be sure.

Some pistons are also supplied with threaded studs inserted in the proper mounting holes on the piston. Be certain to check the listings for this feature as well.



1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-1 W01-358-2119		3093 	9491/FIP-100744 Order No. WC1-358-0609	5.9	Granning 5122 Hendrickson Trailer S2394 Rowe Truck ASC1400HL Lift
1T14C-1 W01-358-2120		3148 	9651/NBD-11498 Order No. WC1-358-9095	7.0	Granning 5691 Granning 6104 (no stud) Rowe Truck ASCS2000 Lift Rowe Trailer ASCST2000
1T14C-1 W01-358-2131		3140 	9491/FIP-100744 Order No. WC1-358-0609	5.9	Kelderman
1T14C-1 W01-358-5310		3079 	9708/NBD-8626 Order No. WC1-358-0600	6.4	American Carrier 9003-001 Hendrickson Trailer S8832 Ridewell 1003585310C Circle R
1T14C-1 W01-358-5311		3079 	9708/NBD-8626 Order No. WC1-358-0600	6.7	Ridewell 1003585311C

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-1 W01-358-5323		3148 	9708/NBD-8626 	6.8	Air Ax (Roelofs) Granning 7504 Ridewell 1003585323C
1T14C-1 W01-358-5328 OBSOLETE REPLACED BY W01-358-5311		3079 	9708/ NBD-8626 	6.9	American Carrier 8003-017
1T14C-3 W01-358-5405		3079 	9708/NBD-8626 	6.6	Circle R Hendrickson Trailer S9346
1T14C-3 W01-358-5406		3140 	9708/NBD-8626 	6.7	Granning 1971
1T14C-3 W01-358-5408		3096 	9708/NBD-8626 	6.3	Jet Company

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-3 W01-358-5410		3140 	9778/NAD-18053 Order No. WC1-358-0686	8.0	Granning 2112 Watson & Chalin AS-0029 Ridewell 1003585410C
1T14C-3 W01-358-5412		3079 	9778/NAD-18053 Order No. WC1-358-0686	8.2	American Carrier 8003-011 Oshkosh Neway 90057057
1T14C-3 W01-358-5414		3148 	9778/NAD-18053 Order No. WC1-358-0686	8.6	Air AX (Roelofs) Ridewell 1003585414C
1T14C-3 W01-358-5422		3079 	9708/NBD-8626 Order No. WC1-358-0600	6.9	Circle R
1T14C-3 W01-358-5423		3148 	9651/NBD-11498 Order No. WC1-358-9095	7.2	Granning 5235 Granning 5307 (no stud) Rowe Truck ASC1500/ASC1500/ ASC2000 Lift Rowe Trailer ASCST1500/ ASCST1500/ ASCST2000

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-3 W01-358-5433		3102 	9778/NAD-18053 Order No. WC1-358-0686	8.2	Watson & Chain AS-0069
1T14C-3 W01-358-5434		3148 	9708/NBD-8626 Order No. WC1-358-0600	7.3	Granning 7765
1T14C-3 W01-358-5436		3148 	9708/NBD-8626 Order No. WC1-358-0600	7.4	Granning 7831
1T14C-3 W01-358-9478		3140 	9493/FIP-100743 Order No. WC1-358-0754	6.8	Granning 6250
1T14C-5 W01-358-5335		3140 	9778/NAD-18053 Order No. WC1-358-0686	8.8	General Coach

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-5 W01-358-5336 TANK VALVE WC1-358-0009		3148 	9778/NAD-18053 Order No. WC1-358-0686	8.5	John Deere AH160823
1T14C-5 W01-358-8868		3106 	9651/NBD-11498 Order No. WC1-358-9095	7.1	Hendrickson 57965-2 (reuse old bracket) Supersedes Hendrickson 57839 Hendrickson 57920-2 w/bracket Includes Bracket 57966-2 (left) 57967-2 (right)
1T14C-6 W01-358-5439		3148 	9754/NBD-11689 Order No. WC1-358-1603	10.3	Link 1103-0500 Ultraride
1T14C-6 W01-358-8977		3148 	9754/NBD-11689 Order No. WC1-358-1603	10.4	Granning 5301 General Coach Air Ax (Roelofs)
1T14C-6 W01-358-8979		3148 	9754/NBD-11689 Order No. WC1-358-1603	10.0	Granning 5553

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14C-7 W01-358-5426		3148 	9778 / NAD-18053 	9.1	Granning 6117
			ORDER NO. WC1-358-0686		
1T14C-7 W01-358-5702		3148 	9754 / NBD-11689 	10.3	Granning 8609
			ORDER NO. WC1-358-1603		
1T14C-7 W01-358-5712		3079 	9708 / NBD-8626 	7.1	Capacity of Texas
			ORDER NO. WC1-358-0600		
1T14C-8 W01-358-5429		3079 	9754/NBD-11689 	10.6	Silent Drive
			ORDER NO. WC1-358-1603		
1T14CB-1 W01-358-5297		3101 	9491/FIP-100744 	5.8	Watson & Chalin AS-0106
			Order No. WC1-358-0609		

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T14CB-1 W01-358-5319		3101 	9493/FIP-100743 Order No. WC1-358-0754	6.1	Monaco Coach 8618
1T14CB-1 W01-358-8872 OBSOLETE			9651/ NBD-11498 ORDER NO. WC1-358-9095	6.6	Hendrickson 64827-2
1T14CB-1 W01-358-8992		3148 	9491/FIP-100744 Order No. WC1-358-0609	5.9	Ridewell 1003588992C
1T14CB-1 W01-358-8997		3148 	9491/FIP-100744 Order No. WC1-358-0609	6.0	Holland (Neway) 90557034 90557029 Watson & Chalin (AS-0026) Ridewell 1003588997C Silent Drive
1T15AA-3 W01-358-9589 OBSOLETE REPLACED BY W01-358-8478		3201 	9757/ NBD-9242 		Peterbilt 03-01686 Peterbilt 03-08424 - replaces W01-358-9146 (1T15S-6)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15AA-6 W01-358-8965				15.4	Granning 6057
1T15CCR-6 W01-358-8184				20.3	Neway 90557290 (RL228, KL230) Neway 90557308 (Same except piston Stud length 1.5 W01-358-8182)
1T15L-1.5 W01-358-8886 OBSOLETE				11.5	Dexter Axle 034-279-00
1T15L-1.5 W01-358-9422			 Order No. WC1-358-0646	10.0	Kenworth K303-6 Kenworth K303-14 Kenworth K303-15 (Airglide 100) -older version with no bracket
1T15L-1.5 W01-358-9584 BRACKET WC1-358-3887			 Order No. WC1-358-0647	12.1	Neway 90557250 (replaces W01-675-9613, 90557224-flush fitting)

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-1.5 W01-358-9616 BRACKET 70-3582-6039			9571 / NAD-18130  ORDER NO. WC1-358-0646	11.2	Kenworth K-303-16 (Airglide 100)
1T15L-2 W01-358-8900		3235 	9654 / NBD-10438  ORDER NO. WC1-358-0663	13.0	Reyco 17361-01
1T15L-2 W01-358-8901		3271 	9549 / NAD-29454  ORDER NO. WC1-358-1616	11.6	Ridewell 1003588901C
1T15L-2 W01-358-9075		3220 	9743/NBD-8183  Order No. WC1-358-0653	14.1	Hutchen H-2007 Holland (Neway) 90557030 Pezzani
1T15L-2 W01-358-9376		3220 	9571/NAD-18130  Order No. WC1-358-0646	11.8	Monaco Coach 8619 Monaco Coach W01-358-8897 with 3/4" NPT

1T Style Springs

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-2 W01-358-9377		3210 	9571/NAD-18130  Order No. WC1-358-0646	11.4	Reyco 21054-01
1T15L-2 W01-358-9378		3235 	9571/NAD-18130  Order No. WC1-358-0646	11.7	Ridewell 1003589378C
1T15L-2 W01-358-9387		3235 	9573/NAD-18162 	10.4	Ridewell 1003589387C
1T15L-2 W01-358-9440		3224 	9655/ NBD-10439  ORDER NO. WC1-358-9454	13.2	Madsen (replaces 9014)
1T15L-2 W01-358-9445		3235 	9659/ NBD-10472  ORDER NO. WC1-358-0683	14.3	Ridewell 1003589445C REPLACEMENT PISTON COMES WITHOUT STUDS

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-2 W01-358-9447		3241 	9659/ NBD-10472 	14.1	Ridewell 1003589447C
			ORDER NO. WC1-358-0683		
1T15L-2 W01-358-9448		3235 	9659/ NBD-10472 	14.0	Ridewell 1003589448C Foretravel Inc. REPLACEMENT PISTON COMES WITHOUT STUDS
			ORDER NO. WC1-358-0683		
1T15L-2 W01-358-9457		3235 	9659/ NBD-10472 	14.0	Ridewell 1003589457C REPLACEMENT PISTON COMES WITHOUT STUDS
			ORDER NO. WC1-358-0683		
1T15L-2 W01-358-9459		3235 	9659/ NBD-10472 	14.0	Ridewell 1003589459C ArvinMeritor A-2258-U-1451 RFA23ER-RV
			ORDER NO. WC1-358-0683		
1T15L-2 W01-358-9476 OBSOLETE		3210 	9654/ NBD-10438 	13.0	Reyco 20446-01
			ORDER NO. WC1-358-0663		

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊕ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊖ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊕

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-2 W01-358-9477		3220 	9659/ NBD-10472 	13.7	Ridewell 1003589477C
			ORDER NO. WC1-358-0683		
1T15L-2 W01-358-9562		3235 	9572/ NAD-18161 	11.6	Link 1103-0501 Liftable
1T15L-3 W01-358-9284		3313 	9573/ NAD-18162 	12.3	Hendrickson 56916 (class 6 Freightliner) -not current production - ref 56917 (W01-358-9335)
			ORDER NO. WC1-358-1634		
1T15L-4 W01-358-8918		3235 	9659/ NBD-10472 	15.4	Granning 7692
			ORDER NO. WC1-358-0683		
1T15L-4 W01-358-8919		3271 	9549/ NAD-29454 	13.0	Ridewell 1003588919C
			ORDER NO. WC1-358-1616		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-4 W01-358-8922		3235 	9659/ NBD-10472 ORDER NO. WC1-358-0683	13.6	Granning 5492 Granning 5385 (no stud)
1T15L-4 W01-358-8942 BRACKET WC1-358-3904		3004 	9549/ NAD-29454 	14.4	Hendrickson 58983-2 (Blue Bird)
1T15L-4 W01-358-8951		3235 	9659/ NBD-10472 ORDER NO. WC1-358-0683	12.9	Reyco 19624-01 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15L-4 W01-358-9415		3264 	9691/ NBD-14503 ORDER NO. WC1-358-0606	15.7	Kenworth K-303-5 Replacement piston comes without studs
1T15L-4 W01-358-9438		3271 	9743/ NBD-8183 ORDER NO. WC1-358-0653	14.6	Waggoner's Truck

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15L-4 W01-358-9439		3271 	9656 / NBD-10440 ORDER NO. WC1-358-0652	14.5	Waggoner's Truck Hagie Mfg.
1T15L-4 W01-358-9855		3253 	9691/ NBD-14503 	16.9	Holland 90557354 Replaces 90557284
1T15L-6 W01-358-9626		3306 	9532/ NAD-29827 ORDER NO. WC1-358-1619	13.4	Hendrickson Trailer S23720
1T15L-9 W01-358-9559		3242 	9532/ NAD-29827 ORDER NO. WC1-358-1619	13.7	Reyco 25437-01
1T15L-9 W01-358-9560		3242 	9530/ NAD-27809 ORDER NO. WC1-358-9452	14.1	Reyco 25396-01

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LA(-1) W01-358-9547 BRACKET WC1-358-3894		3509 	9569/NAD-27754 Order No. WC1-358-1629	11.0	Kenworth C81-1004 Airglide 200 5/5/03 or later Airglide 400
1T15LA(-1) W01-358-9617 BRACKET WC1-358-3892		3174 	9569/NAD-27754 Order No. WC1-358-1629	11.2	Kenworth K-303-18(Airglide 200) - small air fitting - original design (1996 & 1997 prod.) - replaced by K - 303-22(9622)
1T15LA(-1) W01-358-9622 BRACKET WC1-358-3894		3002 	9569/NAD-27754 Order No. WC1-358-1629	11.2	Kenworth K-303-22 (Airglide 200-1998 to 5/5/03) - (large air fitting with interconnected airsprings)
1T15LA-0 W01-358-9541 BRACKET WC1-358-3890		3509 	9569/NAD-27754 Order No. WC1-358-1629	11.0	Kenworth C81-1005 Airglide 200 5/5/03 or later Airglide 460 Airglide 690
1T15LA-0 W01-358-9618 BRACKET WC1-358-3892		3174 	9569/NAD-27754 PLASTIC Order No. WC1-358-1629	13.5	Kenworth K-303-19 (Airglide 200) 46,000# - small air fitting - -1996 & 97 prod. - replaced by K-303-25(9625)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊕ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LA-0 W01-358-9625 BRACKET WC1-358-3890			9569/NAD-27754 Order No. WC1-358-1629	13.5	Kenworth K-303-25 (Airglide 200-46,000#, 1998 & later prod.)
1T15LA-0 W01-358-9675 BRACKET WC1-358-3890			9569/NAD-27754 Order No. WC1-358-1629	11.6	Kenworth K-303-28 Airglide 200 Before 5/5/03
1T15LB-10 W01-358-9621			9532/ NAD-29827 ORDER NO. WC1-358-1619	14.5	Hendrickson Trailer S23613
1T15LC-2.5 W01-358-9379			9663/ NBD-12639 	13.6	Navistar (U-Haul) 1660694C-1
1T15LC-2.5 W01-358-9565			9663/ NBD-12639 	11.8	Navistar 2027912C1 (GY 1R12-324)

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LC-2.5 W01-358-9566		3291 	9663/ NBD-12639 	11.8	Navistar 1672401C1 (GY 1R12-204)
1T15LC-4.5 W01-358-9567		3252 	9663/ NBD-12639 	14.1	Navistar 2027913C1 (GY 1R12-325)
1T15LC-4.5 W01-358-9568		3252 	9663/ NBD-12639 	14.5	Navistar 1675495C1 (GY 1R12-205)
1T15LC-12 W01-358-9619		3306 	9540/ NAD-29828 	16.2	Hendrickson Trailer S23614 ORDER NO. WC1-358-0664
1T15LP-1.5 W01-358-8597		3377 	9659 / NBD-10472 	14.6	Hendrickson Truck 65790-2 Order No. WC1-358-0683

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LP-2 W01-358-8958		3235 	9656 / NBD-10440 Order No. WC1-358-0652	14.5	Granning 6978
1T15LP-2 W01-358-8959 BRACKET 70-3582-6036		3156 	9549/ NAD-29454 ORDER NO. WC1-358-1616	14.6	Reyco 20773-01
1T15LP-2 W01-358-9554 METRIC		3767 	9569/ NAD-27754 ORDER NO. WC1-358-1629	11.2	Hendrickson 60716-2 Volvo 20462941
1T15LP-2 W01-358-9681		3190 	9572/ NAD-18161 	9.8	Link 1103-0508
1T15LP-3 W01-358-8478 REPLACES W01-358-9259		3201 	9567 / NAD-35451 		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LP-3 W01-358-9049 (REPLACES 1T15S-6)		3215 	9565/NAD-35451 	13.6	East Mfg. Granning 6252
1T15LP-3 W01-358-9073		3264 	9566/NAD-35451 Order No. WC1-358-1659	15.9	Circle R Kenworth K-102-A Hendrickson Trailer S-7193 Ridewell 1003589073C REPLACEMENT PISTON COMES WITHOUT STUDS
1T15LP-3 W01-358-9285		3271 	9565 / NAD-35451 	11.6	Hendrickson Trailer S-7364 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15LP-3 W01-358-9290		3235 	9566/NAD-35451 Order No. WC1-358-1659	14.4	American Carrier 8003-025 (supersedes 9234) Ridewell 1003589290C Peerless REPLACEMENT PISTON COMES WITHOUT STUDS
1T15LP-3 W01-358-9553		3249 	9567/NAD-35451 PLASTIC 	14.3	Arvin Meritor A-2258-J-1466 WCC Rear RV

1T Style Springs

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LP-3 W01-358-9587 BRACKET WC1-358-3887		3347 	9567/NAD-35451 	14.7	Holland (Neway) 90557248 (replaces 90557220-1/2"NPT flush) - ref. W01-358-9597
1T15LP-3 W01-358-9592		3190 	9566/NAD-35451 Order No. WC1-358-1659	14.5	General Coach
1T15LP-3 W01-358-9597 BRACKET WC1-358-3887		3253 	9567/NAD-35451 	14.7	Holland (Neway) 90557172 (AD-200) - ref. 90557220 90557248 (1/2"NPT)
1T15LP-3 W01-358-9599		3235 	9567/NAD-35451 	14.0	Holland (Neway) 90557094 (ARD suspensions) - reference 90557128 (bead plate-3215) Holland (Neway) 90557128
1T15LP-3 W01-358-9652		3190 	9565/NAD-35451 	11.4	Mack 57QL1115 Hendrickson Trailer S14147 Supersedes W01-358-9043

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LP-3 W01-358-9953		3271 	9567/NAD-35451 	17.9	Air AX (Roelofs)
1T15LP-5 W01-358-8949		3235 	9549/ NAD-29454  ORDER NO. WC1-358-1616	12.8	Holland (Neway) 90557150
1T15LP-5 W01-358-9291		3235 	9540/ NAD-29818  ORDER NO. WC1-358-0664	14.7	Holland (Neway) 90557139 (RL196-17) (RL196A-17) - replaces 90557122 -originally 1T15M-4 bellows
1T15LP-5 W01-358-9293		3235 	9544/ NAD-25333  ORDER NO. WC1-358-0666	13.3	Holland (Neway) 90557120 (RL196-14, RL196A-14)
1T15LP-5 W01-358-9294		3235 	9573/ NAD-18162  ORDER NO. WC1-358-1634	11.4	Holland (Neway) 90557127 (RL-196-12)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15LP-5 W01-358-9295		3235 	9532/ NAD-29827 	13.2	Holland (Neway) 90557121 (RL196-15 & 16) (RL196A-15 & 16)
1T15LP-6 W01-358-9015 OBSOLETE REPLACED BY W01-358-8944		3242 	9694/ NAD-25396 	17.8	Hendrickson Trailer S20217 (HT-190U) - superseded by W01-358-8944 1T15MLW-7
1T15M-0 W01-358-8961		3003 	9572/ NAD-18161 	10.1	Reyco 23377-01
1T15M-0 W01-358-8963		3188 	9655/ NBD-10439 	13.2	Ridewell 1003588963C
1T15M-0 W01-358-8964		3210 	9571/ NAD-18130 	11.6	Reyco 21598-01

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-0 W01-358-8971		3271 	9573/ NAD-18162 	10.1	Hendrickson 59484-2 (Blue Bird)
			ORDER NO. WC1-358-1634		
1T15M-0 W01-358-8972		3271 	9573/ NAD-18162 	11.2	Hendrickson 59601-2
			ORDER NO. WC1-358-1634		
1T15M-0 W01-358-8976		3210 	9571/ NAD-18130 	11.1	Reyco 21055-01
			ORDER NO. WC1-358-0646		
1T15M-0 W01-358-8986		3235 	9571/ NAD-18130 	11.5	Ridewell 100358986C
			ORDER NO. WC1-358-0646		
1T15M-0 W01-358-9029		3235 	9571/ NAD-18130 	11.3	Ridewell 1003589029C
			ORDER NO. WC1-358-0646		

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-0 W01-358-9031		3215 	9654/ NBD-10438 	13.0	Peerless 0550-00051
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9033 SERVICE ASSEMBLY W01-358-0727		3220 	9655/ NBD-10439 	13.4	Holland (Neway) 90557012 Mfg.SV.# Holland (Neway) 90044198
			ORDER NO. WC1-358-9454		
1T15M-0 W01-358-9036		3201 	9654/ NBD-10438 	13.4	Willmar
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9039 SERVICE ASSEMBLY W01-358-0702		3235 	9655/ NBD-10439 	13.4	Hendrickson Trailer S2064/S11650 Holland (Neway) 90557001 90557023 90557085 Hutchens H-9424-01 R & S Truck & Body 1090218 Ridewell 1013589039C FabTek 101827 Sauer P50-734 Watson & Chalin AS-0012
			ORDER NO. WC1-358-9454		
1T15M-0 W01-358-9077		3255 	9654/ NBD-10438 	13.2	Fruehauf UCB-44531 Fruehauf MFR 022354
			ORDER NO. WC1-358-0663		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-0 W01-358-9308		3235 	9654/ NBD-10438 	13.0	Reyco 17360-01 Holland (Neway) 90557089 (remove bolt)
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9332		3235 	9654/ NBD-10438 	11.3	Reyco 20074-01
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9333		3210 	9654/ NBD-10438 	12.8	Reyco 20437-01
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9334		3235 	9654/ NBD-10438 	12.9	Ridewell 1003589334C
			ORDER NO. WC1-358-0663		
1T15M-0 W01-358-9505		3246 	9570/ NAD-18162 	10.4	Holland (Neway) 90557312 Freightliner Custom Chassis
			ORDER NO. WC1-358-0647		

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-0.5 W01-358-9307		3235 	9573/NAD-18162 	10.1	Holland (Neway) 90557129 (AR-41, 45 & 45-1) (plastic)
1T15M-1 W01-358-8882		3235 	9569/NAD-27754 	10.9	Holland 90557306 CB-4000 90557363
1T15M-2 W01-358-9807		3235 	9489/FIP-101211 	11.0	Spacer Options WC1-358-1690 WC1-358-1691 WC1-358-1692 (see specs for each following) Holland 90557372 50857000
WC1-358-1690					Use with Neway CB-4000 W01-358-9807 Ride Height 15.5 & 16 Holland Kit # 48100492
WC1-358-1691					Use with Neway CB-4000 W01-358-9807 Ride Height 16.5 Kit # 48100493

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
WC1-358-1692					Use with Neway CB-4000 W01-358-9807 Ride Height 17 Holland Kit # 48100494 48100495 18" Ride Height
1T15M-2 W01-358-7667 OBSOLETE REPLACED BY W01-358-8195		3508 	9550/NAD-29456 	12.1	Holland (Neway) 90557256 IFS-114
1T15M-2 W01-358-8197		3226 	9573/ NAD-18162 	10.7	Holland (Neway) 90557230
1T15M-2 W01-358-8198		3508 	9550/ NAD-29456 	13.3	Holland (Neway) 90557229 (IFS-114) - (center stud used for locating in pre-assembly)
1T15M-2 W01-358-8201		3235 	9573/ NAD-18162 	10.5	Ridewell 1003588201C

1T Style Springs

OBSOLETE
NO LONGER AVAILABLE

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-2 W01-358-8203		3235 	9549/ NAD-29454 ORDER NO. WC1-358-1616	13.1	Holland (Neway) 90557210 - (replaces W01-358-8987) Wabash Trailer ArvinMeritor 2258-C-1459
1T15M-2 W01-358-8204		3235 	9573/ NAD-18162 ORDER NO. WC1-358-1634	10.4	Holland (Neway) 90557173 (RL196A-12) Holland (Neway) 90557223 Binkley Newlite (NS 190-16)
1T15M-2 W01-358-8207		3403 	9549/ NAD-29454 ORDER NO. WC1-358-1616	11.4	Freightliner Custom Chassis 16-16019-000
1T15M-2 W01-M58-8650 OBSOLETE METRIC BRACKET WC1-358-3903		3512 	9573/ NAD-18162 ORDER NO. WC1-358-1634	12.5	Hendrickson 64403-2
1T15M-2 W01-358-8878		3235 	9550/ NAD-29456 ORDER NO. WC1-358-1652	11.9	Arvin Meritor A-2258-A-1483 (WCC Front RV)

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-2 W01-358-8930 SERVICE ASSEMBLY W01-358-0725		3235 	9727/ NBD-8725 	14.3	Ridewell 1003588930C
			ORDER NO. WC1-358-0651		
1T15M-2 W01-358-8931 METRIC	TANK VALVE 	3700 	3822/ NBD-10378 	15.8	John Deere
1T15M-2 W01-358-8932		3003 	9530/ NAD-27809 	12.7	Reyco 22241-01
			ORDER NO. WC1-358-9452		
1T15M-2 W01-358-8934		3242 	9571/ NBD-18130 	10.9	Hendrickson Trailer S20228
			ORDER NO. WC1-358-0646		
1T15M-2 W01-358-8935 OBSOLETE		3003 	9550/ NAD-29456 	12.1	Tuthill Reyco 23027-01
			ORDER NO. WC1-358-1652		

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-2 W01-358-8991		3235 	9528/ NBD-14404 	12.7	Reyco 17414-01 ORDER NO. WC1-358-0667
1T15M-2 W01-358-9053		3215 	9656 / NBD-10440 	14.6	EZ Ride 8030192 Ridewell 1003589053C Fruehauf UCE-1304-2 ORDER NO. WC1-358-0652
1T15M-2 W01-358-9078		3255 	9742/ NBD-8055 	14.0	Fruehauf UCB-9668-1 Fruehauf MFR-022355 ORDER NO. WC1-358-0658
1T15M-2 W01-358-9105 SERVICE ASSEMBLY W01-358-0725		3235 	9550/ NAD-29456 	13.2	Hendrickson Trailer S1245 Granning 5065 Ridewell 1003589105C Watson & Chalin AS-0015 ORDER NO. WC1-358-1652
1T15M-2 W01-358-9113		3210 	9656/ NBD-10267 	14.6	Hendrickson ORDER NO. WC1-358-0652

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-2 W01-358-9118		3190 	9656/ NBD-10267 	14.3	Ridewell 1003589118C ORDER NO. WC1-358-0652
1T15M-2 W01-358-9302 SERVICE ASSEMBLY W01-358-0725		3235 	9550/ NAD-29456 	13.2	Hendrickson Can. B-12514-003 ORDER NO. WC1-358-1652
1T15M-2 W01-358-9325		3235 	9532/ NAD-29827 	13.6	Holland (Neway) 90557149 ORDER NO. WC1-358-1619
1T15M-2 W01-358-9339 BRACKET 70-3582-6044		3313 	9573/ NAD-19162 	12.0	Hendrickson 56808-2 (class 6 Ford) Hendrickson 57150 RH Hendrickson 57140 LH - Remove new bracket and reuse old (class 6 & 7 GM) ORDER NO. WC1-358-1634
1T15M-2 W01-358-9365		3235 	9544/ NAD-29826 	12.5	Holland (Neway) 90557159 ORDER NO. WC1-358-0666

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-2 W01-358-9366		3235 	9549/ NAD-29454 	11.8	Holland (Neway) 90557160 Holland (Neway) 90557210 Holland (Neway) 90557225 Watson & Chalin AS-0054 Wabash Holland (Neway) 90557225
			ORDER NO. WC1-358-1616		
1T15M-2 W01-358-9556 OBSOLETE		3235 	9550/ NAD-29456 	14.8	Tuthill Granning 703180-01
			ORDER NO. WC1-358-1652		
1T15M-4 W01-358-8802		3235 	9549/ NAD-29454 	12.0	Ridewell 1003588802C Holland (Neway) 90557170
			ORDER NO. WC1-358-1616		
1T15M-4 W01-358-8803		3235 	9532/ NAD-29827 	13.1	Ridewell 1003588803C Holland (Neway) 90557194 (Dock-Mate)
			ORDER NO. WC1-358-1619		
1T15M-4 W01-358-8805		3210 	9727/ NBD-8725 	16.2	Ridewell 1003588805C
			ORDER NO. WC1-358-0651		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-8806		3235 	9656/ NBD-10267  ORDER NO. WC1-358-0652	14.0	Ridewell 100358806C
1T15M-4 W01-358-8810		3271 	9656/ NBD-10267  ORDER NO. WC1-358-0652	15.0	Hagie
1T15M-4 W01-358-8813		3202 	9544/ NAD-29826  ORDER NO. WC1-358-0666	12.6	Kenworth C81-1003 Airglide 380 Peterbilt C81-6000 Flex Air
1T15M-4 W01-358-8816 BRACKET WC1-358-3904		3004 	9573/ NAD-18162  ORDER NO. WC1-358-1634	13.1	Hendrickson 60929-2
1T15M-4 W01-358-8817 BRACKET WC1-358-3904		3004 	9573/ NAD-18162  ORDER NO. WC1-358-1634	13.4	Hendrickson 60925-2

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-9008		3235 	9727/ NBD-8725 	14.1	Ridewell 1003589008C
			ORDER NO. WC1-358-0651		
1T15M-4 W01-358-9010		3235 	9727/ NBD-8725 	16.1	Ridewell 1003589010C (replaces 9064) Reyco 12928-01 Hendrickson Trailer S2827 Hendrickson Trailer S11566 (remove bolt) Watson & Chalin AS-0044
			ORDER NO. WC1-358-0651		
1T15M-4 W01-358-9011		3188 	9727/ NBD-8725 	16.1	Hendrickson Trailer S2307
			ORDER NO. WC1-358-0651		
1T15M-4 W01-358-9059		3220 	9727/ NBD-8725 	16.3	Hutchens H-1913-1
			ORDER NO. WC1-358-0651		
1T15M-4 W01-358-9063		3271 	9727/ NBD-8725 	16.2	Navistar 359519C-1
			ORDER NO. WC1-358-0651		

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-9068		3235 	9727/ NBD-8725 	16.6	Navistar ORDER NO. WC1-358-0651
1T15M-4 W01-358-9069		3202 	9544/ NAD-29826 	14.2	Peterbilt 03-02456 Peterbilt 03-04759 Peterbilt 03-01649 Peterbilt 03-06746 Peterbilt 03-07112 Peterbilt 03-02038 (Air-Trac) MFG.SV# Peterbilt 03-10042 ORDER NO. WC1-358-0666
1T15M-4 W01-358-9070		3235 	9656/ NBD-10267 	15.2	Holland (Neway) 90557038 Holland (Neway) 90557090 (AR-90-1-12) Silent Drive ORDER NO. WC1-358-0652
1T15M-4 W01-358-9071		3215 	9727/ NBD-8725 	16.1	Fab Tek (West Unit) 101357 Ridewell 1003589071C Pioneer Trailer ORDER NO. WC1-358-0651
1T15M-4 W01-358-9335 BRACKET 70-3582-6042		3313 	9573/ NBD-18162 	12.3	Hendrickson 56917-1 & 2 (Class 6 & 7 Freightliner) -ref. 56916 (W01-358-9284) -superseded ORDER NO. WC1-358-1634

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊙ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊙ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊙

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-9336		3235 	9549/ NAD-29454 	13.4	Watson & Chain AS-0053
1T15M-4 W01-358-9463		3235 	9656/ NBD-10267 	15.2	Holland (Neway) 90557130-RH Holland (Neway) 90557131-LH
1T15M-4 W01-358-9467		3235 	9462/FIP-101776 	18.6	Ridewell 1003589467C
1T15M-4 W01-358-9482 BRACKET WC1-358-3887		3253 	9549/ NAD-29454 	15.0	Holland (Neway) 90557161 (AD200-7) (Gillig) - ref. W01-358-9585 (1/ 2" NPT)
1T15M-4 W01-358-9483 OBSOLETE BRACKET WC1-358-3887		3253 	9544/ NAD-29826 	15.2	Holland (Neway) 90557166 (AD200-8) (Gillig)

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-9484		3235 	9544/ NAD-29826 ORDER NO. WC1-358-0666	12.9	Holland (Neway) 90557158
1T15M-4 W01-358-9507 BRACKET WC1-358-3887		3253 	9727/ NBD-8724 ORDER NO. WC1-358-0651	16.2	Holland (Neway) 90557313
1T15M-4 W01-358-9585 BRACKET WC1-358-3887		3347 	9549/ NAD-29454 ORDER NO. WC1-358-1616	15.4	Holland (Neway) 90557247 (replaces 90557219-flush fitting) - ref.W01-358-9482
1T15M-4 W01-358-9697		3252 	9532/ NAD-29827 ORDER NO. WC1-358-1619	13.3	Holland 90557329
1T15M-4 W01-358-9797		3210 	9656 / NBD-10440 ORDER NO. WC1-358-0652	13.9	Ridewell 1003589797C

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-4 W01-358-9798		3225 	9656/NBD-10440 ORDER NO. WC1-358-0652	15.3	Holland (Neway) 90557105 (GM-U-Haul) Holland (Neway) 90557137 (only 2 studs in piston and 90deg alignment) REPLACEMENT PISTON COMES WITHOUT STUDS
1T15M-6 W01-358-8824		3242 	9530 NAD-27809 PL Order No. WC1-358-9452 PL	13.9	Tuthill-Reyco 702614-01
1T15M-6 W01-358-8924		3210 	9530 NAD-27809 Order No. WC1-358-9452	14.9	Ridewell 1003588924C
1T15M-6 W01-358-8927		3235 	9544/ NAD-29826 ORDER NO. WC1-358-0666	14.5	Watson & Chain AS-0062
1T15M-6 W01-358-9004		3235 	9727/ NBD-8725 ORDER NO. WC1-358-0651	15.3	Watson & Chain AS-0043

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9026		3202 	9532/ NAD-29827 ORDER NO. WC1-358-1619	12.7	Peterbilt 03-06213 Peterbilt 03-07111 (Low Air Leaf)
1T15M-6 W01-358-9082 SERVICE ASSEMBLY W01-358-0712		3235 	9530/ NAD-27809 ORDER NO. WC1-358-9452	15.0	Hendrickson Can. S2066, S11651, B-12514-007 Kelderman Hutchens H-9630-01 Kwik Lok/ToDo (Jifflox) CP-5125 Holland (Neway) 90557006, 90557027, 90557033 (special mounting), 90557037, 90557054, 90557075 Reyco 12882-01 R & S Truck & body 1090217 Ridewell 1003589082C Silent Drive Watson & Chalin AS-0011
1T15M-6 W01-358-9083 SERVICE ASSEMBLY W01-358-9080		3235 	9530/ NAD-27809 ORDER NO. WC1-358-9452	13.2	Granning 1359 Watson & Chalin AS-0028 Ridewell 1003589083C Hendrickson Trailer S1561
1T15M-6 W01-358-9092		3235 	9530/ NBD-21809 ORDER NO. WC1-358-9452	15.1	Holland (Neway) 90557031 Hendrickson Can. S12353

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9093 SERVICE ASSEMBLY W01-358-0712		3235 	9553/ NBD-29457 ORDER NO. WC1-358-9453	16.0	Holland (Neway) 90557007 Holland (Neway) 90557032 Holland (Neway) 90557035
1T15M-6 W01-358-9096 SERVICE ASSEMBLY W01-358-0707		3215 	9530/ NAD-27809 ORDER NO. WC1-358-9452	14.8	Fruehauf UCE-1304-1
1T15M-6 W01-358-9193		3235 	9530/ NAD-27809 ORDER NO. WC1-358-9452	15.1	Holland (Neway) 90557101 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15M-6 W01-358-9194		3246 	9532/ NAD-29827 ORDER NO. WC1-358-1619	13.0	Peterbilt 03-05107
1T15M-6 W01-358-9210 SERVICE ASSEMBLY W01-358-9080		3235 	9951/ NAD-17833 ORDER NO. WC1-358-0697	15.9	Granning 2577

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9211 SERVICE ASSEMBLY W01-358-0712		3235 	9951/ NAD-17833 ORDER NO. WC1-358-0697	17.3	Granning 2692
1T15M-6 W01-358-9213 SERVICE ASSEMBLY W01-358-0748		3291 	9560/ NAD-32768 ORDER NO. WC1-358-1620	13.3	Navistar 501559C-1 Navistar 501559C-2 Navistar 1660581C-1
1T15M-6 W01-358-9219		3279 	9560/ NAD-32768 ORDER NO. WC1-358-1620	13.5	Volvo/GM Heavy Duty Truck 35003-3201 Volvo/GM Heavy Duty Truck 35203-3202 Volvo/GM Heavy Duty Truck 35003-3204 Volvo/GM Heavy Duty Truck 35003-3209
1T15M-6 W01-358-9223 (REPLACES 1T15LX8)		3235 	9583/FIP-101543 	20.6	Reyco 12884-01 Reyco 12884-01A (102AR) Hendrickson 48195-2
1T15M-6 W01-358-9227		3188 	9530/ NAD-27809 ORDER NO. WC1-358-9452	15.0	Hendrickson Trailer S2924 Hendrickson 48195-1 (b.plate studs-1.35) (2 studs in piston at 90deg alignment)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9228		3235 	9462/FIP-101776 	18.7	Hendrickson S-3411
1T15M-6 W01-358-9256		3232 	9530/ NAD-27809  ORDER NO. WC1-358-9452	15.4	Hendrickson 49160-0E REPLACEMENT PISTON COMES WITHOUT STUDS
1T16M-6 W01-358-9296 BRACKET 70-3582-6027		3254  	9560/ NAD-32768  ORDER NO. WC1-358-1620	14.4	Volvo/GM 8061151 Volvo/GM 8169868
1T15M-6 W01-358-9304		3235 	9540/ NAD-29828  ORDER NO. WC1-358-0664	16.2	Holland (Neway) 90557124 (AR-90115 & 16) Watson & Chalin AS-0059
1T15M-6 W01-358-9362		3235 	9532/ NAD-29827  ORDER NO. WC1-358-1619	14.9	Watson & Chalin AS-0049 Holland (Neway) 90557113 (AR90-1-14&17) (AR75-6&9)

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9388				17.3	Granning 3750
1T15M-6 W01-358-9392 SERVICE ASSEMBLY W01-358-0712				16.0	Hendrickson Trailer S4773
1T15M-6 W01-358-9466				14.3	Hendrickson 49048 (Ford) Hendrickson 49674-1&2 (Mack) (57QL411M) Hendrickson 49207 (Marmon) HA-360/400/460 [up to 1991]
1T15M-6 W01-358-9474				15.1	Reyco 20966-01 Everly
1T15M-6 W01-358-9496 BRACKET WC1-358-3887				15.9	Holland (Neway) 90557208

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-6 W01-358-9690 BRACKET 70-3582-6030		3310 	9583/FIP-101543 	22.5	Reyco 24894-02
1T15M-6 W01-358-9944		3235 	9583/FIP-101543 	21.4	Reyco 12884-01B
1T15M-6 W01-358-9966 BRACKET 70-3582-6030		3310 	9583/FIP-101543 Order No. WC1-358-0660	22.4	Reyco 20124-02 (1/2 NPT) Reyco 20124-01 Reyco 20124-01K (1/4 NPT) - [Use 1/2 to 1/4 NPT adaptor]
1T15M-7.5 W01-358-8888		3235 	9530 / NAD-27809 ORDER NO. WC1-358-9452	14.0	Rowe Truck 0027 ASC2500
1T15M-7.5 W01-358-9342		3235 	9530 / NAD-27809 ORDER NO. WC1-358-9452	13.7	Granning 2727 (supersedes 9298) Chalmers (remove bolt) - Suspension should have axle stops-if not-use W01-358-9245

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-7.5 W01-358-9902		3249 	9544/NAD-29826  Order No. WC1-358-0666	14.7	Holland (Neway) 90557138
1T15M-7.5 W01-358-9921		3235 	9544 / NAD-29826  ORDER NO. WC1-358-0666	13.7	Holland (Neway) 90557117 (AR92-12& 14), (AR93-14) Watson & Chalin AS-0090 Silent Drive
1T15M-7.5 W01-358-9922		3235 	9540/NAD-29828  Order No. WC1-358-0664	15.0	Holland (Neway) 90557119 (AR92-17) (AR93-17)
1T15M-7.5 W01-358-9923		3235 	9532 / NAD-29827  ORDER NO. WC1-358-1619	13.7	Holland (Neway) 90557118 (AR92& 93-15&16)
1T15M-7.5 W01-358-9935		3226 	9532/NAD-29827  Order No. WC1-358-1619	13.8	Holland (Neway) 90557157 (RL-228-17) Holland (Neway) 90557301

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-7.5 W01-358-9936		3226 	9544/NAD-29826 Order No. WC1-358-0666	13.9	Holland (Neway) 90557156 (RL-228-14,15,16) Holland (Neway) 90557300
1T15M-7.5 W01-358-9942 METRIC		3249 	9532/NAD-29827 Order No. WC1-358-1619	14.1	Holland (Neway) 90557142
1T15M-7.5 W01-358-9943		3249 	9540/NAD-29828 Order No. WC1-358-0664	15.2	Holland (Neway) 90557143
1T15M-7.5 W01-358-9947 BRACKET 70-3582-6030		3254 	9544/NAD-29826 Order No. WC1-358-0666	15.9	Reyco 20142-01 & 01K
1T15M-7.5 W01-358-9948 OBSOLETE		3235 	9696 / NBD-14366 ORDER NO. WC1-358-1636	17.7	Holland (Neway) 90557227 V-Steer 1 (Ride Bag)

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-7.5 W01-358-9971		3235 	9652/ NBD-10486 ORDER NO. WC1-358-0659	15.5	Holland (Neway) 90557295 (RL230,GRL228)
1T15M-7.5 W01-358-9972		3226 	9532 NAD-29827 Order No. WC1-358-1619	14.0	Holland (Neway) 90557302 RL230
1T15M-7.5 W01-358-9974		3306 	9652 / NBD-10436 ORDER NO. WC1-358-0659	14.3	Holland 90557332
1T15M-8 W01-358-9287 BRACKET WC1-358-3903		3313 	9561 / NAD-32767 Order No. WC1-358-1606	18.5	Hendrickson 50405-1&2 (Ford, W.Star) HA-360/400/ 460 [1991-Up] Hendrickson 50405 (remove intermediate plate and use new production version with bracket)
1T15M-8 W01-358-9297 BRACKET 70-3583-6044		3313 	9538/NAD-27740 Order No. WC1-358-1628	16.5	Hendrickson 50898-1 & 2 (GH & Ford) (class 6, 7 & 8) Hendrickson Truck 64651-2

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-8 W01-358-9371 BRACKET 70-3582-6047			9560 / NAD-32768 ORDER NO. WC1-358-1620	18.0	Navistar 1670073C-1 Navistar 1686386C-1
1T15M-8 W01-M58-9372 METRIC BRACKET 70-3582-6050			9538/NAD-27740 Order No. WC1-358-1628	16.7	Hendrickson 58520-2 (Nissan) (replaces 58654-2) Hendrickson Truck 64489-2
1T15M-8 W01-358-9373 BRACKET 70-3582-6044			9538/NAD-27740 Order No. WC1-358-1628	16.2	Hendrickson 57122-2 (Ford, class 8) HAS-360/400/402/ 460
1T15M-8 W01-358-9375 BRACKET 70-3582-6041			9538 / NAD-27740 ORDER NO. WC1-358-1628	16.9	Hendrickson 50899-1 & 2 (Mack-class 8) 57QL414M Mack 3645Q27
1T15M-8 W01-M58-9642 METRIC			9538/NAD-27740 Order No. WC1-358-1628	14.6	Hendrickson 59055-2 - (HAD 150 & 190) replaces 58817-2 RVI/US

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-8 W01-358-9647 BRACKET 70-3582-6051 REPLACES 1T15MT-8			 Order No. WC1-358-1628	15.9	Hendrickson 58786-2 (MACK 57QL417M) Replaces 1T15MT-8
1T15M-8 W01-358-9649			 ORDER NO. WC1-358-1606	17.2	Holland (Neway) 90557252
1T15M-8 W01-358-9654			 Order No. WC1-358-1628 Order No. WC1-358-3715	15.1	Hendrickson 65032-2 Mack 57QL53M
1T15M-8 W01-M58-9656 METRIC			 ORDER NO. WC1-358-1628		Hendrickson Truck 64651-2 Mack 57QL57M
1T15M-8 W01-358-9663 BRACKET 70-3582-6051			 Order No. WC1-358-1628	16.2	Hendrickson Truck 60271-2 Mack 57WL57M

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-9 W01-358-8842		3313 	9532/ NAD-29827 	15.2	Link 1103-0058
1T15M-9 W01-358-8852		3302 	9532/NAD-29827 	13.2	Peterbilt 03-07887 (Low Air Leaf)
1T15M-9 W01-358-8855		3242 	9530/ NAD-27809 	14.6	Reyco 23521-01
1T15M-9 W01-358-8856		3242 	9532/NAD-29827 	14.5	Reyco 23521-02
1T15M-9 W01-358-8864		3202 	9531 / NAD-28197 	14.1	Peterbilt 03-08716 (New Low Leaf Supersedes 03-07887 effective 04/04) C811011 Paccar Part

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-9 W01-358-9101 SERVICE ASSEMBLY W01-358-9102		3235 	9553 / NAD-29467  ORDER NO. WC1-358-9453	16.7	Holland (Neway) 90557008 90557009 90557082 Ridewell 1003589101C Reyco 12883-01 Silent Drive Truckstell (Marion Mfg.) 63647 MFG.SV.# Neway 90044201 Watson & Chalin AS-0040
1T15M-9 W01-358-9192 SERVICE ASSEMBLY W01-358-9102		3235 	9530/NAD-27809  Order No. WC1-358-9452	15.9	Hendrickson Trailer S6195 Holland (Neway) 90557086 90557108 (AR-90) Watson & Chalin AS-0038 AS-0046 Rotate Piston 90557135-26LH Rotate Piston 90557136-26RH
1T15M-9 W01-358-9203		3271 	9530/NAD-27809  Order No. WC1-358-9452	16.0	Hendrickson Trailer S2694
1T15M-9 W01-358-9238		3210 	9553/NAD-29467  Order No. WC1-358-9453	16.4	Hendrickson Trailer S5060
1T15M-9 W01-358-9240		3235 	9553 / NAD-29467  ORDER NO. WC1-358-9453	16.6	Hendrickson Trailer S3842 Hendrickson Can. S10352

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-9 W01-358-9243		3235 	9532 / NAD-29827  ORDER NO. WC1-358-1619	14.4	Holland (Neway) 900557112 (AR90-[All]) (ARU92-9&10) Watson & Chalin AS-0061
1T15M-9 W01-358-9245 SERVICE ASSEMBLY W01-358-9102		3490 	9530 / NAD-27809  Order No. WC1-358-9452	15.8	Ridewell 1003589245C
1T15M-9 W01-358-9346 SERVICE ASSEMBLY W01-358-9102		3235 	9540/NAD-29828  Order No. WC1-358-0664	16.6	Holland (Neway) 90557126 (AR-75-12) (AR-75-1-12) (ARU92-12) Watson & Chalin AS-0056
1T15M-9 W01-358-9348		3173 	9553/NAD-29467  Order No. WC1-358-9453	16.9	CCG McCullough Trailer
1T15M-9 W01-358-9349		3173 	9553/NAD-29467  Order No. WC1-358-9453	19.8	Hendrickson Trailer S8988 Reyco 17636-01

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-9 W01-358-9350		3271 	9553/NAD-29467 Order No. WC1-358-9453	14.6	Watson & Chain
1T15M-9 W01-358-9394		3271 	9553/NAD-29467 Order No. WC1-358-9453	16.5	Fruehauf UCD-9393-2 (-if bolt is removed, this part can replace the UCE-9393-1) Suspensions Inc. 200041 supersedes 9241
1T15M-9 W01-358-9875 OBSOLETE REPLACED BY W01-358-1191		3173 	9538/NAD-27740 	15.2	Bead plate Bracket (Single Hole) 70-3582-6063 NAVISTAR 3541731C1
1T15M-9 W01-358-9876 OBSOLETE REPLACED BY W01-358-1190		2883 	9538/NAD-27740 	15.2	Bead plate Bracket (Double Hole)
1T15M-11 W01-358-9320		3490 	9553/NAD-29467 Order No. WC1-358-9453	17.3	Holland (Neway) 90557099 Silent Drive

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-11 W01-358-9321		3271 	9653/NBD-10437 	19.8	Watson & Chain AS-0036
1T15M-11 W01-358-9338		3490 	9553/NAD-29467  Order No. WC1-358-9453	18.2	Silent Drive
1T15M-11 W01-358-9367		3188 	9653 / NBD-10437  ORDER NO. WC1-358-9453	20.4	Hendrickson S14249 (W01-455-9321) Hendrickson Aux. 003319 (metric equivalent)
1T15M-11 W01-358-9368		3205 	9553/NAD-29467  Order No. WC1-358-9453	20.7	Ridewell 1003589368C
1T15M-11 W01-358-9370		3188 	9540/NAD-29828  Order No. WC1-358-0664	17.0	Watson & Chain AS-0057

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15M-11 W01-358-9538 BRACKET WC1-358-3906			9553/NAD-29467 (PLASTIC) Order No. WC1-358-9453	18.2	Ridewell 1003589538C
1T15M-11 W01-M58-9668 OBSOLETE METRIC			3853/NBD-14153 ALUM. 	19.8	Hendrickson Aux. 003319 (Same as SAE version W01-358-9367)
1T15MJ-6 W01-358-9097 OBSOLETE			9744/NBD-9673 Order No. N/A		Navistar 426213C-1 Navistar 4545910C-1 Navistar 442307C-91 Navistar 4545889C-1
1T15MJ-6 W01-358-9098 OBSOLETE			9744 NBD-9673 Order No. N/A		Navistar 350243C-94 Navistar 442305C-91 Navistar 426212C-1 Navistar 442306C-91 Navistar 454590C-1 Navistar 454588C-91
1T15MM-9 W01-358-9265 REPLACES 1T15MW-10			9694 / NAD-25396 Order No. WC1-358-1694	16.7	Hendrickson Trailer S20124 Hendrickson Trailer HT-250T Hendrickson Trailer C20413 (rotate piston to 45deg alignment) Hendrickson Trailer HT-250U (all others) Hendrickson Trailer HT-250U-Y (9Y-001)

1T Style Springs

OBSOLETE
NO LONGER AVAILABLE

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15MR-2 W01-358-9268 CUSTOMER SUPPLIED PISTON		3253 			Holland (Neway) 90557123 - Service assembly only (no piston) ARD120 & 240-5 (Air Beam) (90054540 w/o bracket)
1T15MT-3 W01-358-9634 REPLACES 1T15ZR-3		3404 	9550/ NAD-29456 ORDER NO. WC1-358-1652	16.2	Freightliner 16-14263-000 Freightliner 16-15443-000 (6033 bracket) Freightliner 16-14263-001 Freightliner 16-15443-001 (6034 bracket) Freightliner 16-15444-000 service (no bracket, no piston) --reuse old bracket or purchase separately (pg.62) replacement Freightliner 16-19470-000 16-18333-000 16-18333-001
1T15MT-3 W01-358-9640		3242 	9702/ NAD-27357 ORDER NO. WC1-358-1608	14.3	Hendrickson Trailer S20223 (HT-190T, HS-190T) - replaces W01-358-9630
1T15MT-3 W01-358-9774 REPLACES 1T15ZR-3		3403 	9550/ NAD-29456 ORDER NO. WC1-358-1652	16.0	Freightliner Custom Chassis 16-15762-000 Ambulance Freightliner 16-18334-000 16-19471-000

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15MT-6 W01-358-9643 BRACKET 70-3582-6044			9538 / NAD-27740 ORDER NO. WC1-358-1628	16.0	Hendrickson 58995-2 (Freightliner)
1T15MW-6 W01-358-9299			9694/NAD-25396 Order No. WC1-358-1694	16.4	Hendrickson Trailer S20716 [HT250U(6.5-002)]
1T15MLW-7 W01-358-8944			9694/NAD-25396 Order No. WC1-358-1694	16.7	Hendrickson Trailer S20217 (HT-190U) - supersedes W01-358-9015
1T15MPW-7 W01-M58-6260 METRIC			9538/NAD-27740 PLASTIC Order No. WC1-358-1628	15.4	Hendrickson Truck 59053-2
1T15MPW-7 W01-M58-6317 METRIC			9544/NAD-29826 Order No. WC1-358-0666	19.5	Holland (Neway) 90557233

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15MPW-7 W01-358-6231 SUPERSEDES W01-358-6262		3249 	9507/NAD-31763 	14.5	Arvin Meritor 21227742FS FS230
1T15MPW-7 W01-358-6262		3249 	9557 / NAD-31181 ORDER NO. WC1-358-1654	14.3	Arvin Meritor 21227742 FS25
1T15MPW-7 W01-358-8903		3235 	9532/NAD-29827 Order No. WC1-358-1619	13.6	Holland (Neway) 90557169 (Advance Mixer)
1T15MBTW-6 W01-358-9644		3306 	9532/NAD-29827 Order No. WC1-358-1619	13.8	Hendrickson Trailer S23721
1T15MBTW-10 W01-358-9646		3306 	9532/NAD-29827 Order No. WC1-358-1619	14.4	Hendrickson Trailer S23611

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15MBTW-12 W01-358-9645		3306 	9540/NAD-29828  Order No. WC1-358-0664	16.9	Hendrickson Trailer S23612
1T15S-5 W01-358-9076		3220 	9757/NBD-9242  ORDER NO. N/A	13.3	Pezzani
1T15S-6 W01-358-9043 OBSOLETE REPLACED BY W01-358-9652		3190 	9789 / NBD-8881 		Mack 57QL1115 Hendrickson Trailer S-14147
1T15S-6 W01-358-9259 OBSOLETE REPLACED BY W01-358-8478		3201 	9535 / NAD-29592  ORDER NO. N/A	14.3	Jet Co. (replace 9255) (11.0" max. OD) Bolt removed for center mounting
1T15SN-3 W01-358-8911		3235 	9535/NAD-29592 	12.9	Rockwell

1T Style Springs

OBSOLETE
NO LONGER AVAILABLE

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15SN-6 W01-358-9260		3201 	9535/NAD-29592 Order No. N/A	13.2	Jet Co. (10.3 max.OD) Bolt removed for center mounting
1T15T-1 W01-358-9402		3215 	9492 / FIP-100742 Order No. WC1-358-1642	10.6	Capacity of Texas
1T15T-1 W01-358-9410		3266 	9492/FIP-100742 	9.8	Columbia Trailer
1T15T-1 W01-358-9650		3235 	9654/NBD-10438 Order No. WC1-358-0663	12.3	Holland (Neway) 90557097
1T15T-1 W01-358-9651		3220 	9571/NAD-18130 Order No. WC1-358-0646	9.8	Monaco Coach 01806160

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15T-2 W01-358-8600		3215 	9492/FIP-100742 	11.5	Capacity of Texas
1T15TM-1 W01-358-5765		3235 	9492/FIP-100742 	11.9	American Carrier 8003-024
1T15TM-1 W01-358-5766		3235 	9492/FIP-100742 	12.1	American Carrier 8003-023 Hutchens 19141-01
1T15TM-1 W01-358-9421		3235 	9492/FIP-100742 Order No. WC1-358-0663	10.1	American Carrier 8003-003
1T15TM-1 W01-358-9423		3235 	9655/NBD-10439 Order No. WC1-358-9454	13.0	Ridewell 1003589423C

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15TQ-1 W01-358-5770		3235 	9681/NBD-14213 Order No. WC1-358-1612	11.2	Ridewell 1003585770C Watson & Chalin AS-0042
1T15TQ-1 W01-358-5771		3235 	9681/NBD-14213 Order No. WC1-358-1612	10.3	Brock
1T15TQ-1 W01-358-5772		3235 	9681/NBD-14213 Order No. WC1-358-1612	9.4	Brock Link (see 5789)
1T15TQ-1 W01-358-5773		3267 	9681/NBD-14213 Order No. WC1-358-1612	9.8	Kenworth
1T15TQ-1 W01-358-5775		3211 	9681/NBD-14213 Order No. WC1-358-1612	11.9	Reyco 20783-01

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15TQ-1 W01-358-5776 BRACKET WC1-358-3887			9681/NBD-14213 Order No. WC1-358-1612	11.6	Holland (Neway) 90557174 (AS 120) ref. W01-358-9586 (1/2 NPT)
1T15TQ-1 W01-358-5777			9681/NBD-14213 Order No. WC1-358-1612	11.1	Reyco 22425-01
1T15TQ-1 W01-358-5789			9681/NBD-14213 Order No. WC1-358-1612	11.2	Link 1103-0503 Ultraride
1T15TQ-1 W01-358-5792			9492/FIP-100742 Order No. WC1-358-1612	11.6	Ridewell 1003585792C
1T15TQ-1 W01-358-9586 BRACKET WC1-358-3887			9681/NBD-14213 Order No. WC1-358-1612	11.7	Holland (Neway) 90557249 replaces 90557221 (1/2 NPT-flush) (ref. W01-358-5776)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15V-1 W01-358-9249		3235 	9528/NBD-14404 Order No. WC1-358-0667	12.2	Holland (Neway) 90557107 Mercedes Bus Mexico Front
1T15V-1 W01-358-9251		3235 	9528/NBD-14404 Order No. WC1-358-0667	12.3	Ridewell 1003589251C Suspensions 200182
1T15V-3 W01-358-9578		3235 	9528/ NBD-14404 ORDER NO. WC1-358-0667	11.7	Holland (Neway) 90557232
1T15V-3 W01-358-9582 SPACER WC1-358-3701		3235 	9528/ NBD-14404 ORDER NO. WC1-358-0667	13.0	Holland (Neway) 90557240 REPLACEMENT PISTON DOES NOT INCLUDE SPACER
1T15V-8 W01-358-9274		3235 	9462/FIP-101776 	19.0	Ridewell 1003589274C

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15V-8 W01-358-9275		3235 	9462/FIP-101776 	19.3	Ridewell 1003589275C
1T15V-8 W01-358-9470 BRACKET WC1-358-3887		3253 	9532/ NAD-29827 ORDER NO. WC1-358-1619	16.2	Holland (Neway) 90557145 (AD-246) Holland (Neway) 90557211 (2 bolt mounting on piston)
1T15V-8 W01-358-9471 BRACKET WC1-358-3887		3253 	9540/ NAD-29828 ORDER NO. WC1-358-0664	17.8	Holland (Neway) (AD-123/246-10) 90557146 90557182 (no bracket) 90557177 (special lower connection) Holland (Neway) 90557212 (146) Holland (Neway) 90557214 (182) (2 bolt mounting on piston)
1T15V-8 W01-358-9472 BRACKET WC1-358-3887		3253 	9544/ NAD-29826 ORDER NO. WC1-358-0666	16.2	Holland (Neway) 90557147 (AD-123/ 246-6.5 & 8.75) 90557213 (147) (2 bolt mounting on piston) 90557178-Ford (special lower connection)
1T15V-8 W01-358-9473 BRACKET WC1-358-3887		3253 	9540/ NAD-29828 ORDER NO. WC1-358-0664	18.0	Holland (Neway) 90557152 90557179 (no bracket) 90557215 (152) 90557216 (179) (2 bolt mounting on piston)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15V-8 W01-358-9491 BRACKET WC1-358-3887			9727/NBD-8725 Order No. WC1-358-0651	18.4	Holland (Neway) 90557206 90557213 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15V-8 W01-358-9501			9553/ NAD-29467 ORDER NO. WC1-358-9453	17.6	Holland 90557214 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15V-8 W01-358-9502			9530/ NAD-27908 ORDER NO. WC1-358-9452	16.2	Holland 90557211 REPLACEMENT PISTON COMES WITHOUT STUDS
1T15V-8 W01-358-9504			9530/ NAD-29467 ORDER NO. WC1-358-9453	17.9	Holland 90557216
1T15V-11 W01-358-9250			9803 / NAD-15324 ORDER NO. WC1-358-0680	23.7	Ridewell 1003589250C Silent Drive

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15V-11 W01-358-9252		3235 	9803 / NAD-15324 	23.3	Ridewell 1003589252C
			ORDER NO. WC1-358-0680		
1T15V-11 W01-358-9269		3235 	9803 / NAD-15324 	23.5	Oshkosh RX-08-03
			ORDER NO. WC1-358-0680		
1T15VP-4 W01-358-8800		3312 	9648/NAD-31288 	21.5	Hendrickson Trailer S-25559
			Order No. WC1-358-1649		
1T15VP-4 W01-358-9270 (REPLACES 1T15VM-4)		3242 	9602/ NAD-28351 	14.3	Hendrickson S-20010 (HT230T) ref.S21208 W01-455-9579 (different bead plate) Also replaces 1T15VM-4.0
			ORDER NO. WC1-358-1613		
1T15VP-4 W01-358-9579 OBSOLETE REPLACED BY W01-358-8800		3312 	9602/ NAD-28351 	14.8	Hendrickson Trailer S-21208
			ORDER NO. WC1-358-1613		

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15VMW-8 W01-358-6258		3249 	9557/ NAD-31181 	14.7	Arvin Meritor 21227892 FS25
			ORDER NO. WC1-358-1654		
1T15XR-9 W01-358-1190		2883 	4008/FIP-101526 		Bead plate Bracket (Double Hole) 70-358-6064 Navistar 3541732C1 Goodyear 1R12-523
REPLACES W01-358-9876 1T15M-8					
1T15XR-9 W01-358-1191		2883 	4008 FIP-101526 	12.2	Bead plate Bracket (Single Hole) 70-3582-6063 NAVISTAR 3541731C1 Goodyear 1R12-432
REPLACES W01-358-9875 1T15M8					
1T15XMR-7 W01-358-8829		3254 	4008/FIP-101526 	12.2	Volvo 3934699 Volvo 8079902
BRACKET 70-3582-6027 REPLACES 1T15M-6					
1T15XNR-5 W01-358-9648		3315 	4008/ NAD-27740 	12.4	Navistar 2027911C1 & C2 Replaces 1T15M-8
BRACKET 70-3582-6047 REPLACES 1T15M-8			ORDER NO. WC1-358-1628		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T15ZR-6 W01-358-9780		3191 	9527/NAD-27265 PLASTIC Order No. WC1-358-1627	16.6	Freightliner 16-13810-000 (plastic) Freightliner 681-320-0017 (aluminum) See W01-358-9781 Freightliner Piston 16-1673-000 (steel) See W01-358-9782 A16-18335-000 A16-18335-001
1T15ZR-6 W01-358-9781		3191 	9604/NAD-30174 Order No. WC1-358-1627	17.0	Freightliner 681-320-0017, A16-14004-000 (aluminum) A16-17574-001 (w/o bracket) A16-17574-002 (w/o bracket) Freightliner Piston 16-13840-000 (plastic) - see W01-358-9780 Freightliner Piston 16-1673-000 (steel) - see W01-358-9782 A16-17574-001 A16-17574-002
1T15ZR-6 W01-358-9782		3191 	9676/ NAD-31612 ORDER NO. N/A	20.7	Freightliner Custom Chassis 16-16773-000 Steel Piston 681-320-0017 Alum. Piston See W01-358-9781 16-13810-000 Plastic Piston See W01-358-9780
BRACKET WC1-358-3874			6013/NAD-33041 	2.0	Freightliner 16-17010-001 16-15762-000
BRACKET WC1-358-3876			6012/NAD-33042 	2.0	Freightliner 16-17010-002

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
BRACKET WC1-358-3900			6033/ NBD-13722 ORDER NO. N/A	1.6	Freightliner A16-14004-000 (aluminum) 9781 Freightliner 16-13810-001 (plastic) 9780 Add bracket to 9780 or 9781
BRACKET WC1-358-3901			6034/ NBD-13721 ORDER NO. N/A	2.0	Freightliner A16-14004-001 (aluminum) Freightliner 16-13810-002 (plastic) (cabover) Add bracket to 9780 or 9781
1T17AZR-4.5 W01-358-8676 OBSOLETE		3505 	9671/ NAD-32590 		Holland 90557314
1T17AEZR-5 W01-358-8632 OBSOLETE		3497 	9671/ NAD-32590 	24.0	Freightliner Custom Chassis 16-17315-000 ZF-IFS
1T17B-5 W01-358-8723		3301 	9603/ NAD-29630 ORDER NO. WC1-358-1635	15.2	

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17B-5 W01-358-8740		3244 	9602/ NAD-28351 	15.2	Reyco 23433-01
1T17B-5 W01-358-8751 OBSOLETE (SEE W01-358-8709)		3300 	9525/ NAD-26906 	15.3	Hendrickson S20900 (Intraax AA230) [Up to 7/97] -replaced by W01-358-8709 (approx. 6/98) 1T17CA-5
1T17B-5 W01-358-8752		3301 	9602/NAD-28351 	15.3	Watson & Chalin AS-0084 Ridewell 1003588752C Suspensions Inc. 201642 [piston mounting may vary with GY bag-7.87 BC]
1T17B-5 W01-358-8753		3305 	9602/NAD-28351 	15.4	Ridewell 1003588753C Watson & Chalin AS-0098
1T17B-5 W01-358-8755		3300 	9734/ NAD-28002 	17.1	Hendrickson Trailer S22045 (HK190T) Hendrickson Trailer Prototype C21623

1T Style Springs

OBSOLETE
NO LONGER AVAILABLE

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17B-5 W01-358-8756		3300 	9802/ NAD-27999 	18.9	Hendrickson Trailer S22046 (HK230) --will be replaced by W01-358-8710 1T17CL-5 Hendrickson Trailer Prototype C21624
			ORDER NO. WC1-358-1611		
1T17B-5 W01-358-8782		3305 	9603/ NAD-29630 	15.6	Ridewell 1001R13109G
			ORDER NO. WC1-358-1635		
1T17B-11 W01-358-8744		3335 	9540/ NAD-29828 	16.5	Holland (Neway) 90557243
			ORDER NO. WC1-358-0664		
1T17B-11 W01-358-8746		3335 	9532/ NAD-29827 	16.0	Holland (Neway) 90557235
			ORDER NO. WC1-358-1619		
1T17B-11 W01-358-8748		3301 	9532/ NAD-29827 	16.0	Holland (Neway) 90557167 (AR250-14 & 15)
			ORDER NO. WC1-358-1619		

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17B-11 W01-358-8749		3301 	9540/ NAD-29828 ORDER NO. WC1-358-0664	18.0	Holland (Neway) 90557168 (AR250-12,16,17)
1T17BB-2 W01-358-8729		3301 	9533/ NAD-30515 Order No. WC1-358-1644	13.2	Meritor 202796 (GY 1R13-130)
1T17BP-17 W01-358-8724 SERVICE ASSEMBLY 761		3301 	9646/ NAD-31215 	38.9	Hendrickson Trailer S22697
1T17C-3 W01-358-8636		3338 	9603/ NAD-29630 	14.7	Tuthill Granning 705951-01
1T17C-3 W01-358-8733		3338 	9603/ NAD-29630 ORDER NO. WC1-358-1635	15.0	Tuthill Granning 700999-01

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17C-3 W01-358-8737		3301 	9528/ NBD-14404 	17.0	Holland (Neway) 90557272 (NS225, NS450, WN225, NSH450)
1T17C-3 W01-358-8738		3301 	9528/ NBD-14404 	12.8	Holland (Neway) 90557271 (NSH225, NSB225, RLU250)
1T17C-8 W01-M58-8712 METRIC		3739 	9690/ NAD-28840 	19.7	Hendrickson 59319-2
1T17CA-3 W01-358-8614		3300 	9648/ NAD-31288 	24.0	Hendrickson Trailer S26773 Wilson Trailer
1T17CA-5 W01-358-8709		3300 	9525/ NAD-26906 	14.1	Hendrickson Trailer S21800 (Intraax AA230) [8/97-up] -replaces W01-358-8751 (approx. 6/98)

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17CA-6 W01-358-8623 OBSOLETE		3375 	3882/ NAD-31635 	21.8	Hendrickson Trailer S27031
			ORDER NO. N/A		
1T17CA-6.5 W01-358-8708		3300 	9537/ NAD-29798 	15.2	Hendrickson Trailer S21966 (HKA200 Special)
			ORDER NO. WC1-358-1637		
1T17CA-6.5 W01-358-8713		3344 	9537/NAD-29798 	18.0	Hendrickson Trailer S22948 (Van Traax) - Prior to 9/99- used 9525 piston with bumper spacer
			Order No. WC1-358-1637		
1T17CA-6.5 W01-358-8735		3302 	9603/ NAD-29630 	17.0	Granning 7901 (replaced W01-681-8770) [1T19F-7]
			ORDER NO. WC1-358-1635		
1T17CD-3 W01-358-8617		3301 	9533/ NAD-30515 	14.1	Arvin Meritor A2258-E-1461 RHP-55 Arvin Meritor 202796 Ride Sentry
			ORDER NO. WC1-358-1635		

1T Style Springs
















Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T17CL-5 W01-358-8710		3300 	9802/ NAD-27999 	17.5	Hendrickson Trailer S22046 (HK230) Approximate availability 1-98 -replaces W01-358-8756 ORDER NO. WC1-358-1611
1T17CL-9.5 W01-358-9580 REPLACES 1T15VLT-10.5		3244 	9689/ NAD-28838 	18.9	Hendrickson Trailer S20127 [HT-250U 9-006] [HT-250UY 9Y-006] replaces 1T15VLT-10.5 1T15V-11 W01-358-9262 ORDER NO. WC1-358-1607
1T17CL-9.5 W01-358-9581 REPLACES 1T15VLT-10.5		3244 	9689/ NAD-28838 	19.0	Hendrickson Trailer S20414 [HT-250U (9-006)] [HT-250U-Y (9Y-006)] Replaces 1T15VLT-10.5 1T15V-11 ORDER NO. WC1-358-1607
1T19J-1 W01-358-8055 OBSOLETE		3170 	9769/NBD-10180 	17.0	Ridewell 1003588055C Order No. WC1-358-0685 OBSOLETE NO LONGER AVAILABLE
1T19L-3 W01-358-8760		3388 	9766/NAD-28978 	19.0	Granning 7593 ORDER NO. WC1-358-0631

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-3 W01-358-8761		3388 	9766/NAD-28978  Order No. WC1-358-0631	18.7	Tuthill Granning 702228-01
1T19L-3 W01-358-8787		3388 	3819/NAD-19654  Order No. N/A	20.8	Tuthill Granning 703667-01
1T19L-5 W01-358-8088		3123 	9657/NAD-18101  ORDER NO. WC1-358-9450	21.9	Ridewell 1003588088C
1T19L-5 W01-358-8500		3388 	9766/NAD-28978  Order No. WC1-358-0631	21.0	Rowe RV ASC1000/ ASC1001ASC1002/ ASC1003 Spartan
1T19L-5 W01-358-9200		3506 	9766/NAD-28978  Order No. WC1-358-0631	21.7	Hendrickson Trailer S3839 Ridewell 1003589200C MEXICAN DE AUTOBUS FRONT-REAR TAG

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-5 W01-358-9204		3131 	9766/NAD-28978  Order No. WC1-358-0631	21.4	Ravens Trailer
1T19L-5 W01-358-9215		3131 	9766 / NAD-28978  Order No. WC1-358-0631	21.7	Hendrickson Trailer S3648
1T19L-5 W01-358-9216		3131 	9657/NAD-18101  Order No. WC1-358-9450	22.5	City Welding
1T19L-5 W01-358-9218		3388 	9766/NAD-28978  Order No. WC1-358-0631	21.4	Ridewell 1003589218C Holland (Neway) 90557209 Suspensions Inc. Watson & Chain AS-0073 Rowe RV ASC1000/ ASC1001/ASC1002/ ASC1003 Spartan
1T19L-5 W01-358-9277		3388 	9657/NAD-18101  Order No. WC1-358-9450	21.8	Ridewell 1003589277C Reyco 24556-01

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-7 W01-358-8776				22.8	Reyco 21767-01
1T19L-7 W01-358-8778				22.7	Holland (Neway) 90557164
1T19L-7 W01-358-9116				22.7	Pezzani
1T19L-7 W01-358-9121				21.7	Holland (Neway) 90557019 90557052 90557078 90557083 90557110 (parallel alignment) R & S Truck & Body 1090023 Ridewell 1003589121C Sauer P50-733 Reyco 12882-02 Watson & Chalin AS-0013
1T19L-7 W01-358-9135				30.6	Dart 21-4048 Unit Rig 1016034

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-7 W01-358-9144		3388 	9657/NAD-18101  Order No. WC1-358-9450	24.2	Holland (Neway) 90557155
1T19L-7 W01-358-9148		3131 	9657/NAD-18101  Order No. WC1-358-9450	20.9	Peerless 0550-00070
1T19L-7 W01-358-9149		3131 	9657/NAD-18101  Order No. WC1-358-9450	21.8	City Welding Peerless 0550-00010
1T19L-7 W01-358-9164		3388 	9657/NAD-18101  Order No. WC1-358-9450	23.2	R & S Truck & Body 1090326
1T19L-7 W01-358-9177		3506 	9657/NAD-18101  Order No. WC1-358-9450	21.8	Hendrickson Trailer S2065 R & S Truck & Body 1090216 Holland (Neway) 90557003 Ridewell 1003589177C Columbia Trailer

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-7 W01-358-9179 OBSOLETE		3123 	9657/NAD-18101 	22.5	Columbia Trailer Obsolete See W01-358-9177
1T19L-7 W01-358-9221		3123 	9657/NAD-18101 	21.4	Load Air P60733
1T19L-7 W01-358-9811		3388 	9766/NAD-28978 	19.6	Rowe Truck ASCC2000 Ride
1T19L-7 W01-358-9961		3123 	9580/NAD-27909 	20.7	Ridewell 1003589961C
1T19L-9 W01-358-8779		3127 	9657/NAD-18101 	20.2	Holland (Neway) 90557163

1T Style Springs

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗













Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-9 W01-358-8780		3127 	9657/NAD-18101  ORDER NO. WC1-358-9450	19.9	Holland (Neway) 90557162
1T19L-9 W01-358-8781		3388 	9580/ NAD-27909  ORDER NO. WC1-358-0528	19.9	Holland (Neway) 90557205
1T19L-9 W01-358-9134		3388 	9657/NAD-18101  Order No. WC1-358-9450	19.9	Holland (Neway) 90557125 (AR-80-9) (AR-80-9WST)
1T19L-9 W01-358-9138		3388 	9657/NAD-18101  Order No. WC1-358-9450	20.0	Holland (Neway) 90557111 (AR-80-9FM)
1T19L-9 W01-358-9984		3388 	9562 / NAD-33610 	21.0	Watson & Chalin AS-0060

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-11 W01-358-8764		3388 	9580/NAD-27909  Order No. WC1-358-0528	20.1	Holland 90557260
1T19L-11 W01-358-8792		3388 	9658/NAD-18102  Order No. WC1-358-1640	23.9	Aluminum version of W01-358-9122
1T19L-11 W01-358-8796		3394 	9580/ NAD-27909  ORDER NO. WC1-358-0528	19.9	Holland (Neway) 90557283 RL300
1T19L-11 W01-358-9122		3388 	9580/NAD-27909  Order No. WC1-358-0528	20.7	Hendrickson Trailer S3467, S3830 Holland (Neway) 90557020, 90557071, 90557076, 90557077 Hendrickson Can. B-12514-008, B-12514-010 Porcupine Reyco 12883-02 Sauer P50-732 Ridewell 1003589122C Temisko Watson & Chain AS-0023 Holland (Neway) 90557185 (parallel align.)

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-11 W01-358-9152 OBSOLETE REPLACED BY W01-358-9122		3123 	9580 / NAD27909 	21.6	Columbia Trailer Obsolete Use W01-358-9122
1T19L-11 W01-358-9156		3147 	9580 / NAD-27909 	21.3	City Welding Peerless 0550-00080 Hendrickson Trailer S7128
1T19L-11 W01-358-9158		5742 	9580 / NAD-27909 	21.8	Hendrickson Can. B-12514-004, B-12514-011 Holland (Neway) 90557005 Hendrickson Trailer S2063 Holland (Neway) 90557069 Peerless Ridewell 1003589158C Porcupine MFG.SV.# Neway 90044197
1T19L-11 W01-358-9199		3147 	9580 / NAD-27909 	22.2	Pezzani
1T19L-11 W01-358-9201		3209 	9642 / NAD-33001 	28.8	Ridewell 1003589201C

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-11 W01-358-9214		3388 	9677/NAD-32770 	31.4	Granning 2598
1T19L-11 W01-358-9985		3388 	9562/NAD-33610  Order No. WC1-358-1651	22.3	Watson & Chalm AS-0081
1T19L-12 W01-358-5503		3388 	9580/NAD-27909  Order No. WC1-358-0528	21.8	Holland (Neway) 90557200 Watson & Chalm AS-0047
1T19L-12 W01-358-5505		3388 	9669/NAD-26291  Order No. WC1-358-1602	24.0	Holland (Neway) 90557103
1T19L-12 W01-358-5508		3388 	9669 / NAD-26291  Order No. WC1-358-1602	25.2	

1T Style Springs

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-12 W01-358-5509 OBSOLETE REPLACED BY W01-358-5508		3388 	9669/NAD-26291 	25.3	Suspension Inc.
1T19L-12 W01-358-5511		3388 	9580/NAD-27909 	22.0	Holland (Neway) 90557102 Hendrickson Trailer S22173
1T19L-12 W01-358-5513		3196 	9669/NAD-26291 	23.6	
1T19L-12 W01-358-9891		3388 	9669/NAD-26291 	24.5	Holland (Neway) 90557218
1T19L-14 W01-358-9264		3196 	9669/NAD-26291 	24.9	Hendrickson Trailer S13122 [HT250U(9-020)] Holland (Neway) 90557104 Watson Chalin AS-0063

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19L-14 W01-358-9915		3388 	9669/NAD-26291 Order No. WC1-358-1602	24.3	Holland (Neway) 90557104 Watson & Chalin AS-0063
1T19L-14 W01-358-9929		3388 	9669/NAD-26291 Order No. WC1-358-1602	25.2	Holland (Neway) 90557106
1T19L-16 W01-358-9896		3388 	9669/NAD-26291 Order No. WC1-358-1602	25.5	Neway 90557144 Rotate Piston: 90557133-28 Degrees RH 90557134-28 Degrees LH 90557148 Parallel
1T19L-16 W01-358-9928		3196 	9669/NAD-26291 Order No. WC1-358-1602	25.4	Suspensions Inc. (Wabash) Hendrickson Trailer S20157
1T19LC-5 W01-358-8092		3506 	9766/NAD-28978 Order No. WC1-358-0631	21.4	Ag Chem

1T Style Springs

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19LC-5 W01-M58-8798				14.4	John Deere AN205761
1T19LC-6 W01-358-8091				17.9	Hendrickson Trailer S20901 (Intraux 250) -reuse metal disk Hendrickson Trailer S21784 w/ metal disk for piston support
1T19LC-8 W01-358-8093				21.2	Hendrickson Trailer S23748 (w/disk S24443)
1T19LE-8 W01-358-9825				22.1	Tuthill Granning 700136-01
1T19LE-12 W01-358-8793				22.8	Holland (Neway) 90557270 AD-130

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1T - Reversible Sleeve

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T19LF-7 W01-358-8774		3318 	9594/ NAD-28384 	18.0	Hendrickson Trailer S25873 Replacement piston comes without mounting plate Watson & Chalin AS-0159
			Order No. WC1-358-1614		
1T19ZK-5.7 W01-358-8050 (REPLACES 1T19J-6)		3196 	9644/NAD-31862 	21.7	Hendrickson Trailer S4771 HEND. CANADA B-12514-013 TUTHILL-REYCO 23631-01 Watson & Chalin AS-0039 Supersedes AT19J-6
1T19ZK-5.7 W01-358-8051 (REPLACES 1T19J-6)		3123 	9644/NAD-31862 	21.5	Ridewell 1003588051C Hendrickson Can. B-12514-013 Tuthill-Reyco 23631-01 Watson & Chalin AS-0039 Supersedes 1T19J-6
			Order No. WC1-358-9999		
1T19ZK-5.7 W01-358-8052 (REPLACES 1T19J-6)		3388 	9644/NAD-31862 	21.3	Hendrickson Can. B12514-012 Watson & Chalin AS-0078 Watson & Chalin AS-0039
			Order No. WC1-358-9999		
1T19ZK-5.7 W01-358-8053 (REPLACES 1T19J-6)		3395 	9644/NAD-31862 	20.9	Holland (Neway) 90557098 (ARDTB125-6A&6B)
			Order No. WC1-358-9999		

1T Style Springs

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
1T9619ZK-5.7 W01-358-8058		3196 	9640/FIP-101136 	25.0	Hendrickson Trailer S-4771 HEND. CANADA B-12514-013 TUTHILL-REYCO 23631-01 Watson & Chalin AS-0039
1T66E-11.8 W01-358-8984 (REPLACES 1T19J-6)		3295 	9461/FIP-101678 Order No. WC1-358-9999	25.2	Wabash (Roadrailer Rowe Truck ASC1400HL Ride

Hardware Key

- Bolt or Stud 1/2-13
- ⊖ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Notes

Reading the parts table for convoluted style springs

1	2	3	4	5	6
BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	PISTON BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
25 W01-358-7025				N/A	Western Star (cab spring)

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

1. Bellow No. and Assembly Order Number (AON)

This number identifies the specific bellows number and the assembly order number for ordering purposes. (i.e. - Complete Order No. for any type of electronic ordering - EDI - is W01-358-7025).

2. Airide Cross Section View

A cross sectional view of the Airide spring showing dimensional information in inches on **uninflated** diameter and minimum height. A bumper drawing is also referenced if applicable.

3. Bead Plate-Top View

A top view of the upper bead plate with dimensional information and detail on mounting attachments (see hardware key). An Internal Firestone reference Number is also shown (i.e.-3030).

4. Bead Plate-Bottom View

A bottom view of the lower bead plate with dimensional information and detail on mounting attachments (see hardware key). An Internal Firestone reference Number is also shown (i.e.-3025).

5. Assembly Weight

Gives total weight of the assembly in pounds.

6. Replaces

Vehicle and suspension manufacturers' part numbers for the particular Airide spring.

Convolution Style

Double Convolution

Triple Convolution

Single Convolution



Firestone convolution Airide springs are available in three styles—single, double, or triple convolution—as shown above.

To identify the exact style and part number to replace your current air spring, you need to identify the type of bellows, bead plates, and attaching hardware used, as well as determining whether the spring has an internal bumper.

First, look for the manufacturer's part number and Firestone order number stamped in ink on the bead plate. If illegible, read the part number molded on the bellows, normally under the Firestone name. If the number (20, 22, etc.) is present, simply refer to the proper section of this guide.






If for any reason the number is unreadable, you can determine the bellows type with two simple measurements. Remove the air entrance and allow the bellows to assume its normal shape. Then, measure the bead plate diameter

and the outer diameter of the bellows, as shown below. Compare these diameters with those listed in the bellows index for the specific type of convolution (single, double or triple) bellows that you have.

To determine the presence of an internal bumper in the spring, remove the air and collapse the spring to its minimum height. Then, measure this height, as shown below, and compare that measurement with those listed in the proper section of this guide.

Finally, to complete the parts identification, compare the metal bead plates and attaching hardware with the assemblies detailed in that same section of the guide.

For your convenience, typical types of attaching hardware are illustrated below.



Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
19 W01-358-6994		3235 	3183 	11.2	Capacity of Texas
19 W01-358-7008		3215 	3212 OR 3183 	9.6	Holland (Neway) 90557226
19 W01-358-7009		3215 	3183 	11.4	Holland (Neway) 90557002
19-.75 W01-358-7043		3201 	3183 	11.8	Chalmers
113 W01-358-7103		3131 or 3134 	3130 	14.2	Peerless 0550-00015

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convoluted Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
113 W01-358-7104		3134 	3130 	16.0	Miscellaneous
113-5 W01-358-7093		3170 	3122 	17.1	American Carrier 8003-013
113-5 W01-358-7105		3134 	3130 	16.1	American Carrier 8003-007
113-1 W01-358-7088		3132 	3122 	18.6	Suspensions Inc. 200175
113-1 W01-358-7094		3135 	3130 	16.4	Chalmers

Convoluted Style Parts

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
113-1 W01-358-7096		3134/3132 	3122 	16.6	Suspensions Inc. 200792
113-1 W01-358-7112		3123/3132 	3122 	15.2	Holland (Neway) 90557028 Ridewell 1003587112C
113-1 W01-358-7113 OBSOLETE		3322 	3319 	25.0	Granning 1080
113-1 W01-358-7117		3170 	3122 	17.1	American Carrier
126 W01-358-7726		3473 	3474 	43.6	Air Suspended Fifth Wheel Tartan Transportation (Classic Ride)/Airglide

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convoluted Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
150 W01-358-7462		3079 	3100 	6.3	Load Share
20 W01-358-6890		3101 	3090 	7.3	Holland (Neway) 90557228 V-Steer 1 (Lift Bag)
20 W01-358-6900		3096 	3090 	7.1	Ridewell
20 W01-358-6910		3079 	3090 	7.2	Granning 1371 Hendrickson Trailer S8768 Hendrickson Can. 45843-3 Ridewell 1003586910C Watson & Chalin AS-0001
20 W01-358-6926		3079 	3100 	8.0	Load Share

Convuluted Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20 W01-358-6856		3079 	3100 	8.1	Tuthill Granning 702932-01
20 W01-358-6884		3148 	3099 	8.3	Link 1103-0019
20 W01-358-6897		3102 	3084 	7.3	Watson & Chalin AS-0058
20 W01-358-6902		3079 	3100 	8.3	Granning 4848 Hendrickson Trailer S2630 R & S Truck & Body 1027505 Ridewell 1003586902C American Carrier Suspensions Inc. 2000-42 Watson & Chalin AS-0002
20 W01-358-6905		3101 	3100 	8.5	Hendrickson Trailer S3518 Hendrickson Trailer S5270 Hendrickson Can. 45843-1 Ridewell 1003586905C Silent Drive EZ Ride 8030120 Monaco Coach Watson & Chalin AS-0020

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20 W01-358-6908		3101 	3090 	7.8	Watson & Chain AS-0035
20 W01-358-6932		3148 	3095 	8.3	Ridewell 1003586932C
20 W01-358-6935		3079 	3100 	8.0	Hendrickson Trailer S14318 HLM Lift Bag Hendrickson Aux. 003318 (metric version)
20 W01-358-6940		3102 	3099 	8.6	Histeer 10305
20 W01-358-6941		3140 	3099 	8.4	Histeer 10302

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20 W01-358-6949		3148 	3095 		Load Air P-10872-A
20 W01-358-7686		3148 	3095 	8.9	Rowe Truck 0035 ASC2500 ASC1600
20 W01-358-7788		3102 	3095 	8.6	Watson & Chain AS-0088
20 W01-358-7795 REPLACES 257C		3102 	3090 	7.3	Hendrickson Trailer S14486 (lift bag) Hendrickson Aux. (Paralift, Paralift Ultra) Hendrickson Aux. 003317 (metric version)
20 W01-358-7892		3148 	3100 	8.0	Ridewell 1003587893C

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20-1 W01-358-6883		3102 	3095 	8.3	Watson & Chalin AS-0092
20-1 W01-358-6886		3102 	3084 	8.1	Watson & Chalin AS-0058-1F Tuthill-Reyco 701784-01
20-1 W01-358-7897		3102 	3090 	7.6	Hendrickson Aux. 002878 (Lift Bag) Hendrickson Aux. (Pararev) Hendrickson Trailer S23114
20-2 W01-358-5900		3048 	3047 	7.7	Link 1103-0059
20-2 W01-358-6392		3349 	3367 	8.3	Arvin Meritor 2258-G-1489

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20-2 W01-358-6817		3085 	3090 	8.1	Ridewell 1003586817C
20-2 W01-358-6927		3102 	3090 	8.0	Reyco 12906-01
20-2 W01-358-6943		3101 	3090 	8.1	Watson & Chalin AS-0041 Van Raden Holland (Neway) 90557237 V-Steer II (Lift Bag)
20-2 W01-358-6944		3140 	3099 	8.6	Histeer 10307 Suspensions Inc.
20-2 W01-358-6945		3101 	3100 	8.6	Ridewell 1003586945C

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolutioned Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
20-2 W01-358-6946		3140 	3100 	8.8	Ridewell 1003586946C
20-2 W01-358-6947		3079 	3100 	8.7	Hendrickson Trailer S8701 Ridewell 1003586947C
20-2 W01-358-6948		3101 	3100 	8.6	Ridewell 1003586948C Silent Drive
20-2 W01-358-6960		3101 	3099 		Granning 7025
20-2 W01-358-6962		3148 	3100 	8.4	Hendrickson Trailer S21323

Convolutioned Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
21 W01-358-7135		3123 or 3132 	3122 	17.5	Holland (Neway) 90557001 Pezzani AR-21-A Ridewell 1003587135C Silent Drive Truckstell (Marion Mfg.) 63641 Truckstell (Marion Mfg.) 63644 Hendrickson Can. B-12514-014
21-2 W01-358-6801		3134 	3130 	23.1	EZ Ride 8030160 Hendrickson Trailer S2734 Ridewell 1003586801C Watson & Chalin AS-0021
21 W01-358-7123		3109 	3167 	19.2	Kwik Lok/Todco (Jifflox) 53671 (supersedes 7133)
21 W01-358-7136		3134 	3130 	22.1	Fargo Trailer Granning 1626 Hendrickson Trailer S1080 R & S Truck & Body 1027556 Ridewell 1003587136C Watson & Chalin AS-0004
21 W01-358-7140		3132 	3122 	22.7	Granning 1015 Hendrickson Trailer S3184 Porcupine (replaces 7142) R & S Truck & Body 1090214 Ridewell 1003587140C Temisko Watson & Chalin AS-0008

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convoluted Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
21 W01-358-7145		3131 	3130 	16.8	Mack 57QL239 Ridewell 1003587145C Volvo/GM-Heavy Duty Truck 35203-0005
21 W01-358-7146		3134 	3130 	20.4	American Carrier 8003-005 EZ Ride Holland (Neway) 90557039 Ridewell 1003587146C Willmar Gallenberg Mod. Flow Equip.
21 W01-358-8171		3317 	3398 		Arvin Meritor A-2258-A-1457 RPH-11
21-2 W01-358-6800		3131 or 3134 	3130 	17.6	Watson & Chalin AS-0034 (see W01-358-6808)
21-2 W01-358-6803		3193 	3122 	21.3	Hendrickson Trailer S6412

Convolute Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
21-2 W01-358-6805		3135 	3130 	20.7	Ridewell 1003586805C
21-2 W01-358-6808		3132 	3122 	21.2	Watson & Chalin AS-0034 Holland (Neway) (replaced by 6799)
22 W01-358-7180		3215 	3212 	12.2	EZ Ride 8030190 Hendrickson Kwiklok/Todco (Jifflox) Peerless 0550-00001 Talbert Ridewell 1003587180C
22 W01-358-7181		3255 	3163 	12.8	Fruehauf UAB-5620 Fruehauf UCC-3054-1
22 W01-358-7183		3255 	3265 	14.5	Fruehauf UCA-0112 Fruehauf UCA-0112-B

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
22 W01-358-7185		3201 	3183 	14.4	Chalmers
22 W01-358-7344		3271 	3163 	12.3	Load Air P10-755C Sauer P10-755C
22 W01-358-7400		3215 	3183 	14.1	Fab Tek 04-0080 Freightliner 16-10769-000 GMC 693230 Granning 2726 Hendrickson Trailer S1013 Holland (Neway) 90557016 R & S Truck & Body 1027519 Ridewell 1003587400C
22 W01-358-7401		3220 	3256 	15.9	GMC 711954 GMC 2076095 Volvo/GM Heavy Duty Truck 2076095 Watson & Chalin AS-0014
22 W01-358-7403		3210 	3183 	14.0	Granning 2725 Hendrickson Trailer S1159 Hendrickson Trailer S2883 Hendrickson Can. B-12514-001 R & S Truck & Body 1040201 Ridewell 1003587403C Watson & Chalin AS-0007

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Piston
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
22 W01-358-7404		3210 	3183 	12.2	Hendrickson Trailer S5468 Hendrickson Can. S1345 (replaced by 7472)
22 W01-358-7405		3235 	3256 	14.5	Hutchens H-10384-01 Suspensions Inc.
22 W01-358-7406		3220 	3183 	13.8	Ridewell 1003587406C
22 W01-358-7408		3210 	3183 	13.8	EZ Ride
22 W01-358-7409		3271 	3256 	14.2	Fruehauf

Hardware Key

- Bolt or Stud 1/2-13
- ⊗ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
22 W01-358-7410		3271 	3183 	14.6	Freightliner 16-11378-000
22 W01-358-7423		3271 	3256 	12.7	Sauer P10-784
22 W01-358-7424		3220 	3256 	12.6	Intergrated Holland (Neway) 90557014 (AL-41 & 45) Porcupine R & S Truck & Body 1090215 Sauer P10-755
22 W01-358-7429		3235 	3212 OR 3183 	12.4	Kwik Lok/Todco (Jifflox) CP-5223 Silent Drive
22 W01-358-7437		3220 	3256 	14.6	Holland (Neway) 90557015 Ridewell 1003587437C

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
22-1.5 W01-358-6789		3271 	3281 	14.6	Hendrickson Aux. 001503
22-1.5 W01-358-7443		3208 	3212 or 3183 	12.7	Granning 1218 (replaces 7416) Watson & Chalin AS-0027 (replaces 7416) Ridewell 1003587443C
22-1.5 W01-358-7444		3215 	3212 or 3183 	12.7	Hendrickson Trailer S9830
22-1.5 W01-358-7446		3271 	3183 	14.7	Hendrickson Trailer S3798 R & S Truck & Body 1082914 Watson & Chalin AS-0005
22-1.5 W01-358-7447		3210 	3183 	14.3	EZ Ride 8030150 Hendrickson Trailer S6242 Silent Drive

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
22-1.5 W01-358-7473		3215 	3183 	14.3	Ridewell 1003587473C
22-1.5 W01-358-7483		3235 	3256 	12.9	Ridewell 1003587483C
22-1.5 W01-358-7499		3235 	3256 	13.7	Suspensions Inc.
22-1.5 W01-358-7790		3003 	3183 	14.3	Hendrickson Aux. 001475
26 W01-358-7279 OBSOLETE		3371 	3363 	6.7	Hendrickson 45843-2

Convolved Style Parts

OBSOLETE
NO LONGER AVAILABLE

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
26 W01-358-7325		3450 	3436 	5.3	American Carrier 8003-006 Mack 227QS-32 & 57QK1113 Sauer P10-754 Texas Truck Watson & Chalin AS-0030
26 W01-358-7330	 3136 1/2-13 X .75	3371 	3363 	5.4	Ridewell 1003587330
26 W01-358-7505	 1/2-13 X .75	3452 	3363 	5.5	Hendrickson 001347
26 W01-358-7705		3371 	3436 	4.9	Watson Chalin AS-006 (Replaces 7503)
28 W01-358-7271	 1/2-13 3/4 NPT 16.00 3.75 MIN. HT. 1/2-13	3471 13.79 9.00 45°	3472 	31.7	Ridewell 1003587271C

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
28 W01-358-7512				36.3	Wilmar Gallenberg
29 W01-358-7275				53.2	Ridewell 1003587275C
201 W01-358-7244	<p>(Includes bolts, nuts, & washers)</p>			19.9	Ridewell 1003587271C
203 W01-358-7226	<p>(Includes bolts, nuts, & washers)</p>			24.8	Rimpull
203 W01-358-7273				42.6	Ridewell 1003587273C Watson & Chalin AS-0045

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
205 W01-358-7118				25.1	Granning 2279
205 W01-358-7927				22.3	Maurice Welding
215 W01-358-7230 BEAD RING WC1-358-3499	<p>(Includes bolts, nuts, & washers)</p>			42.2	Pollard Holland Hitch 6788
218 W01-358-7294 BEAD RING WC1-358-3509	<p>(Includes bolts, nuts, & washers)</p>			25.4	Unit Rig 1016031 Dart 21-40061
224 W01-358-3400				4.6	American Carrier 8003-009

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts
















BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
224 W01-358-3402		3355 	3453 	5.0	American Carrier 8003-026 (supersedes 9455-Bellows 1T47A-1) (replaces W01-358-3401 and W01-358-3405)
224 W01-358-3406		3371 	3436 	5.0	Sauer P20-706
228-1.5 W01-358-7550	 5681	3271 	3183 	14.5	Watson & Chalin AS-0087 Hyster 10315
228-1.5 W01-358-7555	 5681 3/8-16	3271 	3194 	14.5	Reyco 20018-01 (86AR) Binkley XB-SPN-053-37 (Note: supersedes W01-358-7550)
228-1.5 W01-358-7472		3210 	3212 or 3183 	14.1	Hendrickson Can. B-12514-005

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
228-1.5 W01-358-7545		3271 	3183 	14.9	Hendrickson Aux. 001796 (Paralift Ultra/ High Lift) -lift bag Watson & Chalin AS-0087-1F
233-2 W01-358-6799		3132 	3122 	21.8	Holland (Neway) 90557203
233-2 W01-358-7557		3187 	3108 	20.6	Reyco 19983-01 (21AR, 74AR) Watson & Chalin AS-0089 Histeer 10316 (W01-358-6805) (W01-358-7557)
233-2 W01-358-7781		3134 	3130 	22.7	Ridewell 1003587781C
233-2 W01-358-7782		3132 	3122 	23.3	Porcupine (replaces 7140) Watson & Chalin AS-0032 (replaces 7240)

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
252 W01-358-8235 TANK VALVE WC1-358-0009		3341 	3342 	14.5	Caterpillar
256-2 W01-358-7792		3132 	3122 		Watson & Chalin AS-0064
256-2 W01-358-7794		3123 	3122 	19.0	Suspensions Inc.
264 W01-358-3420		3435 	3356 	5.3	Hendrickson Aux. 004647
267-1.5 W01-358-6831 TANK VALVE WC1-358-0009		3030 	3025 	3.3	John Deere AW30683

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊕ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊖ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
268 W01-358-7025		3030 	3025 	3.2	WESTERN STAR (Cab Spring)
268 W01-358-7057		3065 	3025 	3.4	Sauer P10-794
38 W01-358-7990		3351 	3183 	16.0	Watson & Chalin AS-0048
38 W01-358-7994		3210 	3183 	16.4	Watson & Chalin AS-0019-1F (ref. W01-358-8008)
38 W01-358-7995		3210 	3183 	17.5	Watson & Chalin AS-0048-1F (ref. W01-358-8032)

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗
















Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
38 W01-358-7996		3271 	3183 	15.9	Granning 8221
38 W01-358-7998		3173 	3183 	15.9	Hendrickson Aux. 001560
38 W01-358-8006		3208 	3212 or 3183 	14.5	Superior
38 W01-358-8008		3210 	3183 	17.7	EZ Ride Histeer Ridewell 1003588008C Silent Drive Watson & Chain AS-0019 Hendrickson Trailer S11637
38 W01-358-8010		3215 	3183 	18.0	Ridewell 1003588010C Tafco Oshkosh (ref.8013)

Convolved Style Parts

Hardware Key
 ● Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
 ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
38 W01-358-8014		3241 	3183 	16.6	Ridewell 1003588014C
38 W01-358-8016		3235 	3183 	13.9	Ridewell 1003588016C
38 W01-358-8018		3271 	3183 	17.3	Histeer Reyco 93AR Suspensions Inc. Watson & Chalin
38 W01-358-8025		3210 	3183 	17.3	Silent Drive (replaces W01-358-8028) Van Raden
38 W01-358-8027		3271 	3183 	16.6	Suspensions Inc. 200117 Histeer (supersedes 8029) Silent Drive

Hardware Key

- Bolt or Stud 1/2-13 ● Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ● Pistons ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
38 W01-358-8030		3215 	3183 	18.3	Ridewell 1003588030C
38 W01-358-8032		3210 	3183 	18.1	Watson & Chalin AS-0048 Hendrickson Trailer S12405
38 W01-358-8033		3271 	3292 	18.6	Hendrickson Trailer S14487 (Ride Bag) [Paralift Ultra] [Pararev] Hendrickson Aux. 003316 (metric version)
39 W01-358-7852 (4 PLY)		3132 	3122 		Porcupine Maurice Welding
39 W01-358-7816		3132 	3122 	23.5	Granning 1476 Superior Temisko

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
312 W01-358-7286		3741 	3472 	38.2	Ridewell 1003587286C Superior
312 W01-358-7761		4299 	4299 	24.6	Superior
312 W01-358-7915					Superior
313 W01-358-7796		3193 	3122 	25.2	Ridewell 1003587796C
313 W01-358-7797		3187 	3389 	21.0	Hendrickson Aux. 001346

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
313 W01-358-7798		3134 	3130 	23.3	Allison Granning 1613 R & S Truck & Body Watson & Chain AS-0006
313 W01-358-7800		3123 or 3132 	3122 	23.9	Granning 4514 Holland Hitch 4514 Ridewell 1003587800C Silent Drive
313 W01-358-7808		3131 or 3134 	3130 	20.2	Ridewell 1003587808C Truckstell (Marion Mfg.) 63640 EZ Ride 8030170
313 W01-358-7818		3132 	3122 	23.7	EZ Ride 8030180 Granning 1014 Ridewell 1003587818C Superior Watson & Chain AS-0025
320 W01-358-7276 (4 PLY)		3473 	3474 		Wabash

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
321 W01-358-7304	<p>(Includes bolts, nuts, & washers)</p>	4311 	4311 	54.5	Ottawa 53500516 Pollard Holland Hitch 6764 Supersedes 7320
323 W01-358-7274		3475 	3476 	52.5	Ridewell 1003587274C
333 W01-358-7838 REPLACES W01-358-7849		3134 	3130 	28.6	EZ Ride
333 W01-358-7839		3111 	3316 	28.4	Hendrickson Trailer S6861 Histeer 10300 Porcupine (replaces 7818) Ridewell Watson & Chain AS-0033 Silent Drive Superior
333 W01-358-7843		3193 	3122 	28.3	Hendrickson Trailer S7100

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 ⊕ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊕

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
333 W01-358-7844		3109 	3167 	26.6	Ridewell 1003587844C
333 W01-358-7845		3134 	3130 		EZ Ride
333 W01-358-7846		3193 	3122 	28.3	Hendrickson Trailer S7853
333 W01-358-7847		3193 	3149 	29.7	Hendrickson Trailer S8874
333 W01-358-7848		3123 or 3132 	3122 	24.7	Superior Suspensions Inc.

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊙ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
333 W01-358-7850		3187 	3197 	28.5	Histeer 10301 Suspensions Inc. 200177 Watson & Chalin AS-0086 (Replaces old 7837 supersedes 7851 - adapter plates might be required)
333 W01-358-7853		3136 	3316 	28.3	Chalmers
333 W01-358-7855		3132 	3130 	29.1	Granning 7026
333 W01-358-7859		3187 	3130 		Hendrickson Aux. 001285
333 W01-358-7862		3196 	3130 		Hendrickson Aux. 001795 (Paralift Ultra/ High Lift) -ride bag

Hardware Key

- Bolt or Stud 1/2-13 ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 ⊗ Air Inlet 1/4 N.P.T. ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16 Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Convolved Style Parts

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
333 W01-358-7872		3187 	3384 	25.2	Hendrickson Aux. 004828
352 W01-358-7954		3346 	3303 	20.3	Hendrickson Aux. 002348
352 W01-358-7956		3302 	3303 	19.1	Rowe Truck 0059 ASC 1500
352 W01-358-8042		3300 	3303 	19.8	Hendrickson Aux. 001015 Holland (Neway) 90557236 V-Steer II (Ride Bag)
352 W01-358-8043		3302 	3303 	20.1	Hendrickson Trailer S14795

Convolved Style Parts

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗

Firestone

BELLOW NO. ASSEMBLY ORDER NO.	CROSS SECTION VIEW	BEAD PLATE TOP VIEW	BEAD PLATE BOTTOM VIEW	ASSEMBLY WEIGHT (lbs.)	REPLACES
354 W01-358-8038		<p>3210</p>	<p>3183</p>	18.1	Silent Drive Longer Stroke 8008 Histeer 10313
354 W01-358-8039		<p>3271</p>	<p>3183</p>	16.7	Histeer 10303 (Longer Stroke 8018)

Hardware Key

- Bolt or Stud 1/2-13
- ⊕ Threaded Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 Pistons
- ⊗ Air Inlet 1/4 N.P.T.
- ▲ No Alignment Specified-Center Stud Mounting is Standard
- ⊗ Combination Stud/Air Inlet Stud Outside Thread is 3/4-16
- ⊗ Studs Inside Thread (Air Inlet) is 1/4 N.P.T. Exceptions Will Be Noted on Part View as ⊗


Notes

Reading the parts table for sleeve style springs

1	2	3	4	5	6	7
ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP	PISTON	BCR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
		DRAWING NUMBER	DRAWING NUMBER	LOGO COLOR		
W02-358-7059		7042	6896	8.25"	N/A	NATIONAL SEATING 324663-01 (W02-N19-7059) 328035-01 (W02-N19-7069) 329666-01 (W02-N19-7084)
		NBD-10409	NBD-12708	Orange		

1. Order Number

This number identifies the specific assembly order number that needs to be used for ordering purposes. It is important that the complete order number is used to avoid any confusion, especially with any type of electronic ordering. The complete order number in the example is W02-358-7017.



2. Cross Section View

This section is a cross sectional drawing of the Airide™ spring showing dimensional information in inches. The two heights shown to the right of the drawing are for extended and compressed measurements **uninflated**. The part number shown at the left is the last four digits of the A.O.N. (Airide™ Order Number). In the example, W02-358-7017 is abbreviated to "7017". The last 7 digits of the A.O.N. are stamped into the lip of the cap, around the perimeter. The AON number may also be stamped on the crimping.

3. Cap Drawing Number

Shown in this section of the table above is the drawing number molded into the material of most caps, followed by an additional four digit number enclosed in parentheses. The drawing numbers will generally start with the letters NBD. The four digit number is a stores number for this component, not an assembly identification number. In this book you will see another notation following the four digit number. This refers to the material that the cap is made of, specifically aluminum or plastic.



4. Piston Drawing Number

This section refers to the piston end of the sleeve. It is shown in the same way as the cap information.

5. BCR/Logo Color


This dimension is the measurement taken between the two metal rings on each end of the assembly. Note: BCR measurement on a used Airide™ spring will be somewhat shorter than specified in this catalog. The Airide™ spring shield logo color indicates a very specific construction of the bellows.


6. Weight

This is the total weight of the Airide™ spring assembly.

7. Applications

In this section, we provide all the information that is known about this specific application (i.e., model number, years of manufacture, part numbers, Firestone reference numbers and competitor numbers if known).





1. Combo Stud

Combination mounting stud and air fitting.

2. Blind Nut

A blind tapped hole in either the piston or cap.

3. Air Fitting Hole

When using a blind nut or stud instead of a combo stud, a separate air fitting is required.

4. Clamp Plate

Also called the "Cap", this is the upper aluminum or plastic end. This provides the mounting hardware, and normally the air fitting.

5. Bellows

The heart of an Airide™ spring is the sleeve, or bellows.

It is made of four layers: an inner liner of rubber, two plies of cord reinforcement, and an outer cover.

6. Piston

The lower end of the assembly that the rubber rolls over is called the "piston". This is also made of either aluminum or plastic. It provides the lower mounting hardware for the assembly.

7. Clamp Ring

These are the metal rings used to permanently attach the bellows to the clamp plate and piston.

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W01-358-7025		3030	3025		3.2	FREIGHTLINER / WESTERN STAR (STYLE #25 BELLOWS)
W02-358-7086		7018	6913	5.25"	0.7	LINK MANUFACTURING LTD 1102-0025 (FORD)
		NBD-10218	NBD-16538	ORANGE		
W02-358-7046		7068	6912	6"	0.7	LINK MANUFACTURING LTD 1102-0022 (FORD, FRT. GMC, PETE)
		NBD-10470	NBD-16537	ORANGE		
W02-358-7079		7074	6912	6"	0.7	LINK MANUFACTURING LTD 1102-0026 (NAV.)
		NBD-11636	NBD-16537	ORANGE		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7001		7018	6913	6.25"	0.7	LINK MANUFACTURING LTD 1102-0020 (NAV.) SEE 1102-0023 1102-0023 (FORD, FRT, GMC, KW, NAV., VOLVO) COMFORT RIDE WISE KENWORTH T81-1001
		NBD-10218	NBD-16538	ORANGE		
W02-358-7002		7014	7049	6.75"	1	
		NBD-10082	NBD-10549	ORANGE		
W02-358-7150		7015	6912	7.00"	0.7	SEARS/ DURAFORM S13384 (W02-811-7150)
		NBD-10239	NBD-16537	ORANGE		
W02-358-7201		7018	6913	7.25"	0.9	FREIGHTLINER / STERLING 18-45068-000 STERLING DAY CAB OLD FORD # P/N F6HT5C06CAB HN-80 DAY CAB (1996 & LATER)
		NBD-10218	NBD-16538	ORANGE		

Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-6754 OBSOLETE REPLACED BY W02-358-7132		7014	6996	7.50"	1	PETERBILT 20-16754 DAY CAB (1994 & LATER) DYNACRAFT D5000-2250
		NBD-10082	NBD-13499	ORANGE		
W02-358-7132		7018	6908	7.50"	0.8	PETERBILT R81-6003
		NBD-10218	NBD-16510	ORANGE		
W02-358-7100		7068	6912	7.50"	0.7	3-TS W02-T03-7100
		NBD-10470	NBD-13727	ORANGE		
W02-358-7155 OBSOLETE		6991	6996	7.50"	1	PETERBILT 20-19036 UNI-BUILT HIGHWAY FRONT SUPPORT SPRING DYNACRAFT D5000-2253
		NBD-14314	NBD-13499	ORANGE		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7041		7015	7033	8.25"	1.2	SEARS / DURAFORM S8645 (W02-811-7041)
		NBD-10239	NBD-10238	ORANGE		
W02-358-7059		7042	6896	8.25"	1.3	NATIONAL SEATING 324663-01 (W02-N19-7059) 328035-01 (W02-N19-7069) 329666-01 (W02-N19-7084)
		NBD-10409	NBD-12708	ORANGE		
W02-358-7058		7042	6896	9.00"	1.3	NATIONAL SEATING 324662-01 (W02-N19-7058)
		NBD-10409	NBD-12708	ORANGE		
W02-358-7076		7007	7054	9.25"	0.8	RIDE-RITE
		NBD-10010	NBD-10795	ORANGE		

Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7054		7018	9638	9.25"	1.2	WISE
		NBD-10218	FIP-102216	ORANGE		
W02-358-7098		6997	9638	9.62"	1.2	LINK MANUFACTURING LTD 1102-0027
		NBD-13262	FIP-102216	ORANGE		
W02-358-7040		7015	9636	10.00"	1.2	KNOEDLER 7010 AL (USE 7040) (W02-K50-7060) SEARS / DURAFORM S5388 SEATS 707338 AIR FLEX
		NBD-10239	FIP-102217	ORANGE		
W02-358-7049		7068	9636	10.00"	1.2	3-TS W02-T03-7049
		NBD-10470	FIP-102217	ORANGE		





INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7055		7042	9637	10.00"	1.2	NATIONAL SEATING 2112283 7050 PLASTIC (USE 7055)
		NBD-10409	FIP-102215	ORANGE		
W02-358-7149		7068	6896	10.00"	1.3	3-TS W02-T03-7149
		NBD-10470	NBD-12708	ORANGE		
W02-358-7073		7013	7023	11.00"	1.4	CARE CONCEPT
		NBD-10183	NBD-10071	ORANGE		
W02-358-9901		7066	7059	16.67"	3.2	PETERBILT 02-02031 FRONT AXLE AIR SPRING (PRODUCTION-1989 TO 1992)
		NAD-25400	NBD-11340	ORANGE		





Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7031		7014	7049	7.00"	1.3	MACK 227QS33 GY 1S4-007
		NBD-10082	NBD-10549	GREEN		
W02-358-7209		7042	6979	7.00"	1.3	SEATS 708220 (W02-812-7209)
		NBD-10409	FIP-100105	GREEN		
W02-358-7106		6997	9637	9.87"	1.2	LINK MANUFACTURING LTD 1102-0030 (PETE.)
		NBD-13262	FIP-102215	GREEN		
W02-358-7085		7013	7023	11.5"	N/A	AIR FLEX (W02-A05-7085)
		NBD-10183	NBD-10071	GREEN		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7007		7005	7049	6.25"	1.3	MACK 227QS34 GY 1S6-067
		NBD-9930	NBD-10549	RED		
W02-358-7204		6990	6913	8.00"	1.2	FREIGHTLINER / STERLING STERLING ACTERA 18-43472-000
		NBD-13706	NBD-16538	RED		
W02-358-7080		7015	7033	10"	0.9	LINK MANUFACTURING LTD 1102-0031 (FRT.)
		NBD-10239	NBD-10238	RED		
W02-358-7070		7042	6911	7.5"	0.7	NATIONAL SEATING 2123403 (W02-N19-7070) W02-N19-7160
		NBD-10409	NBD-16536	PINK		





Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7116		7050	7033	11.38"	1	LINK MANUFACTURING 1101-0030
		NBD-10604	NBD-10238	PINK		
W02-358-7035		7068	6912	6.5"	0.7	SEARS / DURAFORM S9383 (W02-811-7035) 7025 AL (USE 7035)
		NBD-10470	NBD-16537	WHITE		
W02-358-7206		6987	6986	6.5"	1.2	FREIGHTLINER 18-29919-000 CENTURY CLASS & ARGOSY COE (W02-377-7202) 2002 AND EARLIER (REPLACES 7202)
		NBD-15430	NBD-15431	WHITE		
W02-358-7087		7042	6911	6.75"	0.7	FREIGHTLINER FLD (1988 & LATER) GY 1S5-040
		NBD-10409	NBD-16536	WHITE		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7075		7018	6913	7.75"	0.7	LINK MANUFACTURING LTD 1102-0048
		NBD-10218	NBD-16538	WHITE		
W02-358-7103		7068	6912	7.75"	0.7	3-TS W02-T03-7103
		NBD-10470	NBD-16537	WHITE		
W02-358-7037		7013	7054	8.0"	0.7	AIR FLEX (W02-A05-7037)
		NBD-10183	NBD-10795	WHITE		
W02-358-7061		7042	6913	8"	0.7	C. E. WHITE
		NBD-10409	NBD-16538	WHITE		





Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7074		6997	9638	10.12"	1.2	FREIGHTLINER LINK (1102-0047) LINK MANUFACTURING LTD 1102-0045 1102-0047 (FRT.)
		NBD-13262	FIP-102216	WHITE		
W02-358-7012		7007	7023	10.87"	1.5	LINK MANUFACTURING LTD 1102-0040 RIDE-RITE VANTAGE WHEEL CHAIR
		NBD10010	NBD-10071	WHITE		
W02-358-7032		7068	9636	10.87"	1.2	CARE CONCEPT 7022 AL (USE 7032) INDEPENDENT MOBILITY 3-TS
		NBD-10470	FIP-102217	WHITE		
W02-358-7042		7015	9636	10.87"	1.2	COMFORT RIDE
		NBD-10239	FIP-102217	WHITE		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7045		7042	9638	10.87"	1.2	LINK MANUFACTURING LTD 1102-0042 (WESTERN STAR)
		NBD-10409	FIP-102216	WHITE		
W02-358-7056		6997	9637	10.87"	1.2	LINK MANUFACTURING LTD 1102-0043 (FRT. KW, MACK)
		NBD-13262	FIP-102215	WHITE		
W02-358-7151		7068	7033	10.88"	1.4	SEARS/ DURAFORM S16894 (W02-811-7151) PISTON ADAPTOR 7802/NBD 14989
		NBD-10470	NBD-10238	WHITE		
W02-358-7208		6978	9636	11.12"	1	SEATS 708015 (W02-812-7208)
		FIP-100102	FIP-102217	WHITE		

Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7067		7013	7023	11.5"	1.5	AIR FLEX (W02-A05-7067)
		NBD-10183	NBD-10071	WHITE		
W02-358-7029		7068	9636	11.75"	1.2	CARE CONCEPT INDEPENDENT MOBILITY
		NBD-10470	FIP-102217	WHITE		
W02-358-7017		7007	7023	11.5"	1.5	MACK 227QS38
		NBD-10010	NBD-10071	MAROON		
W02-358-4003		7009	7044	7.25"	1.01	COMFORT RIDE SEARS / DURAFORM S6197 (W02-811-4003)
		NBD-10049	NBD-10514	YELLOW		

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7064		7018	6913	7.75"	0.7	KENWORTH KW AEROCAB (MID 1999 & EARLIER) LINK (1102-0074) LINK MANUFACTURING LTD 1102-0074 (KW, MARMON)
		NBD-10218	NBD-16538	YELLOW		
W02-358-7108		7068	6912	7.75"	0.7	LINK MANUFACTURING LTD 1102-0075 (NAV.) MILSCO 07067A GY 1S5-057
		NBD-10470	NBD-16537	YELLOW		
W02-358-7109		6990	6894	7.87"	1	KENWORTH KW AEROCAB (MID 1999 & LATER) LINK (1102-0077) LINK MANUFACTURING LTD 1102-0077 (KW) T81-1000 KENWORTH
		NBD-13706	NBD-14218	YELLOW		
W02-358-7038		7013	7054	8.0"	1.4	AIR FLEX 7048 AL (USE 7038) DONVEL
		NBD-10183	NBD-10795	YELLOW		





Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7205		6987	6986	8.0"	1.2	FREIGHTLINER / WESTERN STAR CONSTELLATION (SUPERSEDES 7203)
		NBD-15430	NBD-15431	YELLOW		
W02-358-7082		7018	6913	8.25"	0.7	FREIGHTLINER / WESTERN STAR
		NBD-10218	NBD-16538	YELLOW		
W02-358-7036		7014	6906	10"	1.5	PETERBILT 29-03200 UNI-BUILT-HIGHWAY CAB/SLEEPER 1993 & LATER UNI-BUILT FT SUPPORT SPRING 7155 PETERBILT T81-6000
		NBD-10082	NBD-16484	YELLOW		
W02-358-7024		7007	7023	10.0"	1.5	LINK MANUFACTURING LTD 1102-0071
		NBD-10010	NBD-10071	YELLOW		





INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7043		7013	7023	11.5"	1.4	DONVEL
		NBD-10183	NBD-10071	YELLOW		
W02-358-7044		7015	9636	11.5"	1.2	AIR FLEX 7014 AL (USE 7044) LINK MANUFACTURING LTD 1102-0070 7014 AL (USE 7044)
		NBD-10239	FIP-102217	YELLOW		
W02-358-7081		7050	9636	11.5"	0.9	NAVISTAR LINK 1102-0076 LINK 1101-0043 GY 1S5-038 LINK MANUFACTURING LTD 1102-0076 (NAV.) NAVISTAR 2501300C1
		NBD-10604	FIP-102217	YELLOW		
W02-358-7152		7068	6912	6.50"	0.7	KNOEDLER 100095-000 (W02-K50-7152)
		NBD-10470	NBD-16537	BLUE		

Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7092		7018	6913	8.75"	0.9	KENWORTH KWCSA (LINK 1102-0083) LINK MANUFACTURING LTD 1102-0083 (KW)
		NBD-10218	NBD-16538	BLUE		
W02-358-7093		6991	6891	10.0"	1.4	PETERBILT 29-06016 MODEL 387 (NEW IN 1999)
		NBD-14314	NBD-14589	BLUE		
W02-358-7200		7018	6913	10.25"	1.2	FREIGHTLINER / STERLING 18-42609-000 STERLING SLEEPER OLD FORD # P/N F6HT5C063BA HN-80 SLEEPER (1996 & LATER)
		NBD-10218	NBD-16538	BLUE		
W02-358-7215		6987	6986	10.43"	2	FREIGHTLINER 18-40977-000 CENTURY CLASS ST (SUPERSEDES BY 7111)
		NBD-15430	NBD-15431	BLUE		





INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W02-358-7083		7015	9636	11.5"	1.2	LINK MANUFACTURING LTD 1102-0081 (FRT.)
		NBD-10239	FIP-102217	BLUE		
W02-358-7110		7018	9637	11.75"	1.2	KENWORTH T2000-1998 & LATER LINK (1102-0082) LINK MANUFACTURING LTD 1102-0082 (KW) 1102-K082 KENWORTH R81-1002
		NBD-10218	FIP-102215	BLUE		
W26-358-9902		6700	6897	8"		LINK MANUFACTURING LTD 1102-0080
		NBD-13938	NBD-13939	N/A		
W21-760-9000		6988	7572	9.9"	2.6	RIDE-RITE (LONG PART)
		NBD-15305	NBD-14048			



Sleeve Style Springs

Firestone

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W21-760-9001		6988	7572	7.9"	2.5	RIDE-RITE (SHORT PART)
		NBD-15305	NBD-14048			
W21-760-9002		6988	7572	8.9"		RIDE-RITE (MEDIUM PART)
		NBD-15305	NBD-14048			
W21-760-9011		7526	7571	12.8"		RIDE-RITE W21-760-9010 (USE 9011)
		NBD-14584	NAD-28088	N/A		
W26-358-9911		6711	6890	12.13"	4.7	HENDRICKSON TRUCK 59823-2 (W26-455-9911) FREIGHTLINER / WESTERN STAR
NAD-30942	NAD-30940	N/A				

INF. - Inflated (Max.) / UNINF. - Uninflated / (P) - Plastic / (AL) - Aluminum / BCR - Between Clamp Rings / N/A - Not Available

1T - Reversible Sleeve

ASSEMBLY ORDER NO.	CROSS SECTION VIEW	CAP DRAWING NUMBER	PISTON DRAWING NUMBER	BCR LOGO COLOR	ASSEMBLY WEIGHT (lbs.)	APPLICATIONS
W26-358-9912		6714	6888	12.13"	4.7	HENDRICKSON TRUCK 64075-2 (W26-455-9912) BLUE BIRD BUS
		NAD-30942	NAD-31336	N/A		
W26-358-9913		6713	6888	12.13"	4.7	HENDRICKSON TRUCK 60750-2 (W26-455-9913) VOLVO / MACK
		NAD-30942	NAD-31336	N/A		

Sleeve Style Springs

Firestone

Sleeve Cross Reference by Manufacturer

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
3-T'S		
W02-T03-7100	W02-358-7100	140
W02-T03-7049	W02-358-7049	142
W02-T03-7149	W02-358-7149	143
7022 AL (use 7032)	W02-358-7032	148
W02-T03-7103	W02-358-7103	147
AIR FLEX		
(W02-A05-7085)	W02-358-7085	144
(W02-A05-7037)	W02-358-7037	147
(W02-A05-7067)	W02-358-7067	150
7048 AL (use 7038)	W02-358-7038	151
7014 AL (use 7044)	W02-358-7044	153
	W02-358-7040	142
C. E. WHITE		
	W02-358-7061	147
CARE CONCEPT		
	W02-358-7073	143
7022 AL (use 7032)	W02-358-7032	148
	W02-358-7029	150
	W02-358-7042	148
	W02-358-4003	150
CENTURY CLASS & ARGOSY COE (W02-377-7202) 2002 AND EARLIER		
	W02-358-7206 (replaces 7202)	146
	W02-358-7215 (Supersedes by 7111)	154
COMFORT RIDE		
	W02-358-7001	139
DAY CAB (1994 & LATER)		
	W02-358-6754	140
DONVEL		
	W02-358-7043	153
	W02-358-7038	151
DYNACRAFT		
D5000-2250	W02-358-6754	140

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
DYNACRAFT cont.		
D5000-2253	W02-358-7155	140
FREIGHTLINER		
18-29919-000	W02-358-7206	146
FLD (1988 & later)	W02-358-7087	146
Link (1102-0047)	W02-358-7074	148
18-40977-000	W02-358-7215	154
FREIGHTLINER / STERLING		
18-45068-000 Sterling Day Cab	W02-358-7201	139
Sterling Actera	W02-358-7204	145
18-42609-000 Sterling Sleeper	W02-358-7200	154
FREIGHTLINER / WESTERN STAR		
(style #25 bellows)	W01-358-7025	124, 138
Constellation	W02-358-7205 (supersedes 7203)	152
	W02-358-7082	152
GOODYEAR		
GY 1S4-007	W02-358-7031	144
GY 1S5-038	W02-358-7081	153
GY 1S5-040	W02-358-7087	146
GY 1S5-057	W02-358-7108	151
GY 1S6-067	W02-358-7007	145
HENDRICKSON TRUCK		
59823-2 (W26-455-9911)	W26-358-9911	156
60750-2 (W26-455-9913)	W26-358-9913	157
64075-2 (W26-455-9912)	W26-358-9912	157
INDEPENDENT MOBILITY		
	W02-358-7032	148
	W02-358-7029	150
KENWORTH		
KW Aerocab (mid 1999 & earlier)	W02-358-7064	151

Cross References

Sleeve Cross Reference by Manufacturer

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
KENWORTH cont.		
KW Aerocab (mid 1999 & later)	W02-358-7109	151
KWCSA (Link 1102-0083)	W02-358-7092	154
T2000-1998 & later	W02-358-7110	155
KNOEDLER		
7010 AL (use 7040) (W02-K50-7060)	W02-358-7040	142
100095-000 (W02-K50-7152)	W02-358-7152	153
LINK MANUFACTURING		
1101-0030	W02-358-7116	146
1102-0025 (Ford)	W02-358-7086	138
1102-0022 (Ford, Frt. GMC, Pete)	W02-358-7046	138
1102-0023 (Ford, Frt. GMC, KW, Nav., Volvo)	W02-358-7001	139
1102-0026 (Nav.)	W02-358-7079	138
1102-0020 (NAV.) see 1102-0023	W02-358-7001	139
1102-0027	W02-358-7098	142
1102-0030 (Pete.)	W02-358-7106	144
1102-0031 (Frt.)	W02-358-7080	145
1102-0045	W02-358-7074	148
1102-0047 (Frt.)	W02-358-7074	148
1102-0048	W02-358-7075	147
1102-0040	W02-358-7012	148
1102-0042 (Western Star)	W02-358-7045	149
1102-0043 (Frt. KW, Mack)	W02-358-7056	149
1102-0075 (Nav.)	W02-358-7108	151
1102-0070	W02-358-7044 7014 AL (use 7044)	153
1102-0071	W02-358-7024	152
1102-0074 (KW, MARMON)	W02-358-7064	151
1102-0077 (KW)	W02-358-7109	151

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
LINK MANUFACTURING cont.		
1102-0080	W02-358-9902	#N/A
1102-0081 (Frt.)	W02-358-7083	155
1102-0082 (KW)	W02-358-7110	155
1102-0083 (KW)	W02-358-7092	154
MACK		
227QS33	W02-358-7031	144
227QS34	W02-358-7007	145
227QS38	W02-358-7017	150
MILSCO		
07067A	W02-358-7108	151
NATIONAL SEATING		
2112283	W02-358-7055	143
2123403 (W02-N19-7070)	W02-358-7070	145
324663-01 (W02-N19-7059)	W02-358-7059	141
324662-01 (W02-N19-7058)	W02-358-7058	141
328035-01 (W02-N19-7069)	W02-358-7059	141
329666-01 (W02-N19-7084)	W02-358-7059	141
NAVISTAR		
Link 1102-0076	W02-358-7081	153
Link 1101-0043	W02-358-7081	153
PETERBILT		
20-16754	W02-358-6754	140
20-19036	W02-358-7155	140
02-02031	W02-358-9901	143
29-03200	W02-358-7036	152
29-06016	W02-358-7093	154
RIDE-RITE		
	W02-358-7012	148
	W02-358-7076	141
(Long Part)	W21-760-9000	155
(Short Part)	W21-760-9001	156

Firestone

Sleeve Cross Reference by Manufacturer

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
RIDE-RITE cont.		
(Medium Part)	W21-760-9002	156
W21-760-9010 (use 9011)	W21-760-9011	156
SEARS / DURAFORM		
S5388	W02-358-7040	142
S6197 (W02-811-4003)	W02-358-4003	150
S8645 (W02-811-7041)	W02-358-7041	141
S9383 (W02-811-7035)	W02-358-7035	146
S13384 (W02-811-7150)	W02-358-7150	139
S16894 (W02-811-7151)	W02-358-7151	149
SEATS		
707338	W02-358-7040	142

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
SEATS cont.		
708220	W02-358-7209	144
708015	W02-358-7208	149
UNI-BUILT HIGHWAY		
	W02-358-7155 Front Support Spring	140
	W02-358-7036 Support Spring 7155	152
VANTAGE WHEEL CHAIR		
	W02-358-7012	148
WISE		
	W02-358-7054	142
	W02-358-7001	139

Cross References

Sleeve Index by Cap Drawing Number

CAP DRAWING NO.	CAP COMP NO.	MATERIAL	AON'S (W02-358-)	PAGE NO.
FIP-100102	6978	Plastic	7208	149
NAD-25400	7066	Plastic	9901	143
NAD-30942	6711	Plastic	W26-358-9911	156
NAD-30942	6713	Plastic	W26-358-9913	157
NAD-30942	6714	Plastic	W26-358-9912	157
NBD-10010	7007	Aluminum	7076, 7012, 7017, 7024	141, 148, 150, 152
NBD-10049	7009	Aluminum	4003	150
NBD-10082	7014	Aluminum	6754, 7031, 7036	140, 144, 152
NBD-10183	7013	Aluminum	7073, 7085, 7037, 7067, 7038, 7043	143, 144, 147, 150, 151, 153
NBD-10218	7018	Plastic	7086, 7001, 7201, 7054, 7064, 7082, 7092, 7200, 7110	138, 139, 142, 151, 152, 154, 155
NBD-10239	7015	Plastic	7150, 7041, 7040, 7080, 7042, 7044, 7083,	139, 141, 142, 145, 148, 153, 155
NBD-10409	7042	Plastic	7059, 7058, 7055, 7209, 7070, 7087, 7061, 7045	141, 143, 144, 145, 146, 147, 149
NBD-10470	7068	Plastic	7046, 7100, 7049, 7149, 7035, 7103, 7032, 7151, 7029, 7108, 7152	138, 140, 142, 143, 146, 147, 148, 149, 150, 151, 153
NBD-10604	7050	Plastic	7116	146
NBD-11636	7074	Plastic	7079, 7081	138, 153
NBD-13262	6997	Plastic	7098, 7106, 7074, 7056	142, 144, 148, 149
NBD-13706	6990	Plastic	7204, 7109	145, 151
NBD-13938	6700	Aluminum	9902	#N/A
NBD-14314	6991	Plastic	7155, 7093	140, 154
NBD-14584	7526	Aluminum	W21-760-9011	156
NBD-15305	6988	Aluminum	9000, 9001, 9002	
NBD-15430	6987	Plastic	7206, 7205, 7215	146, 152, 154
NBD-9930	7005	Aluminum	7007	145

Firestone

Sleeve Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMP NO.	MATERIAL	AON'S (W02-358-)	PAGE NO.
FIP-100105	6979	Plastic	7209	144
NAD-28088	7571	Plastic	W21-760-9011	156
NAD-30940	6890	Plastic	W26-358-9911	156
NAD-31336	6888	Plastic	W26-358-9913, 9912	
NBD-10071	7023	Aluminum	7012, 7017, 7024, 7073, 7085, 7067, 7043	143, 144, 148, 150, 152, 153
NBD-10215	7041	Plastic	7098, 7074, 7054, 7045	142, 148, 149
NBD-10238	7033	Plastic	7208, 7041, 7040, 7080, 7042, 7044, 7083, 7116, 7049, 7032, 7151, 7029, 7081	141, 142, 145, 146, 148, 149, 150, 153, 155
NBD-10514	7044	Aluminum	4003	150
NBD-10526	7047	Plastic	7106, 7056, 7110, 7055	143, 144, 149, 155
NBD-10549	7049	Aluminum	7007, 7031	144, 145
NBD-10552	7052	Plastic	7204, 7086, 7001, 7201, 7075, 7064, 7082, 7092, 7200, 7061	138, 139, 145, 147, 151, 152, 154
NBD-10795	7054	Aluminum	7076, 7037, 7038	141, 147, 151
NBD-11340	7059	Plastic	9901	143
NBD-12708	6896	Plastic	7059, 7058, 7149	141, 143
NBD-12802	6998	Plastic	7070, 7087	145, 146
NBD-12816	7069	Aluminum	7036	152
NBD-13499	6996	Plastic	7155, 6754	140
NBD-13727	7083	Plastic	7150, 7046, 7100, 7035, 7103, 7108, 7152, 7079	138, 139, 140, 146, 147, 151, 153
NBD-13939	6897	Aluminum	9902	#N/A
NBD-14048	7572	Aluminum	9000, 9001, 9002	
NBD-14218	6894	Plastic	7109	151
NBD-14589	6891	Plastic	7093	154
NBD-15431	6986	Plastic	7206, 7205, 7215	146, 152, 154

Cross References

Sleeve Index by Cap Component Number

CAP COMP NO.	CAP DRAWING NO.	MATERIAL	AON'S (W02-358-)	PAGE NO.
6700	NBD-13938	Aluminum	9902	#N/A
6711	NAD-30942	Plastic	W26-358-9911	156
6713	NAD-30942	Plastic	W26-358-9913	157
6714	NAD-30942	Plastic	W26-358-9912	157
6978	FIP-100102	Plastic	7208	149
6987	NBD-15430	Plastic	7206, 7205, 7215	146, 152, 154
6988	NBD-15305	Aluminum	9000, 9001, 9002	
6990	NBD-13706	Plastic	7204, 7109	145, 151
6991	NBD-14314	Plastic	7155, 7093	140, 154
6997	NBD-13262	Plastic	7098, 7106, 7074, 7056	142, 144, 148, 149
7005	NBD-9930	Aluminum	7007	145
7007	NBD-10010	Aluminum	7076, 7012, 7017, 7024	141, 148, 150, 152
7009	NBD-10049	Aluminum	4003	150
7013	NBD-10183	Aluminum	7073, 7085, 7037, 7067, 7038, 7043	143, 144, 147, 150, 151, 153
7014	NBD-10082	Aluminum	6754, 7031, 7036	140, 144, 152
7015	NBD-10239	Plastic	7150, 7041, 7040, 7080, 7042, 7044, 7083,	139, 141, 142, 145, 148, 153, 155
7018	NBD-10218	Plastic	7086, 7001, 7201, 7054, 7064, 7082, 7092, 7200, 7110	138, 139, 142, 151, 152, 154, 155
7042	NBD-10409	Plastic	7059, 7058, 7055, 7209, 7070, 7087, 7061, 7045	141, 143, 144, 145, 146, 147, 149
7050	NBD-10604	Plastic	7116	146
7066	NAD-25400	Plastic	9901	143
7068	NBD-10470	Plastic	7046, 7100, 7049, 7149, 7035, 7103, 7032, 7151, 7029, 7108, 7152	138, 140, 142, 143, 146, 147, 148, 149, 150, 151, 153
7074	NBD-11636	Plastic	7079, 7081	138, 153
7526	NBD-14584	Aluminum	W21-760-9011	156

Firestone

Sleeve Index by Piston Component Number

PISTON COMP NO.	PISTON DRAWING NO.	MATERIAL	AON'S (W02-358-)	PAGE NO.
6888	NAD-31336	Plastic	W26-358-9913, 9912	
6890	NAD-30940	Plastic	W26-358-9911	156
6891	NBD-14589	Plastic	7093	154
6894	NBD-14218	Plastic	7109	151
6896	NBD-12708	Plastic	7059, 7058, 7149	141, 143
6897	NBD-13939	Aluminum	9902	#N/A
6979	FIP-100105	Plastic	7209	144
6986	NBD-15431	Plastic	7206, 7205, 7215	146, 152, 154
6996	NBD-13499	Plastic	7155, 6754	140
6998	NBD-12802	Plastic	7070, 7087	145, 146
7023	NBD-10071	Aluminum	7012, 7017, 7024, 7073, 7085, 7067, 7043	143, 144, 148, 150, 152, 153
7033	NBD-10238	Plastic	7208, 7041, 7040, 7080, 7042, 7044, 7083, 7116, 7049, 7032, 7151, 7029, 7081	141, 142, 145, 146, 148 - 150, 153, 155
7041	NBD-10215	Plastic	7098, 7074, 7054, 7045	142, 148, 149
7044	NBD-10514	Aluminum	4003	150
7047	NBD-10526	Plastic	7106, 7056, 7110, 7055	143, 144, 149, 155
7049	NBD-10549	Aluminum	7007, 7031	144, 145
7052	NBD-10552	Plastic	7204, 7086, 7001, 7201, 7075, 7064, 7082, 7092, 7200, 7061	138, 139, 145, 147, 151, 152, 154
7054	NBD-10795	Aluminum	7076, 7037, 7038	141, 147, 151
7059	NBD-11340	Plastic	9901	143
7069	NBD-12816	Aluminum	7036	152
7083	NBD-13727	Plastic	7150, 7046, 7100, 7035, 7103, 7108, 7152, 7079	138 - 140, 146, 147, 151, 153
7571	NAD-28088	Plastic	W21-760-9011	156
7572	NBD-14048	Aluminum	9000, 9001, 9002	

Cross References

1T & Convoluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
AG CHEM		
	W01-358-8092	93
	W01-358-8092	93
AIR AX (ROELOFS)		
	W01-358-5323	8
	W01-358-5414	9
	W01-358-9953	27
	W01-358-8977	11
AIR SUSPENDED		
	W01-358-7726	102
AIRGLIDE		
	W01-358-7726	102
200 05/05/03 or later	W01-358-9547	21
200 05/05/03 or later	W01-358-9541	21
200 Before 05/05/03	W01-358-9675	22
380	W01-358-8813	39
400	W01-358-9547	21
460	W01-358-9541	21
690	W01-358-9541	21
ALLISON		
	W01-358-7798	129
	W01-358-8792	89
AMERICAN CARRIER		
	W01-358-7117	102
	W01-358-6902	104
8003-003	W01-358-9421	67
8003-005	W01-358-7146	111
8003-006	W01-358-7325	118
8003-007	W01-358-7105	101
8003-009	W01-358-3400	120
8003-011	W01-358-5412	9
8003-013	W01-358-7093	101
8003-017	W01-358-5328	8
8003-023	W01-358-5766	67
8003-024	W01-358-5765	67

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
AMERICAN CARRIER cont.		
8003-025 (supersedes 9234)	W01-358-9290	25
8003-026 (supersedes 9455-Bellows 1T47A-1) (replaces W01-358-3401 and W01-358-3405)	W01-358-3402	121
9003-001	W01-358-5310	7
ARVIN MERITOR		
202796 (GY 1R13-130)	W01-358-8729	79
202796	W01-358-8617	81
21227742 FS25	W01-358-6262	64
21227892 FS25	W01-358-6258	74
2258-G-1489	W01-358-6392	107
A-2258-A-1457 RPH-11	W01-358-8171	111
A-2258-A-1483 (WCC Front RV)	W01-358-8878	34
A-2258-C-1459	W01-358-8203	34
A2258-E-1461 RHP-55	W01-358-8617	81
A-2258-J-1466 WCC Rear RV	W01-358-9553	25
A-2258-U-1451 RFA23ER-RV	W01-358-9459	17
BINKLEY		
	W01-358-8204	34
XB-SPN-053-37 (Note: supersedes W01-358-7550)	W01-358-7555	121
BROCK		
	W01-358-5772	68
	W01-358-5771	68
CAPACITY OF TEXAS		
	W01-358-5712	12
	W01-358-9402	66
	W01-358-8600	67
	W01-358-6994	100

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
CATERPILLAR		
	W01-358-8235	123
CCG		
	W01-358-9348	58
CHALMERS		
	W01-358-7043	100
	W01-358-7094	101
	W01-358-7185	113
	W01-358-7853	132
(remove bolt) - Suspension should have axle stops-if not-use W01-358-9245	W01-358-9342	50
CIRCLE R		
	W01-358-5310	7
	W01-358-5405	8
	W01-358-9073	25
	W01-358-5422	9
CITY WELDING		
	W01-358-9149	86
	W01-358-9156	90
	W01-358-9216	84
COLUMBIA TRAILER		
	W01-358-9177	86
	W01-358-9179	87
	W01-358-9152	90
	W01-358-9410	66
CUSTOM CHASSIS		
	W01-358-9505	31
16-16019-000	W01-358-8207	34
DART		
21-4048	W01-358-9135	85
21-40057	W01-358-7244	119
21-40061	W01-358-7294	120
DEXTER AXLE		
034-279-00	W01-358-8886	14

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
EAST MFG.		
	W01-358-9049	25
EVERLY		
	W01-358-9474	49
EZ RIDE		
	W01-358-7146	111
	W01-358-8008	125
	W01-358-7408	114
	W01-358-7838	130
	W01-358-7845	131
8030120	W01-358-6905	104
8030150	W01-358-7447	116
8030160	W01-358-6801	110
8030170	W01-358-7808	129
8030180	W01-358-7818	129
8030190	W01-358-7180	112
8030192	W01-358-9053	36
FAB TEK		
101357	W01-358-9071	41
04-0080	W01-358-7400	113
101827	W01-358-9039	30
FARGO TRAILER		
	W01-358-7136	110
FIFTH WHEEL		
	W01-358-7726	102
FLEX AIR		
	W01-358-8813	39
FORETRAVEL INC.		
	W01-358-9448	17
FREIGHTLINER		
	W01-358-8207	34
16-10769-000	W01-358-7400	113
16-15444-000 service (no bracket, no piston) --reuse old bracket or purchase separately (pg.62)	W01-358-9634	62

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
FREIGHTLINER cont.		
16-17010-002A16-18334- 001	WC1-358-3876	75
16-13810-001 (plastic) 9780	WC1-358-3900	76
16-13810-002 (plastic) (cabover)	WC1-358-3901	76
16-11378-000	W01-358-7410	115
16-13810-000 (plastic)	W01-358-9780	75
16-14263-000	W01-358-9634	62
16-15443-000 (6033 bracket)	W01-358-9634	62
16-1673-000 (steel) See W01-358-9782	W01-358-9780	75
16-16773-000 (steel) - See W01-358-9782	W01-358-9781	75
681-320-0017 (aluminum) See W01-358-9781	W01-358-9780	75
681-320-0017, A16-14004-000 (aluminum)	W01-358-9781	75
A16-14004-000 (aluminum) 9781	WC1-358-3900	76
A16-14004-001 (aluminum)	WC1-358-3901	76
16-15443-001 (6034 BRACKET)		
FREIGHTLINER CUSTOM CHASSIS		
16-15762-000 Ambulance	W01-358-9774	62
16-16773-000 Steel Piston	W01-358-9782	75
16-17315-000 ZF-IFS	W01-358-8632	76
16-17010-00116-15762-000	WC1-358-3874	75
FRUEHAUF		
	W01-358-7409	114
MFR-022355	W01-358-9078	36
MFR 022354	W01-358-9077	30
UCA-0112-B	W01-358-7183	112
UCC-3054-1	W01-358-7181	112

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
FRUEHAUF cont.		
UAB-5620	W01-358-7181	112
UCA-0112	W01-358-7183	112
UCB-44531	W01-358-9077	30
UCB-9668-1	W01-358-9078	36
UCD-9393-2	W01-358-9394	59
UCE-1304-1	W01-358-9096	46
UCE-1304-2	W01-358-9053	36
GALLENBERG		
	W01-358-7146	111
	W01-358-7512	119
GENERAL COACH		
	W01-358-5335	10
	W01-358-8977	11
	W01-358-9592	26
GMC		
693230	W01-358-7400	113
711954	W01-358-7401	113
2076095	W01-358-7401	113
GOODYEAR		
(GY 1R12-204)	W01-358-9566	23
(GY 1R12-205)	W01-358-9568	23
(GY 1R12-324)	W01-358-9565	22
(GY 1R12-325)	W01-358-9567	23
GRANNING		
1014	W01-358-7818	129
1015	W01-358-7140	110
1080	W01-358-7113	102
1218 (replaces 7416)	W01-358-7443	116
1359	W01-358-9083	45
1371	W01-358-6910	103
1476	W01-358-7816	127
1613	W01-358-7798	129
1626	W01-358-7136	110
1971	W01-358-5406	8

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
GRANNING cont.		
2112	W01-358-5410	9
2279	W01-358-7118	120
2577	W01-358-9210	46
2598	W01-358-9214	91
2692	W01-358-9211	47
2725	W01-358-7403	113
2726	W01-358-7400	113
2727 (supersedes 9298)	W01-358-9342	50
3750	W01-358-9388	49
4514	W01-358-7800	129
4848	W01-358-6902	104
5065	W01-358-9105	36
5122	W01-358-2119	7
5235	W01-358-5423	9
5301	W01-358-8977	11
5307 (no stud)	W01-358-5423	9
5385 (no stud)	W01-358-8922	19
5492	W01-358-8922	19
5553	W01-358-8979	11
5691	W01-358-2120	7
6057	W01-358-8965	14
6104 (no stud)	W01-358-2120	7
6117	W01-358-5426	12
6250	W01-358-9478	10
6252	W01-358-9049	25
6978	W01-358-8958	24
7025	W01-358-6960	109
7026	W01-358-7855	132
7504	W01-358-5323	8
7593	W01-358-8760	82
7692	W01-358-8918	18
7765	W01-358-5434	10
7831	W01-358-5436	10

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
GRANNING cont.		
7901 (replaced W01-681-8770) [1T19F-7]	W01-358-8735	81
8221	W01-358-7996	125
8273	W01-358-9825	94
8609	W01-358-5702	12
HAGIE		
	W01-358-8810	39
	W01-358-9439	20
HENDRICKSON TRUCK		
	W01-358-9113	36
	W01-358-7180	112
1347	W01-358-7505	118
45843-2	W01-358-7279	117
48195-2	W01-358-9223	47
48195-1 (b.plate studs-1.35") (2 studs in piston at 90 alignment)	W01-358-9227	47
49048 (Ford)	W01-358-9466	49
49160-0"	W01-358-9256	48
49207 (Marmon)	W01-358-9466	49
49674-1&2 (Mack) (57QL411M)	W01-358-9466	49
50405-1&2 (Ford, W.Star) HA-360/400/460 [1991-Up]	W01-358-9287	53
50898-1 & 2 (GH & Ford) (class 6, 7 & 8)	W01-358-9297	53
50899-1 & 2 (Mack-class 8) 57QL414M	W01-358-9375	54
56808-2 (class 6 Ford)	W01-358-9339	37
56916 (class 6 Freightliner) -not current production - ref 56917 (W01-358-9335)	W01-358-9284	18

Cross References

1T & Convoluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRUCK cont.		
56917-1 & 2 (Class 6 & 7 Freightliner) - -ref.56916 (W01-358-9284) -superseded	W01-358-9335	41
57122-2 (Ford, class 8)	W01-358-9373	54
57140 LH - Remove new bracket and reuse old (class 6 & 7 GM)	W01-358-9339	37
57150 RH	W01-358-9339	37
57920-2 w/bracket	W01-358-8868	11
57965-2 (reuse old bracket)	W01-358-8868	11
58520-2 (Nissan) (replaces 58654-2)	W01-M58-9372	54
58786-2	W01-358-9647	55
58983-2 (Blue Bird)	W01-358-8942	19
58995-2 (Freightliner)	W01-358-9643	63
59053-2	W01-M58-6260	63
59055-2 - (HAD 150 & 190) replaces 58817-2 RVI/US	W01-M58-9642	54
59319-2	W01-M58-8712	80
59484-2 (Blue Bird)	W01-358-8971	29
59601-2	W01-358-8972	29
60716-2	W01-358-9554	24
60925-2	W01-358-8817	39
60929-2	W01-358-8816	39
64403-2	W01-M58-8650	34
64827-2	W01-358-8872	13
65032-2	W01-358-9654	55
60271-2	W01-358-9663	55
64489-2	W01-M58-9372	54
64651-2	W01-358-9297	53
64651-2	W01-M58-9656	55
65790-2	W01-358-8597	23

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON AUX.		
(Paralift, Paralift Ultra)	W01-358-7795	106
(Pararev)	W01-358-7897	107
1015	W01-358-8042	#N/A
1285	W01-358-7859	132
1346	W01-358-7797	128
1475	W01-358-7790	117
1503	W01-358-6789	116
1560	W01-358-7998	125
2348	W01-358-7954	133
4647	W01-358-3420	123
4828	W01-358-7872	133
001795 (Paralift Ultra/ High Lift) -ride bag	W01-358-7862	132
001796 (Paralift Ultra/ High Lift) -lift bag	W01-358-7545	122
002878 (Lift Bag)	W01-358-7897	107
003316 (metric version)	W01-358-8033	127
003316 (metric version)	W01-358-8033	127
003317 (metric version)	W01-358-7795	106
003318 (metric version)	W01-358-6935	105
003319 (metric equivalent)	W01-358-9367	60
003319 (Same as SAE version W01-358-9367)	W01-358-9668	#N/A
003319 (metric equivalent)	W01-358-9367	60
HENDRICKSON CANADA		
B-12514-001	W01-358-7403	113
B-12514-003	W01-358-9302	37
B-12514-013	W01-358-8051	95
B-12514-014	W01-358-7135	110
B-12514-004, B-12514-011	W01-358-9158	90
B-12514-005	W01-358-7472	121

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON CANADA cont.		
B12514-012	W01-358-8052	95
S10352	W01-358-9240	57
S12353	W01-358-9092	45
S1345 (replaced by 7472)	W01-358-7404	114
S2066, S11651, B-12514-007	W01-358-9082	45
B-3411	W01-358-9228	48
45843-1	W01-358-6905	104
45843-3	W01-358-6910	103
B-12514-008, B-12514-010	W01-358-9122	89
HENDRICKSON TRAILER		
Prototype C21623	W01-358-8755	77
Prototype C21624	W01-358-8756	78
C20413 (rotate piston to 45 alignment)	W01-358-9265	61
HT-250T	W01-358-9265	61
HT-250U (all others)	W01-358-9265	61
HT-250U-Y (9Y-001)	W01-358-9265	61
S1013	W01-358-7400	113
S1080	W01-358-7136	110
S1159	W01-358-7403	113
S11566 (remove bolt)	W01-358-9010	40
S11637	W01-358-8008	125
S12405	W01-358-8032	127
S1245	W01-358-9105	36
S13122 [HT250U(9-020)]	W01-358-9264	92
S14147	W01-358-9652	26
S14147	W01-358-9043	65
S14249 (W01-455-9321)	W01-358-9367	60
S14318	W01-358-6935	105
S14486 (lift bag)	W01-358-7795	106

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRAILER cont.		
S14487 (Ride Bag) [Paralift Ultra] [Pararev]	W01-358-8033	127
S14795	W01-358-8043	133
S1561	W01-358-9083	45
S20010 (HT230T)	W01-358-9270	73
S20124	W01-358-9265	61
S20127 [HT-250U 9-006] [HT-250UY 9Y-006] replaces 1T15VLT-10.5 1T15V-11 W01-358-9262	W01-358-9580	82
S20157	W01-358-9928	93
S20217 (HT-190U) - superseded by W01-358-8944 1T15MLW-7	W01-358-9015	28
S20217 (HT-190U) - supersedes W01-358-9015	W01-358-8944	63
S20223 (HT-190T, HS-190T) - replaces W01-358-9630	W01-358-9640	62
S20228	W01-358-8934	35
S20414 [HT-250U (9-006)] [HT-250U-Y (9Y-006)] Replaces 1T15VLT-10.5 1T15V-11	W01-358-9581	82
S2063	W01-358-9158	90
S2064/S11650	W01-358-9039	30
S2065	W01-358-9177	86
S20716 [HT250U(6.5-002)]	W01-358-9299	63
S20900 (Intraax AA230) [Up to 7/97] -replaced by W01-358-8709 (approx. 6/98) 1T17CA-5	W01-358-8751	77
S20901 (Intraax 250) -reuse metal disk	W01-358-8091	94
S21208	W01-358-9579	73

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRAILER cont.		
S21323	W01-358-6962	109
S21784 w/metal disk for piston support	W01-358-8091	94
S21800 (Intraax AA230) [8/97-up] -replaces W01-358-8751 (approx. 6/98)	W01-358-8709	80
S21966 (HKA200 Special)	W01-358-8708	81
S22045 (HK190T)	W01-358-8755	77
S22046 (HK230) Approximate availabitly 1-98 - -replaces W01-358-8756	W01-358-8710	82
S22046 (HK230) -will be replaced by W01-358-8710 1T17CL-5	W01-358-8756	78
S22173	W01-358-5511	92
S22697	W01-358-8724	79
S22948 (Van Traax) - Prior to 9/99- used 9525 piston w/bumper spacer	W01-358-8713	81
S2307	W01-358-9011	40
S23114	W01-358-7897	107
S23611	W01-358-9646	64
S23612	W01-358-9645	65
S23613	W01-358-9621	22
S23614	W01-358-9619	23
S23720	W01-358-9626	20
S23721	W01-358-9644	64
S23748 (w/disk S24443)	W01-358-8093	94
S2394	W01-358-2119	7
S25873	W01-358-8774	95
S2630	W01-358-6902	104
S26773	W01-358-8614	80
S2694	W01-358-9203	57

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRAILER cont.		
S27031	W01-358-8623	81
S2734	W01-358-6801	110
S2827	W01-358-9010	40
S2883	W01-358-7403	113
S2924	W01-358-9227	47
S3184	W01-358-7140	110
S3467, S3830	W01-358-9122	89
S3518	W01-358-6905	104
S3648	W01-358-9215	84
S3798	W01-358-7446	116
S3839	W01-358-9200	83
S3842	W01-358-9240	57
S4771	W01-358-8050	95
S4773	W01-358-9392	49
S5060	W01-358-9238	57
S5270	W01-358-6905	104
S5468	W01-358-7404	114
S6195	W01-358-9192	57
S6242	W01-358-7447	116
S6412	W01-358-6803	111
S6861	W01-358-7839	130
S7100	W01-358-7843	130
S7128	W01-358-9156	90
S7193	W01-358-9073	25
S7364	W01-358-9285	25
S7853	W01-358-7846	131
S8701	W01-358-6947	109
S8768	W01-358-6910	103
S8832	W01-358-5310	7
S8874	W01-358-7847	131
S8988	W01-358-9349	58
S9346	W01-358-5405	8
S9830	W01-358-7444	116

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HISTEER		
	W01-358-8018	126
	W01-358-8008	125
(supercedes 8029)	W01-358-8027	126
10300	W01-358-7839	130
10301	W01-358-7850	132
10302	W01-358-6941	105
10303	W01-358-8039	134
10305	W01-358-6940	105
10307	W01-358-6944	108
10313	W01-358-8038	134
10315	W01-358-7550	121
10316	W01-358-7557	122
HLM LIFT BAG		
	W01-358-6935	105
HOLLAND (NEWAY)		
(AD-123/246-10) 90557146 90557182 (no bracket) 90557177 (special lower connection)	W01-358-9471	71
(replaced by 6799)	W01-358-6808	112
90044197	W01-358-9158	90
90044201	W01-358-9101	57
900557112 (AR90-[All]) (ARU92-9&10)	W01-358-9243	58
90557001	W01-358-9039	30
90557001	W01-358-7135	110
90557002	W01-358-7009	100
90557003	W01-358-9177	86
90557005	W01-358-9158	90
90557006, 90557027, 90557033 (special mounting), 90557037, 90557054, 90557075	W01-358-9082	45
90557007	W01-358-9093	46
90557008	W01-358-9101	57
90557009	W01-358-9101	57

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557012	W01-358-9033	30
90557014 (AL-41 & 45)	W01-358-7424	115
90557015	W01-358-7437	115
90557016	W01-358-7400	113
90557019	W01-358-9121	85
90557020, 90557071, 90557076, 90557077	W01-358-9122	89
90557023	W01-358-9039	30
90557028	W01-358-7112	102
90557030	W01-358-9075	15
90557031	W01-358-9092	45
90557032	W01-358-9093	46
90557034 90557029	W01-358-8997	13
90557035	W01-358-9093	46
90557038	W01-358-9070	41
90557039	W01-358-7146	111
90557052	W01-358-9121	85
90557057	W01-358-5412	9
90557069	W01-358-9158	90
90557078	W01-358-9121	85
90557082	W01-358-9101	57
90557083	W01-358-9121	85
90557085	W01-358-9039	30
90557086	W01-358-9192	57
90557089 (remove bolt)	W01-358-9308	31
90557090 (AR-90-1-12)	W01-358-9070	41
90557094 (ARD suspensions) - reference 90557128 (bead plate-3215)	W01-358-9599	26
90557097	W01-358-9650	66
90557098 (ARDTB125-6A&6B)	W01-358-8053	95
90557099	W01-358-9320	59

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557101	W01-358-9193	46
90557102	W01-358-5511	92
90557103	W01-358-5505	91
90557104	W01-358-9915	93
90557104	W01-358-9264	92
90557105 (GM-U-Haul)	W01-358-9798	44
90557106	W01-358-9929	93
90557107	W01-358-9249	70
90557108 (AR-90)	W01-358-9192	57
90557110 (parallel alignment)	W01-358-9121	85
90557111 (AR-80-9FM)	W01-358-9138	88
90557113 (AR90-1-14&17) (AR75-6&9)	W01-358-9362	48
90557117 (AR92-12&14), (AR93-14)	W01-358-9921	51
90557118 (AR92&93-15&16)	W01-358-9923	51
90557119 (AR92-17) (AR93-17)	W01-358-9922	51
90557120 (RL196-14, RL196A-14)	W01-358-9293	27
90557121 (RL196-15 & 16) (RL196A-15 & 16)	W01-358-9295	28
90557123 - Service assembly only (no piston)	W01-358-9268	62
90557124 (AR-90115 & 16)	W01-358-9304	48
90557125 (AR-80-9) (AR-80-9WST)	W01-358-9134	88
90557126 (AR-75-12) (AR-75-1-12) (ARU92-12)	W01-358-9346	58
90557127 (RL-196-12)	W01-358-9294	27
90557128	W01-358-9599	26

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557129 (AR-41, 45 & 45-1) (plastic)	W01-358-9307	32
90557130-RH	W01-358-9463	42
90557131-LH	W01-358-9463	42
90557137 (only 2 studs in piston and 90 alignment)	W01-358-9798	44
90557138	W01-358-9902	51
90557139 (RL196-17) (RL196A-17) - replaces 90557122 -originally 1T15M-4 bellows	W01-358-9291	27
90557142	W01-358-9942	52
90557143	W01-358-9943	52
90557145 (AD-246)	W01-358-9470	71
90557147 (AD-123/246-6.5 & 8.75)	W01-358-9472	71
90557149	W01-358-9325	37
90557150	W01-358-8949	27
90557152	W01-358-9473	71
90557155	W01-358-9144	86
90557156 (RL-228-14,15,16)	W01-358-9936	52
90557157 (RL-228-17)	W01-358-9935	51
90557158	W01-358-9484	43
90557159	W01-358-9365	37
90557160	W01-358-9366	38
90557161 (AD200-7) (Gillig) - ref. W01-358-9585 (1/2" NPT)	W01-358-9482	42
90557162	W01-358-8780	88
90557163	W01-358-8779	87
90557164	W01-358-8778	85
90557166 (AD200-8) (Gillig)	W01-358-9483	42
90557167 (AR250-14 & 15)	W01-358-8748	78

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557168 (AR250-12,16,17)	W01-358-8749	79
90557169 (Advance Mixer)	W01-358-8903	64
90557170	W01-358-8802	38
90557172 (AD-200) - ref. 90557220 90557248 (1/2"NPT)	W01-358-9597	26
90557173 (RL196A-12)	W01-358-8204	34
90557174 (AS 120)	W01-358-5776	69
90557179 (no bracket)	W01-358-9473	71
90557185 (parallel align.)	W01-358-9122	89
90557194 (Dock-Mate)	W01-358-8803	38
90557200	W01-358-9587	26
90557203	W01-358-6799	122
90557205	W01-358-8781	88
90557206	W01-358-9491	72
90557208	W01-358-9496	49
90557209	W01-358-9218	84
90557210 - (replaces W01-358-8987)	W01-358-8203	34
90557210	W01-358-9366	38
90557211 (2 bolt mounting on piston)	W01-358-9470	71
90557212 (146)	W01-358-9471	71
90557214 (182) (2 bolt mounting on piston)	W01-358-9471	71
90557215 (152)	W01-358-9473	71
90557216 (179) (2 bolt mounting on piston)	W01-358-9473	71
90557218	W01-358-9891	92
90557221 (1/2" NPT-flush)	W01-358-9586	69
90557223	W01-358-8204	34
90557225	W01-358-9366	38
90557226	W01-358-7008	100

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557227	W01-358-9948	52
90557228	W01-358-6890	103
90557229 (IFS-114) - (center stud used for locating in pre-assembly)	W01-358-8198	33
90557230	W01-358-8197	33
90557232	W01-358-9578	70
90557233	W01-M58-6317	63
90557235	W01-358-8746	78
90557236	W01-358-8042	#N/A
90557237	W01-358-6943	108
90557240	W01-358-9582	70
90557243	W01-358-8744	78
90557247 (replaces 90557219-flush fitting) - ref.W01-358-9482	W01-358-9585	43
90557248 (replaces 90557220-1/2"NPT flush) - ref. W01-358-9597	W01-358-9587	26
90557249 replaces	W01-358-9586	69
90557252	W01-358-9649	55
90557256 IFS-114	W01-358-7667	33
90557270 AD-130	W01-358-8793	94
90557271 (NSH225, NSB225, RLU250)	W01-358-8738	80
90557272 (NS225,NS450, WN225, NSH450)	W01-358-8737	80
90557283 RL300	W01-358-8796	89
90557295 (RL230,GRL228)	W01-358-9971	53
90557300	W01-358-9936	52
90557301	W01-358-9935	51
90557302 RL230	W01-358-9972	53
90557312	W01-358-9505	31
90557313	W01-358-9507	43

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND (NEWAY) cont.		
90557211 REPLACEMENT PISTON COMES WITHOUT STUDS	W01-358-9502	72
90557214 REPLACEMENT PISTON COMES WITHOUT STUDS	W01-358-9501	72
90557216	W01-358-9504	72
90557260	W01-358-8764	89
90557306	W01-358-8882	32
90557308 (Same except piston Stud length 1.5 W01-358-8182)	W01-358-8184	14
90557314	W01-358-8676	76
90557329	W01-358-9697	43
90557332	W01-358-9974	53
90557354	W01-358-9855	20
90557144	W01-358-9896	93
90557250 (replaces W01-675-9613, 90557224-flush fitting)	W01-358-9584	14
90557290 (RL228, KL230)	W01-358-8184	14
Use with Neway CB-4000 W01-358-9807	WC1-358-1690	32
Use with Neway CB-4000 W01-358-9807	WC1-358-1691	32
Use with Neway CB-4000 W01-358-9807	WC1-358-1692	33
HOLLAND HITCH		
4514	W01-358-7800	129
6764	W01-358-7304	130
6788	W01-358-7230	120
HUTCHENS		
H-2007	W01-358-9075	15
H-10384-01	W01-358-7405	114

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HUTCHENS cont.		
H-1913-1	W01-358-9059	40
H-9424-01	W01-358-9039	30
H-9630-01		
H-19141-01	W01-358-5766	67
INTERGRATED		
	W01-358-7424	115
JET CO.		
(10.3" max.OD) Bolt removed for center mounting	W01-358-9260	66
(replace 9255) (11.0"max.OD) Bolt removed for center mounting	W01-358-9259	65
	W01-358-5408	8
JOHN DEERE		
	W01-358-8931	35
AH160823	W01-358-5336	11
AN205761	W01-M58-8798	94
AW30683	W01-358-6831	123
KELDERMAN		
	W01-358-2131	7
	W01-358-9082	45
KENWORTH		
	W01-358-5773	68
C81-1003	W01-358-8813	39
C81-1004	W01-358-9547	21
C81-1005	W01-358-9541	21
K-102-A	W01-358-9073	25
K303-14	W01-358-9422	14
K303-15 (Airglide 100) -older version with no bracket	W01-358-9422	14
K-303-18(Airglide 200) - small air fitting - original design (1996 & 1997 prod.) - replaced by K - 303-22(9622)	W01-358-9617	21

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
KENWORTH cont.		
K-303-19 (Airglide 200) 46,000# - small air fitting - -1996 & 97 prod. - replaced by K-303-25(9625)	W01-358-9618	21
K-303-22 (Airglide 200-1998 to 5-5-03) - (large air fitting with interconnected airsprings)	W01-358-9622	21
K-303-25 (Airglide 200-46,000#, 1998 & later prod.)	W01-358-9625	22
K-303-28	W01-358-9675	22
K-303-5	W01-358-9415	19
K303-6	W01-358-9422	14
KWIK LOK/TODCO (JIFFLOX)		
CP-5125	W01-358-9082	45
53671 (supersedes 7133)	W01-358-7123	110
	W01-358-7180	112
CP-5223	W01-358-7429	115
LINK		
1103-0019	W01-358-6884	104
(see 5789)	W01-358-5772	68
1103-0058	W01-358-8842	56
1103-0059	W01-358-5900	107
1103-0500	W01-358-5439	11
1103-0501 Liftable	W01-358-9562	18
1103-0503 Ultraride	W01-358-5789	69
1103-0508	W01-358-9681	24
LOAD AIR P10-755C		
	W01-358-7344	113
P-10872-A	W01-358-6949	106
P60733	W01-358-9221	87
LOAD SHARE		
	W01-358-7462	103
	W01-358-6926	103

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
LONGER STROKE		
8008	W01-358-8038	134
MCCULLOUGH TRAILER		
	W01-358-9348	58
MACK		
227QS-32 & 57QK1113	W01-358-7325	118
3645Q27 57QL414M	W01-358-9375	54
57QL1115	W01-358-9652	26
57QL1115	W01-358-9043	65
57QL239	W01-358-7145	111
57QL417M)	W01-358-9647	55
MADSEN		
(replaces 9014)	W01-358-9440	16
MAURICE WELDING		
	W01-358-7927	120
MOD. FLOW EQUIP.		
	W01-358-7146	111
	W01-358-7852	127
MONACO COACH		
	W01-358-6905	104
W01-358-8897 with 3/4 NPT	W01-358-9376	15
1806160	W01-358-9651	66
8618	W01-358-5319	13
8619	W01-358-9376	15
NAVISTAR		
	W01-358-9068	41
(U-Haul) 1660694C-1	W01-358-9379	22
1660581C-1	W01-358-9213	47
1670073C-1	W01-358-9371	54
1672401C1	W01-358-9566	23
1675495C1	W01-358-9568	23
1686386C-1	W01-358-9371	54
2027911C-1	W01-358-9371	54
2027911C1 & C2	W01-358-9648	74

Cross References

1T & Convoluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
NAVISTAR cont.		
2027912C1	W01-358-9565	22
2027913C1	W01-358-9567	23
350243C-94	W01-358-9098	61
359519C-1	W01-358-9063	40
426212C-1	W01-358-9098	61
426213C-1	W01-358-9097	61
442305C-91	W01-358-9098	61
442306C-91	W01-358-9098	61
442307C-91	W01-358-9097	61
454590C-1	W01-358-9098	61
454588C-91	W01-358-9098	61
4545889C-1	W01-358-9097	61
4545910C-1	W01-358-9097	61
501559C-1	W01-358-9213	47
501559C-2	W01-358-9213	47
NEWLITE (NS 190-16)		
	W01-358-8204	34
OSHKOSH		
RX-08-03	W01-358-9269	73
	W01-358-5412	9
(ref.8013)	W01-358-8010	125
OTTAWA 53500516		
	W01-358-7304	130
PEERLESS		
	W01-358-9158	90
	W01-358-9290	25
0550-00001	W01-358-7180	112
0550-00010	W01-358-9149	86
0550-00015	W01-358-7103	100
0550-00051	W01-358-9031	30
0550-00070	W01-358-9148	86
0550-00080	W01-358-9156	90
PETERBILT		
03-10042	W01-358-9069	41

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
PETERBILT cont.		
03-01649	W01-358-9069	41
03-01686	W01-358-9589	13
03-02038 (Air-Trac)	W01-358-9069	41
03-02456	W01-358-9069	41
03-04759	W01-358-9069	41
03-05107	W01-358-9194	46
03-06213	W01-358-9026	45
03-06746		
03-07111 (Low Air Leaf)	W01-358-9026	45
03-07112	W01-358-9069	41
03-08424 - replaces W01-358-9146 (1T15S-6)	W01-358-9589	13
03-07887 (Low Air Leaf)	W01-358-8852	56
03-08716 (New Low Leaf Supersedes 03-07887 effective 04/04)	W01-358-8864	56
C81-6000	W01-358-8813	39
PEZZANI		
	W01-358-9075	15
	W01-358-9076	65
	W01-358-9116	85
	W01-358-9199	90
AR-21-A	W01-358-7135	110
PIONEER TRAILER		
	W01-358-9071	41
POLLARD		
	W01-358-7230	120
	W01-358-7304	130
PORCUPINE		
	W01-358-9158	90
	W01-358-9122	89
	W01-358-7424	115
	W01-358-7852	127

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
PORCUPINE cont.		
(replaces 7140)	W01-358-7782	122
(replaces 7142)	W01-358-7140	110
(replaces 7818)	W01-358-7839	130
R & S TRUCK & BODY		
	W01-358-7798	129
1027505	W01-358-6902	104
1027519	W01-358-7400	113
1027556	W01-358-7136	110
1040201	W01-358-7403	113
1082914	W01-358-7446	116
1090023	W01-358-9121	85
1090214	W01-358-7140	110
1090215	W01-358-7424	115
1090216	W01-358-9177	86
1090217	W01-358-9082	45
1090218	W01-358-9039	30
1090326	W01-358-9164	86
RAVENS TRAILER		
	W01-358-9204	84
REYCO		
12882-01	W01-358-9082	45
12882-02	W01-358-9121	85
12883-01	W01-358-9101	57
12883-02	W01-358-9122	89
12884-01	W01-358-9223	47
12884-01A (102AR)	W01-358-9223	47
12884-01B	W01-358-9944	50
12906-01	W01-358-6927	108
12928-01	W01-358-9010	40
17360-01	W01-358-9308	31
17361-01	W01-358-8900	15
17414-01	W01-358-8991	36
17636-01	W01-358-9349	58
19624-01	W01-358-8951	19

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
REYCO cont.		
19983-01 (21AR, 74AR)	W01-358-7557	122
20018-01 (86AR)	W01-358-7555	121
20074-01	W01-358-9332	31
20124-01	W01-358-9966	50
20124-01K (1/4 NPT) - [Use 1/2 to 1/4 NPT adaptor]	W01-358-9966	50
20124-02 (1/2 NPT)	W01-358-9966	50
20142-01 & 01K	W01-358-9947	52
20437-01	W01-358-9333	31
20446-01	W01-358-9476	17
20773-01	W01-358-8959	24
20783-01	W01-358-5775	68
20966-01	W01-358-9474	49
21054-01	W01-358-9377	16
21055-01	W01-358-8976	29
21598-01	W01-358-8964	28
21767-01	W01-358-8776	85
22241-01	W01-358-8932	35
22425-01	W01-358-5777	69
23377-01	W01-358-8961	28
23433-01	W01-358-8740	77
23521-01	W01-358-8855	56
23521-02	W01-358-8856	56
24894-02	W01-358-9690	50
25396-01	W01-358-9560	20
24556-01	W01-358-9277	84
25437-01	W01-358-9559	20
93AR	W01-358-8018	126
RIDE SENTRY		
	W01-358-8617	81
RIDEWELL		
	W01-358-7839	130
	W01-358-6900	103

Cross References

1T & Convoluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
RIDEWELL cont.		
1001R13109G	W01-358-8782	78
1003585310C	W01-358-5310	7
1003585311C	W01-358-5311	7
1003585323C	W01-358-5323	8
1003585410C	W01-358-5410	9
1003585414C	W01-358-5414	9
1003585770C	W01-358-5770	68
1003585792C	W01-358-5792	69
1003586801C	W01-358-6801	110
1003586805C	W01-358-6805	112
1003586817C	W01-358-6817	108
1003586902C	W01-358-6902	104
1003586905C	W01-358-6905	104
1003586910C	W01-358-6910	103
1003586932C	W01-358-6932	105
1003586945C	W01-358-6945	108
1003586946C	W01-358-6946	109
1003586947C	W01-358-6947	109
1003586948C	W01-358-6948	109
1003587112C	W01-358-7112	102
1003587135C	W01-358-7135	110
1003587136C	W01-358-7136	110
1003587140C	W01-358-7140	110
1003587145C	W01-358-7145	111
1003587146C	W01-358-7146	111
1003587180C	W01-358-7180	112
1003587271C	W01-358-7271	118
1003587273C	W01-358-7273	119
1003587274C	W01-358-7274	130
1003587275C	W01-358-7275	119
1003587286C	W01-358-7286	128
1003587330	W01-358-7330	118
1003587400C	W01-358-7400	113
1003587403C	W01-358-7403	113

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
RIDEWELL cont.		
1003587406C	W01-358-7406	114
1003587437C	W01-358-7437	115
1003587443C	W01-358-7443	116
1003587473C	W01-358-7473	117
1003587483C	W01-358-7483	117
1003587781C	W01-358-7781	122
1003587796C	W01-358-7796	128
1003587800C	W01-358-7800	129
1003587808C	W01-358-7808	129
1003587818C	W01-358-7818	129
1003587844C	W01-358-7844	131
1003587893C	W01-358-7892	106
1003588008C	W01-358-8008	125
1003588010C	W01-358-8010	125
1003588014C	W01-358-8014	126
1003588016C	W01-358-8016	126
1003588030C	W01-358-8030	127
1003588051C	W01-358-8051	95
1003588055C	W01-358-8055	82
1003588088C	W01-358-8088	83
1003588201C	W01-358-8201	33
1003588752C	W01-358-8752	77
1003588753C	W01-358-8753	77
1003589053C	W01-358-9053	36
1003588802C	W01-358-8802	38
1003588803C	W01-358-8803	38
1003588805C	W01-358-8805	38
1003588806C	W01-358-8806	39
1003588919C	W01-358-8919	18
1003588924C	W01-358-8924	44
1003588930C	W01-358-8930	35
1003588963C	W01-358-8963	28
1003588986C	W01-358-8986	29
1003588992C	W01-358-8992	13

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
RIDEWELL cont.		
1003588997C	W01-358-8997	13
1003589008C	W01-358-9008	40
1003589010C (replaces 9064)	W01-358-9010	40
1003589029C	W01-358-9029	29
1013589039C	W01-358-9039	30
1003589071C	W01-358-9071	41
1003589073C	W01-358-9073	25
1003589082C	W01-358-9082	45
1003589083C	W01-358-9083	45
1003589101C	W01-358-9101	57
1003589105C	W01-358-9105	36
1003589118C	W01-358-9118	37
1003589121C	W01-358-9121	85
1003589122C	W01-358-9122	89
1003589158C	W01-358-9158	90
1003589177C	W01-358-9177	86
1003589200C	W01-358-9200	83
1003589201C	W01-358-9201	90
1003589218C	W01-358-9218	84
1003589245C	W01-358-9245	58
1003589250C	W01-358-9250	72
1003589251C	W01-358-9251	70
1003589252C	W01-358-9252	73
1003589274C	W01-358-9274	70
1003589275C	W01-358-9275	71
1003589277C	W01-358-9277	84
1003589290C	W01-358-9290	25
1003589334C	W01-358-9334	31
1003589368C	W01-358-9368	60
1003589378C	W01-358-9378	16
1003589387C	W01-358-9387	16
1003589423C	W01-358-9423	67
1003589445C	W01-358-9445	16
1003589447C	W01-358-9447	17

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
RIDEWELL cont.		
1003589448C	W01-358-9448	17
1003589457C	W01-358-9457	17
1003589459C	W01-358-9459	17
1003589467C	W01-358-9467	42
1003589477C	W01-358-9477	18
1003589538C	W01-358-9538	61
1003589797C	W01-358-9797	43
1003589961C	W01-358-9961	87
1003588901C	W01-358-8901	15
RIMPULL		
	W01-358-7226	119
ROCKWELL		
	W01-358-8911	65
ROWE RV		
ASC1000/ ASC1001ASC1002/ ASC1003 Spartan	W01-358-8500	83
ASC1000/ASC1001/ ASC1002/ASC1003 Spartan	W01-358-9218	84
ROWE TRAILER		
ASCT1500/ ASCST1500/ ASCST2000	W01-358-5423	9
ASCST2000	W01-358-2120	7
ASCT2500	W01-358-8888	50
ROWE TRUCK		
0035 ASC2500 ASC1600	W01-358-7686	106
0059 ASC 1500	W01-358-7956	133
ASC1400HL Lift	W01-358-2119	7
ASC1400HL Ride	W01-358-8984	96
ASC1500ASCS1500/ ASCS2000 Lift	W01-358-5423	9
ASC2500/ ASC2500ROS Ride	W01-358-8888	50
ASCC2000 Ride	W01-358-9811	87
ASCS2000 Lift	W01-358-2120	7

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
SAUER		
P10-754	W01-358-7325	118
P10-755	W01-358-7424	115
P10-784	W01-358-7423	115
P10-794	W01-358-7057	124
P20-706	W01-358-3406	121
P10-755C		
P50-732	W01-358-9122	89
P50-733	W01-358-9121	85
P50-734	W01-358-9039	30
SILENT DRIVE		
	W01-358-9082	45
	W01-358-9101	57
	W01-358-7839	130
	W01-358-6905	104
	W01-358-8997	13
	W01-358-7135	110
	W01-358-8008	125
	W01-358-7800	129
	W01-358-9070	41
	W01-358-9921	51
	W01-358-7447	116
	W01-358-8027	126
	W01-358-8038	134
	W01-358-5429	12
	W01-358-9338	60
	W01-358-7344	113
	W01-358-9320	59
	W01-358-7429	115
	W01-358-6948	109
	W01-358-9250	72
(replaces W01-358-8028)	W01-358-8025	126
SUPERIOR		
	W01-358-7839	130
	W01-358-7818	129

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
SUPERIOR cont.		
	W01-358-7848	131
	W01-358-8006	125
	W01-358-7761	128
	W01-358-7816	127
	W01-358-7286	128
	W01-358-7915	128
SUSPENSION DYNAMICS		
55015	W01-358-9249	70
SUSPENSION INC.		
	W01-358-9218	84
	W01-358-8018	126
	W01-358-5509	92
	W01-358-7499	117
	W01-358-7794	123
	W01-358-6944	108
	W01-358-7405	114
	W01-358-7848	131
200041	W01-358-9394	59
200042	W01-358-6902	104
200182	W01-358-9251	70
201150	W01-358-9249	70
201642	W01-358-8752	77
200177	W01-358-7850	132
(Wabash)	W01-358-9928	93
200117	W01-358-8027	126
200175	W01-358-7088	101
200792	W01-358-7096	102
TAFCO		
	W01-358-8010	125
TALBERT		
	W01-358-7180	112
TARTAN		
	W01-358-7726	102

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
TEMISKO		
	W01-358-9122	89
	W01-358-7140	110
	W01-358-7816	127
TEXAS TRUCK		
	W01-358-7325	118
TRANSPORTATION		
	W01-358-7726	102
TRUCKSTELL (MARION MFG.)		
63640	W01-358-7808	129
63641	W01-358-7135	110
63644	W01-358-7135	110
63647	W01-358-9101	57
TUTHILL GRANNING		
700135-01	W01-358-9825	94
700136-01	W01-358-9825	94
700999-01	W01-358-8733	79
702228-01	W01-358-8761	83
702932-01	W01-358-6856	104
703180-01	W01-358-9556	38
703667-01	W01-358-8787	83
705951-01	W01-358-8636	79
TUTHILL REYCO		
23027-01	W01-358-8935	35
23631-01	W01-358-8051	95
701784-01	W01-358-6886	107
702614-01	W01-358-8824	44
ULTRARIDE		
	W01-358-5439	11
UNIT RIG		
1001404	W01-358-7244	119
1016031	W01-358-7294	120
1016034	W01-358-9135	85
V-STEER 1		
(Ride Bag)	W01-358-9948	52

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
V-STEER 1 cont.		
(Lift Bag)	W01-358-6890	103
V-STEER II		
(Lift Bag)	W01-358-6943	108
(Ride Bag)	W01-358-8042	#N/A
VAN RADEN		
	W01-358-8025	126
	W01-358-6943	108
VOLVO		
3934699	W01-358-8829	74
8079902	W01-358-8829	74
8061151	W01-358-9296	48
8169868	W01-358-9296	48
VOLVO/GM HEAVY DUTY TRUCK		
2076095	W01-358-7401	113
35003-3209	W01-358-9219	47
35203-0005	W01-358-7145	111
35003-3201	W01-358-9219	47
35203-3203	W01-358-9219	47
35003-3204	W01-358-9219	47
WABASH		
	W01-358-7276	129
	W01-358-9366	38
WABASH (ROADRAILER)		
	W01-358-8984	96
WABASH TRAILER		
	W01-358-8203	34
WAGGONER'S TRUCK		
	W01-358-9439	20
	W01-358-9438	19
WATSON & CHALIN		
	W01-358-9350	59
	W01-358-8018	126
AS-0001	W01-358-6910	103
AS-0002	W01-358-6902	104

Cross References

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WATSON & CHALIN cont.		
AS-0004	W01-358-7136	110
AS-0005	W01-358-7446	116
AS-0006	W01-358-7798	129
AS-0007	W01-358-7403	113
AS-0008	W01-358-7140	110
AS-0011	W01-358-9082	45
AS-0012	W01-358-9039	30
AS-0013	W01-358-9121	85
AS-0014	W01-358-7401	113
AS-0015	W01-358-9105	36
AS-0019	W01-358-8008	125
AS-0019-1F (ref. W01-358-8008)	W01-358-7994	124
AS-0020	W01-358-6905	104
AS-0021	W01-358-6801	110
AS-0023	W01-358-9122	89
AS-0025	W01-358-7818	129
AS-0026	W01-358-8997	13
AS-0027 (replaces 7416)	W01-358-7443	116
AS-0028	W01-358-9083	45
AS-0029	W01-358-5410	9
AS-0030	W01-358-7325	118
AS-0032 (replaces 7240)	W01-358-7782	122
AS-0033	W01-358-7839	130
AS-0034	W01-358-6808	112
AS-0034 (see W01-358-6808)	W01-358-6800	111
AS-0035	W01-358-6908	105
AS-0036	W01-358-9321	60
AS-0038 AS-0046	W01-358-9192	57
AS-0039	W01-358-8051	95
AS-0039	W01-358-8053	95
AS-0040	W01-358-9101	57
AS-0041	W01-358-6943	108

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WATSON & CHALIN cont.		
AS-0042	W01-358-5770	68
AS-0043	W01-358-9004	44
AS-0044	W01-358-9010	40
AS-0045	W01-358-7273	119
AS-0047	W01-358-5503	91
AS-0048	W01-358-8032	127
AS-0048	W01-358-7990	124
AS-0048-1F (ref. W01-358-8032)	W01-358-7995	124
AS-0049	W01-358-9362	48
AS-0053	W01-358-9336	42
AS-0054	W01-358-9366	38
AS-0056	W01-358-9346	58
AS-0057	W01-358-9370	60
AS-0058	W01-358-6897	104
AS-0058-1F	W01-358-6886	107
AS-0059	W01-358-9304	48
AS-0060	W01-358-9984	88
AS-0061	W01-358-9243	58
AS-0062	W01-358-8927	44
AS-0063	W01-358-9915	93
AS-0063	W01-358-9264	92
AS-0064	W01-358-7792	123
AS-0069	W01-358-5433	10
AS-0073	W01-358-9218	84
AS-0078	W01-358-8053	95
AS-0081	W01-358-9985	91
AS-0084	W01-358-8752	77
AS-0086 (Replaces old 7837 supersedes 7851 - adaper plates might be required)	W01-358-7850	132
AS-0087	W01-358-7550	121
AS-0087-1F	W01-358-7545	122
AS-0088	W01-358-7788	106
AS-0089	W01-358-7557	122

Firestone

1T & Convuluted Manufacturer to Firestone Number

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WATSON & CHALIN cont.		
AS-0090	W01-358-9921	51
AS-0092	W01-358-6883	107
AS-0098	W01-358-8753	77
AS-0106	W01-358-5297	12
AS-006 (Replaces 7503)	W01-358-7705	118
WESTERN STAR (CAB SPRING)		
	W01-358-7025	124, 138

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WILLMAR		
	W01-358-9036	30
	W01-358-7512	119
	W01-358-7146	111
WILSON TRAILER		
	W01-358-8614	80

Cross References

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON AUXILLARY HLM Series		
HL-015		
(Ride)	W01-358-8050	95
(Lift)	W01-358-7403	113
HLM-1&2		
(Ride)	W01-358-9367	60
(Lift)	W01-358-6935	105
MTL-45&50		
(Ride)	W01-358-9367	60
(Lift)	W01-358-6902	104
HENDRICKSON AUXILLARY HLN Series		
HLN(Truck)		
(Ride)	W01-358-8033	127
(Lift)	W01-358-7795	106
HLN (Trailer)		
(Ride)	W01-358-8042	133
(Lift)	W01-358-7795	106
HENDRICKSON AUXILLARY HLP Series		
HLP		
(Ride)	W01-358-8033	127
(Lift)	W01-358-7795	106
HLP (Trailer)		
(Ride)	W01-358-8042	133
(Lift)	W01-358-7795	106
HENDRICKSON AUXILLARY HLQ Series		
QS16A-X	W01-358-7403	113
QT20A-X	W01-358-7790	117
QU22C-X&QU22D-X	W01-358-9105	36
QW12A-X	W01-358-7136	110
HENDRICKSON AUXILLARY HLR Series		
ST-004		
(Ride)	W01-358-7843	130
(Lift)	W01-358-6902	104
ST-031		
(Ride)	W01-358-7846	131

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
ST-031 cont.		
(Lift)	W01-358-6902	104
RT14D-X (Truck)		
(Ride)	W01-358-7847	131
(Lift)	W01-358-7403	113
RW14A-X		
(Ride)	W01-358-7843	130
(Lift)	W01-358-6902	104
RW14B-X&14C-X (trailer)		
(Ride)	W01-358-7847	131
(Lift)	W01-358-7403	113
HENDRICKSON AUXILLARY HLU Series		
HLU		
(Ride)	W01-358-8033	127
(Lift)	W01-358-7795	106
HLUS		
(Ride)	W01-358-8033	127
(Lift)	W01-358-7795	106
HLUH (ultra high lift)		
(Ride)	W01-358-7862	132
(Lift)	W01-358-7545	122
HLUR (pararev)		
(Ride)	W01-358-8033	127
(Lift)	W01-358-7897	107
HENDRICKSON TRAILER T-Series		
T-15-140, 150, 172, 244, 376	W01-358-8050	95
T-15-324	W01-358-8050	95
T-17-141, 174, 284	W01-358-8050	95
T-30-US-9,17	W01-358-9122	89
T-4-392	W01-358-9010	40
T-6-062	W01-358-9039	30
T-6-071	W01-358-9105	36
T-6-295	W01-358-9039	30
T-6-370	W01-358-9039	30
T-6-422	W01-358-9039	30

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRAILER T-Series cont.		
T-9-084	W01-358-9122	89
T-9-106,278,313	W01-358-9082	45
T-9-175	W01-358-9158	90
T-9-325	W01-358-9092	45
T-9-390	W01-358-9092	45
TDC-014	W01-358-9039	30
TMB-14-120	W01-358-9082	45
TMB-17-135	W01-358-9082	45
HENDRICKSON TRAILER HT-SERIES		
HT190T	W01-358-9640	62
HT190U	W01-358-8944	63
HT230T	W01-358-9270	73
HT250T	W01-358-9265	61
HT250U	W01-358-9265	61
HT250U"Y"	W01-358-9265	61
HT-250U	W01-358-9299	63
HT-250U-Y (majority of versions)	W01-358-9265	61
HT-250U-Y	W01-358-9580	82
HT-250U-Y	W01-358-9580	82
HT-250US	W01-358-9580	82
HT-250US	W01-358-9580	82
HT-250US	W01-358-9265	61
HT-250US	W01-358-9265	61
HT-250US	W01-358-9299	63
HT-300T (all)	W01-358-8050	95
HT-300U (all)	W01-358-9122	89
HENDRICKSON TRAILER Intraax Series		
AA230T	W01-358-8709	80
AA250T (reuse metal disk)	W01-358-8091	94
AA230L	W01-358-9626	20
AA230L	W01-358-9621	22
AA230L	W01-358-9619	23
AA250L	W01-358-9644	64

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HENDRICKSON TRAILER Intraax Series cont.		
AA250L	W01-358-9646	64
AA250L	W01-358-9645	65
HENDRICKSON TRAILER HT Dolly		
HT Dolly	W01-358-9640	62
HT Dolly	W01-358-9270	73
HENDRICKSON TRAILER Slider Box		
HS-190T	W01-358-9640	62
HS-230	W01-358-9270	73
HK-190T	W01-358-8755	77
HK-230	W01-358-8756	78
HENDRICKSON TRAILER Van Traax		
HKA-180	W01-358-8713	81
HKA-180	W01-358-8709	80
HKA-200	W01-358-8708	81
HKA-250 (reuse metal disk)	W01-358-8091	94
HENDRICKSON TRAILER Lifts		
CL	W01-358-7136	110
CL	W01-358-6801	110
HTCL	W01-358-7447	116
HENDRICKSON TRUCK		
HA360		
(up to 1991)	W01-358-9466	49
(1991 and up)	W01-358-9287	53
HA400		
(up to 1991)	W01-358-9466	49
(1991 and up)	W01-358-9287	53
HA460		
(up to 1991)	W01-358-9466	49
(1991 and up)	W01-358-9287	53
HAS40LH	W01-358-9297	53
HAS360	W01-358-9373	54
HAS400	W01-358-9373	54
HAS402	W01-358-9373	54
HAS460	W01-358-9373	54

Cross References

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HA460 cont.		
HAS210/230/400/460	W01-358-9656	#N/A
AIRTEK 12K/12.6K/ 14.6K	W01-358-8597	23
PAX460	W01-358-9663	55
HOLLAND LIFT SUSPENSIONS		
AL-40-US (Lift)	W01-358-7424	115
AL-41, AL-41-US (Lift)	W01-358-7424	115
AL-42, AL-42-US (Lift)	W01-358-7424	115
AL-45-9, 12, 14, 17 (Lift)	W01-358-7424	115
AL-50, AL-50US (Lift)	W01-358-7424	115
AL-70, AL-70-US (Lift)	W01-358-7424	115
AL-75-B, AL-76-A, AL-77, AL-78 (Lift)	W01-358-7135	110
ALT-40, ALT-40-L (Lift)	W01-358-7424	115
ALT-40-US, ALT-50-US, ALT-70-US (Lift)	W01-358-7424	115
ALT-500-US, ALT-550-US (Lift)	W01-358-7135	110
HOLLAND TRAILER AIR		
AR-41, AR-45, AR-45-1	W01-358-9039	30
AR-50-US, -F, -F-1, -F-2, AR-51-US	W01-358-9039	30
AR-70-9, AR-70-14	W01-358-9121	85
AR-70A-9, -14	W01-358-9121	85
AR-75-12, 1-12	W01-358-9101	57
AR-75-12, 1-12	W01-358-9346	58
AR-75-6, -9	W01-358-9082	45
AR-80-6.75	W01-358-9121	85
AR-80-9	W01-358-9134	88
AR-80-9FM	W01-358-9138	88
AR-80-9-WST	W01-358-9134	88
AR-85-A	W01-358-9121	85
AR-90-1-12	W01-358-9463	42
AR-90-1-12	W01-358-9463	42

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND TRAILER AIR cont.		
AR-90-1-14, 17	W01-358-9362	48
AR-90-1-15, 16	W01-358-9304	48
AR-90-14,15,16,17	W01-358-9243	58
AR-92-12, 14	W01-358-9921	51
AR-92-15	W01-358-9921	51
AR-92-16	W01-358-9921	51
AR-92-17	W01-358-9921	51
AR-92-18	W01-358-9921	51
AR-93-14	W01-358-9921	51
AR-93-15	W01-358-9923	51
AR-93-16	W01-358-9923	51
AR-93-17	W01-358-9922	51
AR-120	W01-358-9082	45
AR-120-L	W01-358-9101	57
AR-120-US	W01-358-9082	45
AR-120-US-F	W01-358-9082	45
AR-120-US-L-1,2,3	W01-358-9101	57
AR-125	W01-358-9177	86
AR-125-L	W01-358-9158	90
AR-125-US	W01-358-9177	86
AR-125-US-F	W01-358-9121	85
AR-125-US-L-1,2,3	W01-358-9158	90
AR-165-US	W01-358-9082	45
AR-955-9, 12, 14, 17	W01-358-9122	89
AR-955-9-HD, 12-HD, 14-HD, 17-HD	W01-358-9122	89
AR-955A-9, 12, 14, 17	W01-358-9122	89
AR-955A-9-HD, 12-HD, 14-HD, 17-HD	W01-358-9122	89
AR-95-9,12,14,17	W01-358-9122	89
AR-95-9-HD, 12-HD, 14-HD, 17-HD	W01-358-9122	89
AR-95A-9,-12, -14, -17	W01-358-9122	89
AR-95A-9-HD, 12-HD, 14-HD, 17-HD	W01-358-9122	89

Firestone

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND TRAILER AIR cont.		
ARDST-246	W01-358-9121	85
ARL-20-D	W01-358-7437	115
ARL-20-D	W01-358-9039	30
ARL-20-D-US	W01-358-7437	115
ARL-20-D-US	W01-358-9039	30
ARU-92-10	W01-358-9243	58
ARU-92-8	W01-358-9921	51
ARU-92-9	W01-358-9243	58
ARU-93-6	W01-358-9921	51
ARU-93-7	W01-358-9921	51
CB-2300	W01-358-9974	53
NS190	W01-358-9366	38
NS190-16	W01-358-8204	34
RL-196-12	W01-358-9294	27
RL-196-14	W01-358-9293	27
RL-196-15	W01-358-9295	28
RL-196-16	W01-358-9295	28
RL-196-17	W01-358-9291	27
RL-196A-14	W01-358-9293	27
RL-196A-15	W01-358-9295	28
RL-196A-16	W01-358-9295	28
RL-300	W01-358-8764	89
RL228-14, 15, 16	W01-358-9936	52
RL228-17	W01-358-8749	79
RL250-12,	W01-358-8749	79
RL250-14,15	W01-358-8748	78
RL250-16, 17	W01-358-8749	79
RLU-228 (12) -4	W01-358-9346	58
RLU-228 (6,7) -3	W01-358-9921	51
RLU-228 (8) -3	W01-358-9923	51
RLU-228 (8) -4	W01-358-9921	51
RLU-228 (9,10) -3	W01-358-9922	51
RLU-228 (9,10) -4	W01-358-9243	58
RLU-250 (12)	W01-358-8744	78

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND TRAILER AIR cont.		
RLU-250 (6.75,9)	W01-358-8746	78
Intermodel	W01-358-9896	93
HOLLAND POWERED TRUCK		
AD-123,246(6.5,8.75)	W01-358-9472	71
AD-123,246(10)	W01-358-9471	71
AD-123,246(FORD)	W01-358-9472	71
AD-123	W01-358-9502	72
AD-123	W01-358-9501	72
AD-200(7)	W01-358-9482	42
AD-200(8)	W01-358-9483	42
AD-200(9)	W01-358-9496	49
AD-200(11)	W01-358-9471	71
ADTB	W01-358-9697	43
ARDST-123/244-6	W01-358-9082	45
ARDST-244-6	W01-358-9193	46
ARDST-246-6, ARDSTM/L-246-6	W01-358-9121	85
ARDTB-125-6A	W01-358-8053	95
ARDAB-120-5, 240-5	W01-358-9268	62
ARD-120-6, ARD-238-6	W01-358-9082	45
ARD-125-6, 244-6	W01-358-9093	46
ARD-125-6, 244-6	W01-358-9082	45
ARD-125, -6, 244-6	W01-358-9082	45
ARD-125, -8, 244-8	W01-358-9082	45
ARD-125, -8, 244-8	W01-358-9082	45
ARD-125, -8, 244-8	W01-358-9082	45
ARD-165-A	W01-358-9082	45
ARD-165-B	W01-358-9082	45
ARD-190-B	W01-358-9082	45
ARL-20-D, -US	W01-358-7437	115
ARL-20-D, -US	W01-358-9039	30
HOLLAND NON-POWERED TRUCK		
IFS-114	W01-358-8198	33
ART-500-B, -B1	W01-358-9082	45
ART-550-US	W01-358-9082	45

Cross References

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
HOLLAND NON-POWERED TRUCK cont.		
ART-500-US-A	W01-358-9082	45
ART-505-B, B-1	W01-358-9082	45
ART-500-B, -B1	W01-358-9082	45
ART-505-C, C-1	W01-358-9082	45
ART-505-B, B-1	W01-358-9082	45
ART-541-B	W01-358-9082	45
ART-505-B, B-1	W01-358-9082	45
ART-505-C, C-1	W01-358-9082	45
TC-120-D	W01-358-9082	45
ART-551-B-1, -2, -3	W01-358-9101	57
ART-551-US-1, -2, -3	W01-358-9101	57
ART-555-B-1, -2, -3	W01-358-9101	57
ART-551-B-1, -2, -3	W01-358-9101	57
ART-555-C-1, -2, -3	W01-358-9101	57
ART-551-B-1, -2, -3	W01-358-9101	57
ART-555-B-1, -2, -3	W01-358-9101	57
ART-551-B-1, -2, -3	W01-358-9101	57
TC-120-D, -44	W01-358-9177	86
WATSON CHALIN STEERING LIFTABLES		
LWSTL-1100		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
STL-1100 TRU-TRACK		
(Ride)	W01-358-8032	127
(Lift)	W01-358-6897	104
STL-1800		
(Ride)	W01-358-7798	129
(Lift)	W01-358-6897	104
WATSON CHALIN TRAILER		
TA-250-14,15,16,17	W01-358-8753	77
TA-250U-12	W01-358-9243	58
TA-250U-14	W01-358-9243	58
TA-250U-5.5	W01-358-9243	58
TA-250U-7.5	W01-358-9243	58

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WATSON CHALIN TRAILER cont.		
TA-250U-7.5FS	W01-358-9243	58
TA-250U-9	W01-358-9243	58
TA-251-10	W01-358-9243	58
TA-251-12	W01-358-9243	58
TA-251-6.5FS	W01-358-9243	58
TA-251-7.5	W01-358-9243	58
TA-251-8FS	W01-358-9243	58
TA-251-9.0	W01-358-9243	58
TA-251-9.0 FS	W01-358-9243	58
TA-2590-12,14,15	W01-358-9243	58
TA-280-7.5	W01-358-9243	58
TA-280-9.0	W01-358-9243	58
TA-280D	W01-358-9039	30
TA-300-15	W01-358-8050	95
TA-300-16/17	W01-358-8050	95
TA-300-17	W01-358-8050	95
TA-300-22	W01-358-8050	95
TA-300-23B	W01-358-8050	95
TA-300-9	W01-358-9121	85
TA-300FM-16B	W01-358-8050	95
TA-300U-12	W01-358-9122	89
TA-300U-14	W01-358-9122	89
TA-300U-17	W01-358-9122	89
TA-300U-9	W01-358-9122	89
TA-3090-14	W01-358-9121	85
TA-3090-17	W01-358-9122	89
TA-3090-19	W01-358-9122	89
TA-5000-DB-24	W01-358-8050	95
TA-5000-DB-30	W01-358-8050	95
TA-5000-F-24	W01-358-8050	95
TA-525DB	W01-358-8050	95
TA-525FS	W01-358-8050	95
TA-791	W01-358-9921	51
TA-791-17-B	W01-358-9243	58

OE Suspension Index

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
WATSON CHALIN TRAILER cont.		
TA-2075 (12)	W01-358-9101	57
TA-2075-9	W01-358-9082	45
WATSON CHALIN LIFTABLES		
TL-1100	W01-358-6897	104
(Lift)		
TL-2200-23 thru 34		
(Ride)	W01-358-9370	60
(Lift)	W01-358-6897	104
TL-2200-9 thru 20		
(Ride)	W01-358-9370	60
(Lift)	W01-358-6897	104
TL-2200LP		
(Lift)	W01-358-6897	104
(Ride)	W01-358-9243	58
TL-2200-SSR		
(Ride)	W01-358-9370	60
(Lift)	W01-358-6897	104
TL-2590-12,14,15	W01-358-9243	58
TL-2590-14,17 HD	W01-358-9243	58
TL-2700-HD-14-ES	W01-358-6943	108
TL-800 (Ride)	W01-358-8032	127
TL-8100		
(Ride)	W01-358-8032	127
(Lift)	W01-358-6897	104
TL-9000-16B		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
TL-9000-17.5/16.5		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
TL-9000-19		
(Ride)	W01-358-8008	125

MANUFACTURER NAME/ PART NUMBER	FIRESTONE AON	PAGE NO.
TL-9000-19 cont.		
(Lift)	W01-358-6897	104
TL-9000-21		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
TL-9000-24 (Ride)	W01-358-8008	125
TL-9000-30		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
TLC-2590-12,14,15	W01-358-9243	58
TRU-TRACK		
(Ride)	W01-358-8008	125
(Lift)	W01-358-6897	104
WB-2500-6	W01-358-9105	36
WB-2500-7.5	W01-358-9082	45
WB-2500-9	W01-358-9082	45
WB-251-7.5	W01-358-9243	58
WB-251-9.0	W01-358-9243	58
WB-280-9.0	W01-358-9243	58
WATSON CHALIN TRUCK		
AL-2200, -LW, -SSR, -RO		
(Lift)	W01-358-9219	47
(Ride)	W01-358-6897	104
SL-2200-13.5, -15		
(Lift)	W01-358-9370	60
(Ride)	W01-358-6897	104
AL-2200-LP		
(Lift)	W01-358-9370	60
(Ride)	W01-358-6897	104
AL-2200 ES		
(Ride)	W01-358-6897	104
AS-0048		
(Ride)	W01-358-7990	124

Cross References

1T & Convuluted Goodyear Assembly Number to Firestone

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1B12-300	N/A	W01-358-7008	100
1B12-301	578913301	W01-358-7009	100
1B12-305	578913301	W01-358-7043	100
1B12-313	N/A	W01-358-7008	100
1B12-900	N/A	W01-358-7043	100
1B14-350	578913351	W01-358-7103	100
1B14-351	578913351	W01-358-7104	101
1B14-358	578913352	W01-358-7112	102
1B14-362	N/A	W01-358-7096	102
1R10-013	N/A	W01-358-9238	57
1R10-036	N/A	W01-358-9049	25
1R10-101	566203027	W01-358-5770	68
1R10-101	566203027	W01-358-5770	68
1R10-120	566203021	W01-358-9293	27
1R10-122	566203021	W01-358-9291	27
1R11-018	566223006	W01-358-9073	25
1R11-018	566223006	W01-358-9415	19
1R11-028	566223021	W01-358-9422	14
1R11-039	566223143	W01-358-9439	20
1R11-039	566223143	W01-358-9439	20
1R11-051	N/A	W01-358-9073	25
1R11-066	566223021	W01-358-9447	17
1R11-150	566223021	W01-358-9448	17
1R11-151	566223021	W01-358-9457	17
1R11-152	566223021	W01-358-9459	17
1R11-152	566223021	W01-358-9459	17
1R11-161	566223057	W01-358-5766	67
1R11-166	566223048	W01-358-9295	28
1R11-171	566223057	W01-358-9421	67
1R11-191	566223143	W01-358-8919	18
1R11-200	566223021	W01-358-9376	15
1R11-201	566223021	W01-358-9377	16
1R11-202	566223021	W01-358-9378	16
1R11-203	566223021	W01-358-9387	16
1R11-204	566223021	W01-358-8900	15

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R11-205	566223021	W01-358-9476	17
1R11-219	566223021	W01-358-9617	21
1R11-220	566223021	W01-358-9618	21
1R11-221	566223021	W01-358-9622	21
1R11-222	566223021	W01-358-9625	22
1R11-225	566223057	W01-358-9650	66
1R12-014	566243019	W01-358-9098	61
1R12-047	566243019	W01-358-9098	61
1R12-066	566243038	W01-358-9083	45
1R12-069	566243038	W01-358-9069	41
1R12-090	566243038	W01-358-9213	47
1R12-092	566243038	W01-358-9082	45
1R12-093	566243038	W01-358-9082	45
1R12-095	566243067	W01-358-9039	30
1R12-095	566243067	W01-358-9307	32
1R12-097	566243067	W01-358-9039	30
1R12-103	566243066	W01-358-9101	57
1R12-113	566243066	W01-358-9101	57
1R12-130	566243038	W01-358-9227	47
1R12-132	566243076	W01-358-9105	36
1R12-132	566243076	W01-358-9113	36
1R12-132	566243076	W01-358-9302	37
1R12-142	566243066	W01-358-9394	59
1R12-143	566243048	W01-358-9392	49
1R12-143	566243038	W01-358-9392	49
1R12-145	566243066	W01-358-9238	57
1R12-155	566243038	W01-358-9096	46
1R12-167	566243066	W01-358-9192	57
1R12-173	566243173	W01-358-9466	49
1R12-178	566243067	W01-358-9379	22
1R12-182	566243038	W01-358-9219	47
1R12-182	566243110	W01-358-9219	47
1R12-186	566243275	W01-358-9780	75
1R12-188	566243038	W01-358-9223	47
1R12-189	566243275	W01-358-9780	75

Firestone

1T & Convuluted Goodyear Assembly Number to Firestone

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R12-195	566243066	W01-358-9349	58
1R12-197	566243173	W01-358-9466	49
1R12-204	566243067	W01-358-9566	23
1R12-205	566243076	W01-358-9568	23
1R12-220	566243038	W01-358-9092	45
1R12-256	566243090	W01-358-9321	60
1R12-256	566243090	W01-358-9367	60
1R12-256	566243090	W01-358-9367	60
1R12-261	566243066	W01-358-9394	59
1R12-265	566243066	W01-358-9245	58
1R12-275	NA	W01-358-9240	57
1R12-278	566243066	W01-358-9394	59
1R12-279	566243066	W01-358-9394	59
1R12-281	566243066	W01-358-9394	59
1R12-281	566243066	W01-358-9394	59
1R12-303	566243275	W01-358-9780	75
1R12-309	566243067	W01-358-9053	36
1R12-309	566243067	W01-358-9053	36
1R12-324	566243067	W01-358-9565	22
1R12-324	566243067	W01-358-9565	22
1R12-324	566243067	W01-358-9566	23
1R12-325	566243076	W01-358-9567	23
1R12-335	566243090	W01-358-9321	60
1R12-350	566243067	W01-358-9031	30
1R12-351	566243067	W01-358-9033	30
1R12-352	566243076	W01-358-9010	40
1R12-355	566243076	W01-358-9078	36
1R12-356	566243038	W01-358-9194	46
1R12-357	566243066	W01-358-9348	58
1R12-358	566243038	W01-358-9096	46
1R12-359	566243067	W01-358-9077	30
1R12-359	566243061	W01-358-9077	30
1R12-363	566243090	W01-358-9320	59
1R12-365	566243038	W01-358-9466	49
1R12-365	566243180	W01-358-9466	49

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R12-365	566243173	W01-358-9466	49
1R12-366	566243038	W01-358-8944	63
1R12-367	566243076	W01-358-9640	62
1R12-370	566243076	W01-358-9070	41
1R12-370	566243076	W01-358-9336	42
1R12-370	566243076	W01-358-9336	42
1R12-373	566243080	W01-358-9491	72
1R12-375	566243066	W01-358-9265	61
1R12-395	566243066	W01-358-9203	57
1R12-398	566243038	W01-358-9648	74
1R12-398	566243000	W01-358-9648	74
1R12-401	566243038	W01-358-9371	54
1R12-402	566243097	W01-358-9297	53
1R12-402	566241007	W01-358-9297	53
1R12-403	566243097	W01-358-9373	54
1R12-404	566243097	W01-358-9375	54
1R12-405	566243097	W01-358-8829	74
1R12-405	566243110	W01-358-8829	74
1R12-424	566243097	W01-358-9287	53
1R12-424	566243225	W01-358-9287	53
1R12-434	566243076	W01-358-8802	38
1R12-435	566243067	W01-358-9307	32
1R12-435	566243067	W01-358-9334	31
1R12-436	566243038	W01-358-8924	44
1R12-437	566243076	W01-358-9797	43
1R12-438	566243038	W01-358-8805	38
1R12-439	566243066	W01-358-9346	58
1R12-440	566243090	W01-358-9370	60
1R12-441	566243038	W01-358-9362	48
1R12-445	566243076	W01-358-8802	38
1R12-445	566243076	W01-358-8806	39
1R12-445	566243076	W01-358-8806	39
1R12-446	566243097	W01-358-9245	58
1R12-480	566243066	W01-358-9243	58
1R12-481	566243097	W01-358-9923	51

Cross References

1T & Convuluted Goodyear Assembly Number to Firestone

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R12-487	566243067	W01-358-9366	38
1R12-498	566243097	W01-358-9922	51
1R12-499	566243038	W01-358-9936	52
1R12-501	N/A	W01-358-9293	27
1R12-502	566243097	W01-358-9921	51
1R12-503	566243090	W01-358-9370	60
1R12-504	566243066	W01-358-9471	71
1R12-505	566243076	W01-358-9325	37
1R12-522	566243067	W01-358-8204	34
1R12-532	566243097	W01-358-9935	51
1R12-533	566243097	W01-358-9923	51
1R12-538	566243038	W01-358-9648	74
1R12-552	566243038	W01-358-9471	71
1R12-553	566243038	W01-358-9472	71
1R12-554	566243038	W01-358-9470	71
1R12-555	566243067	W01-358-8961	28
1R12-557	566243067	W01-358-8976	29
1R12-558	566243067	W01-358-8986	29
1R12-559	566243067	W01-358-9029	29
1R12-560	566243067	W01-358-9308	31
1R12-561	566243067	W01-358-9332	31
1R12-562	566243067	W01-358-8197	33
1R12-563	566243067	W01-358-8934	35
1R12-566	566243067	W01-358-8964	28
1R12-567	566243038	W01-358-9026	45
1R12-568	566243066	W01-358-8852	56
1R12-571	566243067	W01-358-9365	37
1R12-586	566243038	W01-358-9473	71
1R12-603	566243275	W01-358-9780	75
1R12-620	566243076	W01-358-9335	41
1R12-620	566243076	W01-358-9335	41
1R12-663	566243090	W01-358-9320	59
1R12-669	566243038	W01-358-9069	41
1R12-901	566243055	W01-358-9053	36
1R12-903	566243038	W01-358-9223	47

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R12-907	N/A	W01-358-9026	45
1R12-911	N/A	W01-358-9922	51
1R13-038	566263015	W01-358-9122	89
1R13-039	566263051	W01-358-9121	85
1R13-043	566263051	W01-358-9121	85
1R13-047	566263051	W01-358-9144	86
1R13-048	566263072	W01-358-9122	89
1R13-049	566263051	W01-358-9121	85
1R13-077	566263036	W01-358-9270	73
1R13-097	566263050	W01-358-8723	76
1R13-097	566263081	W01-358-8723	76
1R13-102	N/A	W01-358-9270	73
1R13-109	566263050	W01-358-8782	78
1R13-109	566263081	W01-358-8782	78
1R13-115	566263044	W01-358-9250	72
1R13-116	566263044	W01-358-9252	73
1R13-117	566263043	W01-358-9275	71
1R13-118	566263034	W01-358-9580	82
1R13-119	566263036	W01-358-9270	73
1R13-119	566263053	W01-358-9270	73
1R13-120	566263054	W01-358-9218	84
1R13-124	566263050	W01-358-8710	82
1R13-124	566263050	W01-358-8755	77
1R13-128	N/A	W01-358-8708	81
1R13-130	566263055	W01-358-8729	79
1R13-144	566263144	W01-358-9580	82
1R13-152	566263071	W01-358-8748	78
1R13-153	566263071	W01-358-8749	79
1R13-159	566263073	W01-358-8709	80
1R13-176	566263078	W01-358-8713	81
1R13-177	566263080	W01-358-8708	81
1R13-210	566263081	W01-358-8740	77
1R13-908	N/A	W01-358-9134	88
1R14-018	566283021	W01-358-9149	86
1R14-019	566283020	W01-358-9152	90

Firestone

1T & Convuluted Goodyear Assembly Number to Firestone

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1R14-019	566283020	W01-358-9152	90
1R14-019	566283020	W01-358-9156	90
1R14-024	566283021	W01-358-9149	86
1R14-025	566283020	W01-358-9156	90
1R14-026	566283021	W01-358-9148	86
1R14-027	566283021	W01-358-9148	86
1R14-028	566283021	W01-358-9177	86
1R14-028	566283021	W01-358-9179	87
1R14-029	566283021	W01-358-9177	86
1R14-030	566283020	W01-358-9158	90
1R14-031	566283020	W01-358-9158	90
1R14-037	566283015	W01-358-9215	84
1R14-038	566283015	W01-358-9200	83
1R14-039	566283015	W01-358-8050	95
1R14-042	566283015	W01-358-8052	95
1R14-045	566283020	W01-358-8792	89
1R14-045	566283020	W01-358-9122	89
1R14-054	N/A	W01-358-9158	90
1R14-055	566283023	W01-358-8050	95
1R14-083	566283023	W01-358-8050	95
1R14-113	566283030	W01-358-5505	91
1R14-115	566283021	W01-358-9961	87
1R14-127	566283029	W01-358-9264	92
1R14-137	566283021	W01-358-9134	88
1R14-147	566283015	W01-358-8053	95
1R14-159	566283021	W01-358-9164	86
1R14-160	566283021	W01-358-9144	86
1R14-171	566283015	W01-358-8091	94
1R14-172	566283042	W01-358-8774	95
1R14-174	566283020	W01-358-5503	91
1R9-038	566183010	W01-358-5406	8
1R9-065	566183003	W01-358-2119	7
1R9-065	566183003	W01-358-8997	13
1R9-070	566183004	W01-358-5410	9
1S12-002	566241008	W01-358-8829	74

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
1S12-022	566241008	W01-358-9296	48
1S12-027	566241012	W01-358-9287	53
1S12-029	566241012	W01-358-9297	53
1S12-030	566241012	W01-358-9373	54
1S12-030	566241012	W01-358-9375	54
1S12-244	566241000	W01-358-9371	54
2B10-226	578923250	W01-358-7795	106
2B12-300	578923309	W01-358-7424	115
2B12-304	N/A	W01-358-7344	113
2B12-304	N/A	W01-358-7344	113
2B12-305	578923310	W01-358-7443	116
2B12-307	578923309	W01-358-7403	113
2B12-309	578923309	W01-358-7400	113
2B12-313	578923309	W01-358-7405	114
2B12-317	578923310	W01-358-7499	117
2B12-318	578923309	W01-358-7185	113
2B12-319	578923309	W01-358-7409	114
2B12-320	578923309	W01-358-7401	113
2B12-320	578923309	W01-358-7437	115
2B12-324	578923310	W01-358-7447	116
2B12-324	N/A	W01-358-7790	117
2B12-324	N/A	W01-358-7790	117
2B12-345	578923315	W01-358-7545	122
2B12-346	578923315	W01-358-7550	121
2B12-402	578923310	W01-358-7446	116
2B12-406	578923309	W01-358-7410	115
2B12-410	578923309	W01-358-7404	114
2B12-411	578923309	W01-358-7181	112
2B12-412	578923309	W01-358-7183	112
2B12-416	578923315	W01-358-7444	116
2B12-425	578923309	W01-358-7180	112
2B12-426	578923309	W01-358-7406	114
2B12-427	578923309	W01-358-7429	115
2B12-428	578923310	W01-358-7473	117
2B12-432	578923309	W01-358-7423	115

Cross References

1T & Convuluted Goodyear Assembly Number to Firestone

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
2B12-434	578923310	W01-358-7472	121
2B12-440	578923315	W01-358-7550	121
2B12-440	578923315	W01-358-7555	121
2B12-446	578923310	W01-358-7444	116
2B14-354	578923353	W01-358-7145	111
2B14-355	578923353	W01-358-7146	111
2B14-356	578923353	W01-358-7136	110
2B14-359	578923353	W01-358-7140	110
2B14-359	578923353	W01-358-7782	122
2B14-360	578923353	W01-358-7135	110
2B14-365	578923356	W01-358-6801	110
2B14-366	578923353	W01-358-6803	111
2B14-367	578923353	W01-358-7123	110
2B14-383	578923356	W01-358-7557	122
2B14-462	578923356	W01-358-6805	112
2B14-470	578923356	W01-358-7782	122
2B14-476	578923356	W01-358-6799	122
2B7-540	N/A	W01-358-3400	120
2B8-550	579923530	W01-358-7325	118
2B9-200	578923202	W01-358-6910	103
2B9-201	578923202	W01-358-6902	104
2B9-201	578923202	W01-358-6935	105
2B9-201	578923202	W01-358-6935	105
2B9-206	578923202	W01-358-6905	104
2B9-210	578923206	W01-358-6908	105
2B9-218	578923206	W01-358-6927	108
2B9-229	578923202	W01-358-6897	104
2B9-229	556238325	W01-358-6897	104
2B9-230	578923202	W01-358-6940	105
2B9-245	578923202	W01-358-7788	106
2B9-246	578923211	W01-358-6932	105
2B9-246	578923206	W01-358-6944	108
2B9-250	578923206	W01-358-6943	108
2B9-251	578923206	W01-358-6948	109

GOODYEAR PART NO.	GOODYEAR BELLOW NO.	FIRESTONE AON	PAGE NO.
2B9-252	578923206	W01-358-6944	108
2B9-253	578923206	W01-358-6945	108
2B9-254	578923206	W01-358-6946	109
2B9-255	578923206	W01-358-6947	109
2B9-265	578923202	W01-358-6941	105
2B9-352	578923208	W01-358-6944	108
3B12-300	578933100	W01-358-8008	125
3B12-301	578933100	W01-358-8010	125
3B12-303	578933100	W01-358-8018	126
3B12-304	578933100	W01-358-8006	125
3B12-310	578933100	W01-358-8027	126
3B12-312	578933100	W01-358-8033	127
3B12-315	578933100	W01-358-8032	127
3B12-319	578933100	W01-358-8032	127
3B12-322	578933103	W01-358-8042	133
3B12-323	578933103	W01-358-8043	133
3B12-328	578933100	W01-358-7994	124
3B12-329	578933100	W01-358-7995	124
3B12-335	578933100	W01-358-7996	125
3B14-350	578933350	W01-358-7808	129
3B14-354	578933350	W01-358-7808	129
3B14-356	578933350	W01-358-7798	129
3B14-356	578933350	W01-358-7838	130
3B14-359	578933350	W01-358-7818	129
3B14-359	578933350	W01-358-7839	130
3B14-360	578933350	W01-358-7800	129
3B14-360	578933350	W01-358-7848	131
3B14-364	578933350	W01-358-7843	130
3B14-367	578933350	W01-358-7796	128
3B14-367	578933350	W01-358-7796	128
3B14-367	578933350	W01-358-7847	131
3B14-451	556338335	W01-358-7846	131
3B14-452	556338335	W01-358-7850	132

Cross References

Firestone

1T & Convuluted Goodyear Bellow Number to Firestone

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
556238325	2B9-229	W01-358-6897	104
556338335	3B14-451	W01-358-7846	131
556338335	3B14-452	W01-358-7850	132
566183003	1R9-065	W01-358-2119	7
566183003	1R9-065	W01-358-8997	13
566183004	1R9-070	W01-358-5410	9
566183010	1R9-038	W01-358-5406	8
566203021	1R10-120	W01-358-9293	27
566203021	1R10-122	W01-358-9291	27
566203027	1R10-101	W01-358-5770	68
566203027	1R10-101	W01-358-5770	68
566223006	1R11-018	W01-358-9073	25
566223006	1R11-018	W01-358-9415	19
566223021	1R11-028	W01-358-9422	14
566223021	1R11-066	W01-358-9447	17
566223021	1R11-150	W01-358-9448	17
566223021	1R11-151	W01-358-9457	17
566223021	1R11-152	W01-358-9459	17
566223021	1R11-152	W01-358-9459	17
566223021	1R11-200	W01-358-9376	15
566223021	1R11-201	W01-358-9377	16
566223021	1R11-202	W01-358-9378	16
566223021	1R11-203	W01-358-9387	16
566223021	1R11-204	W01-358-8900	15
566223021	1R11-205	W01-358-9476	17
566223021	1R11-219	W01-358-9617	21
566223021	1R11-220	W01-358-9618	21
566223021	1R11-221	W01-358-9622	21
566223021	1R11-222	W01-358-9625	22
566223048	1R11-166	W01-358-9295	28
566223057	1R11-161	W01-358-5766	67
566223057	1R11-171	W01-358-9421	67
566223057	1R11-225	W01-358-9650	66
566223143	1R11-039	W01-358-9439	20
566223143	1R11-039	W01-358-9439	20

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
566223143	1R11-191	W01-358-8919	18
566241000	1S12-244	W01-358-9371	54
566241007	1R12-402	W01-358-9297	53
566241008	1S12-002	W01-358-8829	74
566241008	1S12-022	W01-358-9296	48
566241012	1S12-027	W01-358-9287	53
566241012	1S12-029	W01-358-9297	53
566241012	1S12-030	W01-358-9373	54
566241012	1S12-030	W01-358-9375	54
566243000	1R12-398	W01-358-9648	74
566243019	1R12-014	W01-358-9098	61
566243019	1R12-047	W01-358-9098	61
566243038	1R12-066	W01-358-9083	45
566243038	1R12-069	W01-358-9069	41
566243038	1R12-090	W01-358-9213	47
566243038	1R12-092	W01-358-9082	45
566243038	1R12-093	W01-358-9082	45
566243038	1R12-130	W01-358-9227	47
566243038	1R12-143	W01-358-9392	49
566243038	1R12-155	W01-358-9096	46
566243038	1R12-182	W01-358-9219	47
566243038	1R12-188	W01-358-9223	47
566243038	1R12-220	W01-358-9092	45
566243038	1R12-356	W01-358-9194	46
566243038	1R12-358	W01-358-9096	46
566243038	1R12-365	W01-358-9466	49
566243038	1R12-366	W01-358-8944	63
566243038	1R12-398	W01-358-9648	74
566243038	1R12-401	W01-358-9371	54
566243038	1R12-436	W01-358-8924	44
566243038	1R12-438	W01-358-8805	38
566243038	1R12-441	W01-358-9362	48
566243038	1R12-499	W01-358-9936	52
566243038	1R12-538	W01-358-9648	74
566243038	1R12-552	W01-358-9471	71

Cross References

1T & Convuluted Goodyear Bellow Number to Firestone

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.	GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
566243038	1R12-553	W01-358-9472	71	566243067	1R12-324	W01-358-9565	22
566243038	1R12-554	W01-358-9470	71	566243067	1R12-324	W01-358-9565	22
566243038	1R12-567	W01-358-9026	45	566243067	1R12-324	W01-358-9566	23
566243038	1R12-586	W01-358-9473	71	566243067	1R12-350	W01-358-9031	30
566243038	1R12-669	W01-358-9069	41	566243067	1R12-351	W01-358-9033	30
566243038	1R12-903	W01-358-9223	47	566243067	1R12-359	W01-358-9077	30
566243048	1R12-143	W01-358-9392	49	566243067	1R12-435	W01-358-9307	32
566243055	1R12-901	W01-358-9053	36	566243067	1R12-435	W01-358-9334	31
566243061	1R12-359	W01-358-9077	30	566243067	1R12-487	W01-358-9366	38
566243066	1R12-103	W01-358-9101	57	566243067	1R12-522	W01-358-8204	34
566243066	1R12-113	W01-358-9101	57	566243067	1R12-555	W01-358-8961	28
566243066	1R12-142	W01-358-9394	59	566243067	1R12-557	W01-358-8976	29
566243066	1R12-145	W01-358-9238	57	566243067	1R12-558	W01-358-8986	29
566243066	1R12-167	W01-358-9192	57	566243067	1R12-559	W01-358-9029	29
566243066	1R12-195	W01-358-9349	58	566243067	1R12-560	W01-358-9308	31
566243066	1R12-261	W01-358-9394	59	566243067	1R12-561	W01-358-9332	31
566243066	1R12-265	W01-358-9245	58	566243067	1R12-562	W01-358-8197	33
566243066	1R12-278	W01-358-9394	59	566243067	1R12-563	W01-358-8934	35
566243066	1R12-279	W01-358-9394	59	566243067	1R12-566	W01-358-8964	28
566243066	1R12-281	W01-358-9394	59	566243067	1R12-571	W01-358-9365	37
566243066	1R12-281	W01-358-9394	59	566243076	1R12-132	W01-358-9105	36
566243066	1R12-357	W01-358-9348	58	566243076	1R12-132	W01-358-9113	36
566243066	1R12-375	W01-358-9265	61	566243076	1R12-132	W01-358-9302	37
566243066	1R12-395	W01-358-9203	57	566243076	1R12-205	W01-358-9568	23
566243066	1R12-439	W01-358-9346	58	566243076	1R12-325	W01-358-9567	23
566243066	1R12-480	W01-358-9243	58	566243076	1R12-352	W01-358-9010	40
566243066	1R12-504	W01-358-9471	71	566243076	1R12-355	W01-358-9078	36
566243066	1R12-568	W01-358-8852	56	566243076	1R12-367	W01-358-9640	62
566243067	1R12-095	W01-358-9039	30	566243076	1R12-370	W01-358-9070	41
566243067	1R12-095	W01-358-9307	32	566243076	1R12-370	W01-358-9336	42
566243067	1R12-097	W01-358-9039	30	566243076	1R12-370	W01-358-9336	42
566243067	1R12-178	W01-358-9379	22	566243076	1R12-434	W01-358-8802	38
566243067	1R12-204	W01-358-9566	23	566243076	1R12-437	W01-358-9797	43
566243067	1R12-309	W01-358-9053	36	566243076	1R12-445	W01-358-8802	38
566243067	1R12-309	W01-358-9053	36	566243076	1R12-445	W01-358-8806	39

Firestone

1T & Convuluted Goodyear Bellow Number to Firestone

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
566243076	1R12-445	W01-358-8806	39
566243076	1R12-505	W01-358-9325	37
566243076	1R12-620	W01-358-9335	41
566243076	1R12-620	W01-358-9335	41
566243080	1R12-373	W01-358-9491	72
566243090	1R12-256	W01-358-9321	60
566243090	1R12-256	W01-358-9367	60
566243090	1R12-256	W01-358-9367	60
566243090	1R12-335	W01-358-9321	60
566243090	1R12-363	W01-358-9320	59
566243090	1R12-440	W01-358-9370	60
566243090	1R12-503	W01-358-9370	60
566243090	1R12-663	W01-358-9320	59
566243097	1R12-402	W01-358-9297	53
566243097	1R12-403	W01-358-9373	54
566243097	1R12-404	W01-358-9375	54
566243097	1R12-405	W01-358-8829	74
566243097	1R12-424	W01-358-9287	53
566243097	1R12-446	W01-358-9245	58
566243097	1R12-481	W01-358-9923	51
566243097	1R12-498	W01-358-9922	51
566243097	1R12-502	W01-358-9921	51
566243097	1R12-532	W01-358-9935	51
566243097	1R12-533	W01-358-9923	51
566243097	1R12-615	W01-358-8829	74
566243110	1R12-182	W01-358-9219	47
566243110	1R12-405	W01-358-8829	74
566243173	1R12-173	W01-358-9466	49
566243173	1R12-197	W01-358-9466	49
566243173	1R12-365	W01-358-9466	49
566243180	1R12-365	W01-358-9466	49
566243225	1R12-424	W01-358-9287	53
566243275	1R12-186	W01-358-9780	75
566243275	1R12-189	W01-358-9780	75
566243275	1R12-303	W01-358-9780	75

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
566243275	1R12-603	W01-358-9780	75
566263015	1R13-038	W01-358-9122	89
566263034	1R13-118	W01-358-9580	82
566263036	1R13-077	W01-358-9270	73
566263036	1R13-119	W01-358-9270	73
566263043	1R13-117	W01-358-9275	71
566263044	1R13-115	W01-358-9250	72
566263044	1R13-116	W01-358-9252	73
566263050	1R13-097	W01-358-8723	76
566263050	1R13-109	W01-358-8782	78
566263050	1R13-124	W01-358-8710	82
566263050	1R13-124	W01-358-8755	77
566263051	1R13-039	W01-358-9121	85
566263051	1R13-043	W01-358-9121	85
566263051	1R13-047	W01-358-9144	86
566263051	1R13-049	W01-358-9121	85
566263053	1R13-119	W01-358-9270	73
566263054	1R13-120	W01-358-9218	84
566263055	1R13-130	W01-358-8729	79
566263071	1R13-152	W01-358-8748	78
566263071	1R13-153	W01-358-8749	79
566263072	1R13-048	W01-358-9122	89
566263073	1R13-159	W01-358-8709	80
566263078	1R13-176	W01-358-8713	81
566263080	1R13-177	W01-358-8708	81
566263144	1R13-144	W01-358-9580	82
566283015	1R14-037	W01-358-9215	84
566283015	1R14-038	W01-358-9200	83
566283015	1R14-039	W01-358-8050	95
566283015	1R14-042	W01-358-8052	95
566283015	1R14-147	W01-358-8053	95
566283015	1R14-170	W01-358-5514	#N/A
566283015	1R14-171	W01-358-8091	94
566283020	1R14-019	W01-358-9152	90
566283020	1R14-019	W01-358-9152	90

Cross References

1T & Convoluted Goodyear Bellow Number to Firestone

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
566283020	1R14-019	W01-358-9156	90
566283020	1R14-025	W01-358-9156	90
566283020	1R14-030	W01-358-9158	90
566283020	1R14-031	W01-358-9158	90
566283020	1R14-045	W01-358-8792	89
566283020	1R14-045	W01-358-9122	89
566283020	1R14-174	W01-358-5503	91
566283021	1R14-018	W01-358-9149	86
566283021	1R14-024	W01-358-9149	86
566283021	1R14-026	W01-358-9148	86
566283021	1R14-027	W01-358-9148	86
566283021	1R14-028	W01-358-9177	86
566283021	1R14-028	W01-358-9179	87
566283021	1R14-029	W01-358-9177	86
566283021	1R14-115	W01-358-9961	87
566283021	1R14-137	W01-358-9134	88
566283021	1R14-159	W01-358-9164	86
566283021	1R14-160	W01-358-9144	86
566283023	1R14-055	W01-358-8050	95
566283023	1R14-083	W01-358-8050	95
566283029	1R14-127	W01-358-9264	92
566283030	1R14-113	W01-358-5505	91
566283042	1R14-172	W01-358-8774	95
578913301	1B12-301	W01-358-7009	100
578913301	1B12-305	W01-358-7043	100
578913351	1B14-350	W01-358-7103	100
578913351	1B14-351	W01-358-7104	101
578913352	1B14-358	W01-358-7112	102
578923202	2B9-200	W01-358-6910	103
578923202	2B9-201	W01-358-6902	104
578923202	2B9-201	W01-358-6935	105
578923202	2B9-201	W01-358-6935	105
578923202	2B9-206	W01-358-6905	104
578923202	2B9-229	W01-358-6897	104
578923202	2B9-230	W01-358-6940	105

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
578923202	2B9-245	W01-358-7788	106
578923202	2B9-265	W01-358-6941	105
578923206	2B9-210	W01-358-6908	105
578923206	2B9-218	W01-358-6927	108
578923206	2B9-246	W01-358-6944	108
578923206	2B9-250	W01-358-6943	108
578923206	2B9-251	W01-358-6948	109
578923206	2B9-252	W01-358-6944	108
578923206	2B9-253	W01-358-6945	108
578923206	2B9-254	W01-358-6946	109
578923206	2B9-255	W01-358-6947	109
578923208	2B9-352	W01-358-6944	108
578923211	2B9-246	W01-358-6932	105
578923250	2B10-226	W01-358-7795	106
578923309	2B12-300	W01-358-7424	115
578923309	2B12-307	W01-358-7403	113
578923309	2B12-309	W01-358-7400	113
578923309	2B12-313	W01-358-7405	114
578923309	2B12-318	W01-358-7185	113
578923309	2B12-319	W01-358-7409	114
578923309	2B12-320	W01-358-7401	113
578923309	2B12-320	W01-358-7437	115
578923309	2B12-406	W01-358-7410	115
578923309	2B12-410	W01-358-7404	114
578923309	2B12-411	W01-358-7181	112
578923309	2B12-412	W01-358-7183	112
578923309	2B12-425	W01-358-7180	112
578923309	2B12-426	W01-358-7406	114
578923309	2B12-427	W01-358-7429	115
578923309	2B12-432	W01-358-7423	115
578923310	2B12-305	W01-358-7443	116
578923310	2B12-317	W01-358-7499	117
578923310	2B12-324	W01-358-7447	116
578923310	2B12-402	W01-358-7446	116
578923310	2B12-428	W01-358-7473	117

Firestone

1T & Convuluted Goodyear Bellow Number to Firestone

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
578923310	2B12-434	W01-358-7472	121
578923310	2B12-446	W01-358-7444	116
578923315	2B12-345	W01-358-7545	122
578923315	2B12-346	W01-358-7550	121
578923315	2B12-416	W01-358-7444	116
578923315	2B12-440	W01-358-7550	121
578923315	2B12-440	W01-358-7555	121
578923353	2B14-354	W01-358-7145	111
578923353	2B14-355	W01-358-7146	111
578923353	2B14-356	W01-358-7136	110
578923353	2B14-359	W01-358-7140	110
578923353	2B14-359	W01-358-7782	122
578923353	2B14-360	W01-358-7135	110
578923353	2B14-366	W01-358-6803	111
578923353	2B14-367	W01-358-7123	110
578923356	2B14-365	W01-358-6801	110
578923356	2B14-383	W01-358-7557	122
578923356	2B14-462	W01-358-6805	112
578923356	2B14-470	W01-358-7782	122
578923356	2B14-476	W01-358-6799	122
578933100	3B12-300	W01-358-8008	125
578933100	3B12-301	W01-358-8010	125
578933100	3B12-303	W01-358-8018	126

GOODYEAR BELLOW NO.	GOODYEAR PART NO.	FIRESTONE AON	PAGE NO.
578933100	3B12-304	W01-358-8006	125
578933100	3B12-310	W01-358-8027	126
578933100	3B12-312	W01-358-8033	127
578933100	3B12-315	W01-358-8032	127
578933100	3B12-319	W01-358-8032	127
578933100	3B12-328	W01-358-7994	124
578933100	3B12-329	W01-358-7995	124
578933100	3B12-335	W01-358-7996	125
578933103	3B12-322	W01-358-8042	133
578933103	3B12-323	W01-358-8043	133
578933350	3B14-350	W01-358-7808	129
578933350	3B14-354	W01-358-7808	129
578933350	3B14-356	W01-358-7798	129
578933350	3B14-356	W01-358-7838	130
578933350	3B14-359	W01-358-7818	129
578933350	3B14-359	W01-358-7839	130
578933350	3B14-360	W01-358-7800	129
578933350	3B14-360	W01-358-7848	131
578933350	3B14-364	W01-358-7843	130
578933350	3B14-367	W01-358-7796	128
578933350	3B14-367	W01-358-7796	128
578933350	3B14-367	W01-358-7847	131
579923530	2B8-550	W01-358-7325	118

Cross References

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
4310	6325	W01-358-6902	104
4311	6329	W01-358-7135	110
4313	6316	W01-358-7400	113
4315	6325	W01-358-6905	104
4316	6329	W01-358-7140	110
4318	6316	W01-358-7403	113
4320	6325	W01-358-6910	103
4321	6329	W01-358-7136	110
4323	6328	W01-358-7443	116
4325	6319	W01-358-7818	129
4327	6316	W01-358-7424	115
4329	6319	W01-358-7798	129
4331	6316	W01-358-7410	115
4333	6319	W01-358-7800	129
4336	6319	W01-358-7808	129
4337	6316	W01-358-7401	113
4339	6326	W01-358-7112	102
4340	6328	W01-358-7447	116
4342	6329	W01-358-7146	111
4343	6316	W01-358-7429	115
4345	6329	W01-358-7123	110
4346	6316	W01-358-7404	114
4361	6326	W01-358-7117	102
4362	6325	W01-358-6908	105
4363	6316	W01-358-7180	112
4364	6316	W01-358-7405	114
4365	6316	W01-358-7406	114
4366	6316	W01-358-7408	114
4367	6316	W01-358-7409	114
4368	6316	W01-358-7423	115
4369	6328	W01-358-7444	116
4370	6328	W01-358-7446	116
4371	6328	W01-358-7472	121
4372	6328	W01-358-7473	117
4373	6328	W01-358-7483	117

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
4374	6329	W01-358-7145	111
4413	6334	W01-358-8032	127
4426	6332	W01-358-6943	108
4427	6332	W01-358-6945	108
4428	6332	W01-358-6947	109
4429	6332	W01-358-6948	109
4430	6334	W01-358-8006	125
4431	6334	W01-358-8008	125
4432	6334	W01-358-8010	125
4433	6334	W01-358-8016	126
4434	6334	W01-358-8018	126
4436	6335	W01-358-7838	130
4437	6335	W01-358-7839	130
4438	6335	W01-358-7844	131
4439	6335	W01-358-7848	131
4441	6335	W01-358-7850	132
4442	6326	W01-358-7103	100
4446	6326	W01-358-7104	101
4447	6326	W01-358-7105	101
4448	6325	W01-358-6941	105
4449	6336	W01-358-6803	111
4450	6325	W01-358-6940	105
4451	6336	W01-358-6801	110
4452	6325	W01-358-6932	105
4453	6332	W01-358-6927	108
4454	6332	W01-358-6944	108
4455	6335	W01-358-7843	130
4456	6335	W01-358-7846	131
4457	6335	W01-358-7847	131
4463	6332	W01-358-6946	109
4466	6334	W01-358-8027	126
4467	6374	W01-358-6994	100
4468	6374	W01-358-7009	100
4469	6334	W01-358-8025	126
4471	6316	W01-358-7183	112

Firestone

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
4472	6316	W01-358-7181	112
4474	6374	W01-358-7008	100
4480	6375	W01-358-7550	121
4480	6375	W01-358-7555	121
4498	6334	W01-358-8030	127
4499	6325	W01-358-6935	105
4500	6316	W01-358-7344	113
4502	6328	W01-358-7499	117
4504	6325	W01-358-6926	103
4505	6325	W01-358-6897	104
4506	6325	W01-358-6949	106
4507	6332	W01-358-6960	109
4509	6392	W01-358-7325	118
4510	6325	W01-358-7788	106
4511	6332	W01-358-6962	109
4512	6328	W01-358-6789	116
4513	6328	W01-358-7790	117
4514	6375	W01-358-7545	122
4515	6326	W01-358-7093	101
4516	6326	W01-358-7096	102
4517	6326	W01-358-7088	101
4518	6336	W01-358-6800	111
4519	6336	W01-358-6808	112
4520	6334	W01-358-7996	125
4521	6335	W01-358-7845	131
4522	6335	W01-358-7855	132
4523	6335	W01-358-7859	132
4524	6395	W01-358-7795	106
4525	6334	W01-358-8033	127
4529	6332	W01-358-6883	107
4530	6412	W01-358-7557	122
4532	6336	W01-358-6805	112
4534	6335	W01-358-7862	132
4535	6319	W01-358-7797	128
4536	6319	W01-358-7796	128

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
4537	6335	W01-358-7853	132
4538	6326	W01-358-7088	101
4539	6325	W01-358-6890	103
4541	6375	W01-358-7550	121
4543	6412	W01-358-6799	122
4544	6412	W01-358-7782	122
4545	6412	W01-358-7781	122
4546	6334	W01-358-7994	124
4547	6334	W01-358-7995	124
4548	6334	W01-358-7998	125
4553	6429	W01-358-8039	134
4554	6429	W01-358-8038	134
4558	6326	W01-358-7101	#N/A
8310	6363	W01-358-9082	45
8311	6360	W01-358-9039	30
8312	6362	W01-358-9069	41
8313	6366	W01-358-8792	89
8313	6366	W01-358-9122	89
8314	6368	W01-358-9422	14
8315	6364	W01-358-9101	57
8316	6365	W01-358-9177	86
8317	6365	W01-358-9121	85
8318	6366	W01-358-9158	90
8319	6361	W01-358-9105	36
8320	6367	W01-358-8050	95
8321	6364	W01-358-9394	59
8322	6372	W01-358-9415	19
8323	6391	W01-358-9275	71
8324	6371	W01-358-9250	72
8325	6363	W01-358-9096	46
8326	6364	W01-358-9192	57
8327	6361	W01-358-9053	36
8328	6360	W01-358-9033	30
8329	6361	W01-358-9078	36
8330	6362	W01-358-9070	41

Cross References

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8331	6360	W01-358-9077	30
8332	6363	W01-358-9093	46
8333	6363	W01-358-9083	45
8334	6368	W01-358-9075	15
8335	6362	W01-358-9059	40
8336	6368	W01-358-9440	16
8337	6372	W01-358-9439	20
8339	6360	W01-358-9031	30
8341	6361	W01-358-9113	36
8342	6361	W01-358-9118	37
8343	6361	W01-358-9302	37
8344	6362	W01-358-9008	40
8345	6362	W01-358-9010	40
8345	6362	W01-358-9063	40
8346	6362	W01-358-9011	40
8347	6362	W01-358-9063	40
8348	6362	W01-358-9068	41
8349	6362	W01-358-9071	41
8351	6363	W01-358-9193	46
8352	6363	W01-358-9194	46
8353	6363	W01-358-9227	47
8354	6363	W01-358-9228	48
8355	6364	W01-358-9203	57
8356	6364	W01-358-9238	57
8357	6364	W01-358-9240	57
8358	6364	W01-358-9394	59
8359	6364	W01-358-9350	59
8360	6373	W01-358-9320	59
8361	6373	W01-358-9321	60
8362	6391	W01-358-9274	70
8363	6371	W01-358-9252	73
8364	6365	W01-358-9148	86
8365	6365	W01-358-9149	86
8366	6365	W01-358-9179	87
8367	6365	W01-358-9961	87

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8368	6365	W01-358-9135	85
8369	6366	W01-358-9152	90
8370	6366	W01-358-9156	90
8371	6363	W01-358-9256	48
8372	6363	W01-358-9092	45
8373	6363	W01-358-9097	61
8374	6363	W01-358-9098	61
8376	6363	W01-358-9392	49
8377	6365	W01-358-9144	86
8378	6367	W01-358-8052	95
8379	6368	W01-358-9379	22
8380	6367	W01-358-8053	95
8381	6362	W01-358-9798	44
8382	6363	W01-358-9780	75
8383	6364	W01-358-9394	59
8384	6364	W01-358-9243	58
8385	6367	W01-358-8051	95
8388	6365	W01-358-9221	87
8390	6364	W01-358-9245	58
8391	6363	W01-358-9362	48
8392	6363	W01-358-9304	48
8393	6363	W01-358-9026	45
8394	6363	W01-358-9004	44
8395	6361	W01-358-9325	37
8396	6361	W01-358-8930	35
8397	6360	W01-358-9332	31
8398	6360	W01-358-9308	31
8399	6360	W01-358-9029	29
8400	6360	W01-358-8986	29
8401	6368	W01-358-8900	15
8405	6365	W01-358-9164	86
8406	6391	W01-358-9287	53
8407	6363	W01-358-9213	47
8408	6363	W01-358-9219	47
8409	6363	W01-358-9223	47

Firestone

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8410	6363	W01-358-9466	49
8413	6377	W01-358-9268	62
8414	6417	W01-358-9215	84
8415	6417	W01-358-9200	83
8416	6363	W01-358-9296	48
8417	6378	W01-358-9295	28
8418	6364	W01-358-9342	50
8419	6417	W01-358-8088	83
8420	6417	W01-358-9277	84
8421	6417	W01-358-9216	84
8422	6417	W01-358-9218	84
8423	6378	W01-358-9294	27
8424	6378	W01-358-9293	27
8425	6378	W01-358-9291	27
8426	6391	W01-358-9902	51
8427	6388	W01-358-9640	62
8428	6391	W01-358-9922	51
8429	6391	W01-358-9923	51
8430	6391	W01-358-9942	52
8431	6383	W01-358-9134	88
8432	6383	W01-358-9138	88
8433	6385	W01-358-9270	73
8434	6386	W01-358-9580	82
8435	6387	W01-358-9265	61
8436	6391	W01-358-9015	28
8436	6391	W01-358-8944	63
8437	6362	W01-358-9070	41
8438	6364	W01-358-9349	58
8439	6364	W01-358-9348	58
8440	6364	W01-358-9373	54
8441	6363	W01-358-9213	47
8443	6391	W01-358-9921	51
8445	6391	W01-358-9473	71
8446	6389	W01-358-5410	9
8447	6368	W01-358-9378	16

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8448	6373	W01-358-9370	60
8449	6363	W01-358-8829	74
8450	6362	W01-358-9568	23
8452	6391	W01-358-9947	52
8453	6390	W01-358-8751	77
8454	6391	W01-358-9936	52
8455	6378	W01-358-8949	27
8456	6363	W01-358-9648	74
8459	6363	W01-358-9210	46
8460	6390	W01-358-8709	80
8461	6362	W01-358-9567	23
8462	6362	W01-358-8805	38
8464	6368	W01-358-8901	15
8465	6362	W01-358-9335	41
8467	6391	W01-358-9472	71
8468	6393	W01-358-9421	67
8469	6362	W01-358-8802	38
8470	6364	W01-358-9346	58
8471	6360	W01-358-9307	32
8472	6364	W01-358-8852	56
8473	6360	W01-358-8963	28
8475	6391	W01-358-9943	52
8476	6391	W01-358-9947	52
8477	6368	W01-358-9376	15
8478	6368	W01-358-9377	16
8479	6368	W01-358-9387	16
8480	6360	W01-358-8964	28
8481	6360	W01-358-9333	31
8482	6360	W01-358-9334	31
8483	6361	W01-358-8201	33
8484	6361	W01-358-8204	34
8485	6361	W01-358-8932	35
8486	6394	W01-358-8749	79
8487	6361	W01-358-9339	37
8488	6361	W01-358-9366	38

Cross References

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8489	6362	W01-358-8803	38
8490	6362	W01-358-9336	42
8491	6362	W01-358-9467	42
8492	6362	W01-358-9482	42
8493	6362	W01-358-9483	42
8494	6362	W01-358-9484	43
8495	6361	W01-358-9365	37
8496	6362	W01-358-9797	43
8497	6363	W01-358-8924	44
8498	6363	W01-358-8927	44
8499	6363	W01-358-9364	#N/A
8500	6363	W01-358-9474	49
8501	6391	W01-358-9470	71
8502	6391	W01-358-9471	71
8503	6360	W01-358-8976	29
8505	6373	W01-358-9367	60
8506	6417	W01-358-9204	84
8507	6365	W01-358-8778	85
8508	6383	W01-358-8779	87
8509	6383	W01-358-8780	88
8510	6363	W01-358-9944	50
8511	6373	W01-358-9338	60
8512	6363	W01-358-9211	47
8512	6363	W01-358-9388	49
8513	6396	W01-358-8729	79
8514	6397	W01-358-9617	21
8515	6368	W01-358-9616	15
8516	6368	W01-358-9476	17
8517	6372	W01-358-8919	18
8518	6390	W01-358-8752	77
8519	6391	W01-358-9373	54
8519	6391	W01-358-9375	54
8520	6391	W01-358-9297	53
8521	6391	W01-358-9371	54
8522	6390	W01-358-8755	77

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8523	6398	W01-358-8091	94
8525	6379	W01-358-8997	13
8526	6382	W01-358-8708	81
8528	6411	W01-358-8868	11
8529	6410	W01-358-8979	11
8530	6399	W01-358-5503	91
8530	6399	W01-358-5511	92
8533	6382	W01-358-8713	81
8535	6391	W01-358-9948	52
8536	6414	W01-358-8903	64
8537	6367	W01-358-9622	21
8538	6415	W01-358-9618	21
8538	6415	W01-358-9625	22
8539	6413	W01-358-9264	92
8541	6361	W01-358-8991	36
8542	6360	W01-358-8961	28
8543	6361	W01-358-8203	34
8544	6361	W01-358-8934	35
8545	6362	W01-358-8806	39
8546	6362	W01-358-8810	39
8547	6363	W01-358-9496	49
8548	6391	W01-358-9935	51
8549	6363	W01-358-9643	63
8550	6391	W01-358-9647	55
8551	6391	W01-358-9649	55
8552	6364	W01-358-8855	56
8553	6364	W01-358-8856	56
8555	6371	W01-358-9269	73
8556	6365	W01-358-9116	85
8557	6383	W01-358-8781	88
8558	6366	W01-358-9199	90
8559	6389	W01-358-5423	9
8560	6416	W01-358-9896	93
8563	6368	W01-358-9448	17
8564	6421	W01-358-9645	65

Cross References

Firestone

1T & Convuluted Triangle Assembly Number to Firestone

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8564	6429	W01-358-9646	64
8566	6425	W01-358-9621	22
8567	6424	W01-358-9619	23
8568	6524	W01-358-9626	20
8569	6428	W01-358-9644	64
8570	6394	W01-358-8748	78

TRIANGLE PART NO.	TRIANGLE BELLOW NO.	FIRESTONE AON	PAGE NO.
8571	6391	W01-358-9470	71
8572	6391	W01-358-9471	71
8573	6391	W01-358-9472	71
8574	6391	W01-358-9473	71
8575	6388	W01-358-9634	62
8676	6415	W01-358-9675	22

Cross References

1T & Convuluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6316	4313	W01-358-7400	113
6316	4318	W01-358-7403	113
6316	4327	W01-358-7424	115
6316	4331	W01-358-7410	115
6316	4337	W01-358-7401	113
6316	4343	W01-358-7429	115
6316	4346	W01-358-7404	114
6316	4363	W01-358-7180	112
6316	4364	W01-358-7405	114
6316	4365	W01-358-7406	114
6316	4366	W01-358-7408	114
6316	4367	W01-358-7409	114
6316	4368	W01-358-7423	115
6316	4371	W01-358-7437	115
6316	4471	W01-358-7183	112
6316	4472	W01-358-7181	112
6316	4500	W01-358-7344	113
6319	4325	W01-358-7818	129
6319	4333	W01-358-7800	129
6319	4336	W01-358-7808	129
6319	4525	W01-358-7798	129
6319	4535	W01-358-7797	128
6319	4536	W01-358-7796	128
6325	4310	W01-358-6902	104
6325	4315	W01-358-6905	104
6325	4320	W01-358-6910	103
6325	4362	W01-358-6908	105
6325	4448	W01-358-6941	105
6325	4450	W01-358-6940	105
6325	4452	W01-358-6932	105
6325	4499	W01-358-6935	105
6325	4504	W01-358-6926	103
6325	4505	W01-358-6897	104
6325	4506	W01-358-6949	106
6325	4510	W01-358-7788	106

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6325	4539	W01-358-6890	103
6326	4339	W01-358-7112	102
6326	4361	W01-358-7117	102
6326	4442	W01-358-7103	100
6326	4446	W01-358-7104	101
6326	4538	W01-358-7094	101
6326	4447	W01-358-7105	101
6326	4515	W01-358-7093	101
6326	4516	W01-358-7096	102
6326	4517	W01-358-7088	101
6328	4323	W01-358-7443	116
6328	4340	W01-358-7447	116
6328	4369	W01-358-7444	116
6328	4370	W01-358-7446	116
6328	4371	W01-358-7472	121
6328	4372	W01-358-7473	117
6328	4373	W01-358-7483	117
6328	4502	W01-358-7499	117
6328	4512	W01-358-6789	116
6328	4513	W01-358-7790	117
6329	4311	W01-358-7135	110
6329	4316	W01-358-7140	110
6329	4321	W01-358-7136	110
6329	4342	W01-358-7146	111
6329	4345	W01-358-7123	110
6329	4374	W01-358-7145	111
6332	4426	W01-358-6943	108
6332	4427	W01-358-6945	108
6332	4428	W01-358-6947	109
6332	4429	W01-358-6948	109
6332	4453	W01-358-6927	108
6332	4454	W01-358-6944	108
6332	4463	W01-358-6946	109
6332	4507	W01-358-6960	109
6332	4511	W01-358-6962	109

Firestone

1T & Convuluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6332	4529	W01-358-6883	107
6334	4413	W01-358-8032	127
6334	4430	W01-358-8006	125
6334	4431	W01-358-8008	125
6334	4432	W01-358-8010	125
6334	4433	W01-358-8016	126
6334	4434	W01-358-8018	126
6334	4466	W01-358-8027	126
6334	4469	W01-358-8025	126
6334	4498	W01-358-8030	127
6334	4520	W01-358-7996	125
6334	4525	W01-358-8033	127
6334	4546	W01-358-7994	124
6334	4547	W01-358-7995	124
6334	4548	W01-358-7998	125
6335	4436	W01-358-7838	130
6335	4437	W01-358-7839	130
6335	4438	W01-358-7844	131
6335	4439	W01-358-7848	131
6335	4441	W01-358-7850	132
6335	4455	W01-358-7843	130
6335	4456	W01-358-7846	131
6335	4457	W01-358-7847	131
6335	4521	W01-358-7845	131
6335	4522	W01-358-7855	132
6335	4523	W01-358-7859	132
6335	4534	W01-358-7862	132
6335	4537	W01-358-7853	132
6336	4449	W01-358-6803	111
6336	4451	W01-358-6801	110
6336	4518	W01-358-6800	111
6336	4519	W01-358-6808	112
6336	4532	W01-358-6805	112
6360	8311	W01-358-9039	30
6360	8328	W01-358-9033	30

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6360	8331	W01-358-9077	30
6360	8339	W01-358-9031	30
6360	8397	W01-358-9332	31
6360	8398	W01-358-9308	31
6360	8399	W01-358-9029	29
6360	8400	W01-358-8977	11
6360	8400	W01-358-8986	29
6360	8471	W01-358-9307	32
6360	8473	W01-358-8963	28
6360	8480	W01-358-8964	28
6360	8481	W01-358-9333	31
6360	8482	W01-358-9334	31
6360	8503	W01-358-8976	29
6360	8542	W01-358-8961	28
6361	8319	W01-358-9105	36
6361	8327	W01-358-9053	36
6361	8329	W01-358-9078	36
6361	8341	W01-358-9113	36
6361	8342	W01-358-9118	37
6361	8343	W01-358-9302	37
6361	8395	W01-358-9325	37
6361	8396	W01-358-8930	35
6361	8483	W01-358-8201	33
6361	8484	W01-358-8204	34
6361	8485	W01-358-8932	35
6361	8487	W01-358-9339	37
6361	8488	W01-358-9366	38
6361	8495	W01-358-9365	37
6361	8541	W01-358-8991	36
6361	8543	W01-358-8203	34
6361	8544	W01-358-8934	35
6362	8312	W01-358-9069	41
6362	8330	W01-358-9070	41
6362	8335	W01-358-9059	40
6362	8344	W01-358-9008	40

Cross References

1T & Convoluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6362	8345	W01-358-9010	40
6362	8345	W01-358-9063	40
6362	8346	W01-358-9011	40
6362	8348	W01-358-9068	41
6362	8349	W01-358-9071	41
6362	8381	W01-358-9798	44
6362	8437	W01-358-9070	41
6362	8450	W01-358-9568	23
6362	8461	W01-358-9567	23
6362	8462	W01-358-8805	38
6362	8465	W01-358-9335	41
6362	8469	W01-358-8802	38
6362	8489	W01-358-8803	38
6362	8490	W01-358-9336	42
6362	8491	W01-358-9467	42
6362	8492	W01-358-9482	42
6362	8493	W01-358-9483	42
6362	8494	W01-358-9484	43
6362	8496	W01-358-9797	43
6362	8534	W01-358-9492	#N/A
6362	8537	W01-358-9463	42
6362	8545	W01-358-8806	39
6362	8546	W01-358-8810	39
6363	8310	W01-358-9082	45
6363	8325	W01-358-9096	46
6363	8332	W01-358-9093	46
6363	8333	W01-358-9083	45
6363	8351	W01-358-9193	46
6363	8352	W01-358-9194	46
6363	8353	W01-358-9227	47
6363	8354	W01-358-9228	48
6363	8371	W01-358-9256	48
6363	8372	W01-358-9092	45
6363	8373	W01-358-9097	61
6363	8374	W01-358-9098	61

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6363	8376	W01-358-9392	49
6363	8382	W01-358-9780	75
6363	8382	W01-358-9781	75
6363	8391	W01-358-9362	48
6363	8392	W01-358-9304	48
6363	8393	W01-358-9026	45
6363	8394	W01-358-9004	44
6363	8407	W01-358-9213	47
6363	8408	W01-358-9219	47
6363	8409	W01-358-9223	47
6363	8410	W01-358-9466	49
6363	8416	W01-358-9296	48
6363	8441	W01-358-9213	47
6363	8449	W01-358-8829	74
6363	8456	W01-358-9648	74
6363	8459	W01-358-9210	46
6363	8497	W01-358-8924	44
6363	8498	W01-358-8927	44
6363	8499	W01-358-9364	#N/A
6363	8500	W01-358-9474	49
6363	8510	W01-358-9944	50
6363	8512	W01-358-9211	47
6363	8512	W01-358-9388	49
6363	8547	W01-358-9496	49
6363	8549	W01-358-9643	63
6364	8315	W01-358-9101	57
6364	8321	W01-358-9130	#N/A
6364	8321	W01-358-9394	59
6364	8326	W01-358-9192	57
6364	8355	W01-358-9203	57
6364	8356	W01-358-9238	57
6364	8357	W01-358-9240	57
6364	8358	W01-358-9394	59
6364	8359	W01-358-9350	59
6364	8383	W01-358-9394	59

Firestone

1T & Convuluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6364	8384	W01-358-9243	58
6364	8390	W01-358-9245	58
6364	8418	W01-358-9342	50
6364	8438	W01-358-9349	58
6364	8439	W01-358-9348	58
6364	8440	W01-358-9373	54
6364	8470	W01-358-9346	58
6364	8472	W01-358-8852	56
6364	8552	W01-358-8855	56
6364	8553	W01-358-8856	56
6365	8316	W01-358-9177	86
6365	8317	W01-358-9121	85
6365	8364	W01-358-9148	86
6365	8365	W01-358-9149	86
6365	8366	W01-358-9179	87
6365	8367	W01-358-9961	87
6365	8368	W01-358-9135	85
6365	8377	W01-358-9144	86
6365	8388	W01-358-9221	87
6365	8405	W01-358-9164	86
6365	8507	W01-358-8778	85
6365	8556	W01-358-9116	85
6366	8313	W01-358-8792	89
6366	8313	W01-358-9122	89
6366	8318	W01-358-9158	90
6366	8369	W01-358-9152	90
6366	8370	W01-358-9156	90
6366	8558	W01-358-9199	90
6367	8320	W01-358-8050	95
6367	8378	W01-358-8052	95
6367	8380	W01-358-8053	95
6367	8385	W01-358-8051	95
6367	8537	W01-358-9622	21
6368	8314	W01-358-9422	14
6368	8334	W01-358-9075	15

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6368	8336	W01-358-9440	16
6368	8379	W01-358-9379	22
6368	8401	W01-358-8900	15
6368	8447	W01-358-9378	16
6368	8464	W01-358-8901	15
6368	8477	W01-358-9376	15
6368	8478	W01-358-9377	16
6368	8479	W01-358-9387	16
6368	8515	W01-358-9616	15
6368	8516	W01-358-9476	17
6368	8563	W01-358-9448	17
6369	8323	W01-358-9275	71
6369	8362	W01-358-9274	70
6369	8445	W01-358-9473	71
6369	8467	W01-358-9472	71
6369	8501	W01-358-9470	71
6369	8502	W01-358-9471	71
6369	8523	W01-358-9275	71
6369	8571	W01-358-9470	71
6371	8324	W01-358-9250	72
6371	8363	W01-358-9252	73
6371	8555	W01-358-9269	73
6372	8322	W01-358-9415	19
6372	8337	W01-358-9439	20
6372	8337	W01-358-9441	#N/A
6372	8517	W01-358-8919	18
6373	8360	W01-358-9320	59
6373	8361	W01-358-9321	60
6373	8448	W01-358-9370	60
6373	8505	W01-358-9367	60
6373	8511	W01-358-9338	60
6374	4467	W01-358-6994	100
6374	4468	W01-358-7009	100
6374	4474	W01-358-7008	100
6375	4480	W01-358-7550	121

Cross References

1T & Convuluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6375	4480	W01-358-7555	121
6375	4514	W01-358-7545	122
6375	4541	W01-358-7550	121
6377	8413	W01-358-9268	62
6378	8417	W01-358-9295	28
6378	8423	W01-358-9294	27
6378	8424	W01-358-9293	27
6378	8425	W01-358-9291	27
6378	8455	W01-358-8949	27
6379	8525	W01-358-8997	13
6382	8526	W01-358-8708	81
6382	8533	W01-358-8713	81
6383	8431	W01-358-9134	88
6383	8432	W01-358-9138	88
6383	8508	W01-358-8779	87
6383	8509	W01-358-8780	88
6383	8557	W01-358-8781	88
6385	8433	W01-358-9270	73
6386	8434	W01-358-9292	#N/A
6386	8434	W01-358-9580	82
6387	8435	W01-358-9265	61
6388	8427	W01-358-9630	#N/A
6388	8427	W01-358-9640	62
6388	8575	W01-358-9634	62
6389	8446	W01-358-5410	9
6389	8559	W01-358-5423	9
6390	8453	W01-358-8751	77
6390	8460	W01-358-8709	80
6390	8518	W01-358-8752	77
6390	8522	W01-358-8755	77
6391	8406	W01-358-9287	53
6391	8426	W01-358-9902	51
6391	8428	W01-358-9922	51
6391	8429	W01-358-9923	51
6391	8430	W01-358-9942	52

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6391	8436	W01-358-9015	28
6391	8436	W01-358-8944	63
6391	8443	W01-358-9921	51
6391	8452	W01-358-9947	52
6391	8454	W01-358-9936	52
6391	8475	W01-358-9943	52
6391	8476	W01-358-9947	52
6391	8519	W01-358-9373	54
6391	8519	W01-358-9375	54
6391	8520	W01-358-9297	53
6391	8521	W01-358-9371	54
6391	8535	W01-358-9948	52
6391	8548	W01-358-9935	51
6391	8550	W01-358-9647	55
6391	8551	W01-358-9649	55
6391	8572	W01-358-9471	71
6391	8573	W01-358-9472	71
6391	8574	W01-358-9473	71
6392	4509	W01-358-7325	118
6393	8468	W01-358-9421	67
6394	8486	W01-358-8749	79
6394	8570	W01-358-8748	78
6395	4524	W01-358-7795	106
6396	8513	W01-358-8729	79
6397	8514	W01-358-9617	21
6398	8523	W01-358-8091	94
6399	8530	W01-358-5503	91
6399	8530	W01-358-5511	92
6410	8529	W01-358-8979	11
6411	8528	W01-358-8868	11
6412	4530	W01-358-7557	122
6412	4543	W01-358-6799	122
6412	4544	W01-358-7782	122
6412	4545	W01-358-7781	122
6413	8539	W01-358-9264	92

Firestone

1T & Convuluted Triangle Bellow Number to Firestone

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6414	8536	W01-358-8903	64
6415	8538	W01-358-9618	21
6415	8538	W01-358-9625	22
6416	8560	W01-358-9896	93
6417	8414	W01-358-9215	84
6417	8415	W01-358-9200	83
6417	8419	W01-358-8088	83
6417	8420	W01-358-9277	84
6417	8421	W01-358-9216	84

TRIANGLE BELLOW NO.	TRIANGLE PART NO.	FIRESTONE AON	PAGE NO.
6417	8422	W01-358-9218	84
6417	8506	W01-358-9204	84
6421	8564	W01-358-9645	65
6424	8567	W01-358-9619	23
6428	8569	W01-358-9644	64
6429	4553	W01-358-8039	134
6429	4554	W01-358-8038	134
6429	8564	W01-358-9646	64
6524	8568	W01-358-9626	20

Cross References

1T & Convuluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
8 10-10 P 481	W01-358-9333	31
9 10.17.5 P 456	W01-358-9648	74
9 10.17.5 P 536	W01-358-8901	15
9 10-10 P 311	W01-358-9039	30
9 10-10 P 328	W01-358-9033	30
9 10-10 P 331	W01-358-9077	30
9 10-10 P 339	W01-358-9031	30
9 10-10 P 397	W01-358-9332	31
9 10-10 P 398	W01-358-9308	31
9 10-10 P 399	W01-358-9029	29
9 10-10 P 400	W01-358-8986	29
9 10-10 P 465	W01-358-9335	41
9 10-10 P 471	W01-358-9307	32
9 10-10 P 473	W01-358-8963	28
9 10-10 P 480	W01-358-8964	28
9 10-10 P 482	W01-358-9334	31
9 10-10 P 503	W01-358-8976	29
9 10-10 P 542	W01-358-8961	28
9 10-12 A 319	W01-358-9105	36
9 10-12 A 327	W01-358-9053	36
9 10-12 A 329	W01-358-9078	36
9 10-12 A 341	W01-358-9113	36
9 10-12 A 342	W01-358-9118	37
9 10-12 A 343	W01-358-9302	37
9 10-12 A 427	W01-358-9640	62
9 10-12 A 488	W01-358-9366	38
9 10-12 A 543	W01-358-8093	94
9 10-12 P 395	W01-358-8927	44
9 10-12 P 395	W01-358-9325	37
9 10-12 P 396	W01-358-8930	35
9 10-12 P 483	W01-358-8203	34
9 10-12 P 484	W01-358-8201	33
9 10-12 P 484	W01-358-8204	34
9 10-12 P 487	W01-358-9339	37
9 10-12 P 495	W01-358-9365	37

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
9 10-12 P 544	W01-358-8934	35
9 10-12 P 720	W01-358-7667	33
9 10-13.5 S 433	W01-358-9270	73
9 10-14 A 330	W01-358-9070	41
9 10-14 A 381	W01-358-9798	44
9 10-14 A 437	W01-358-9463	42
9 10-14 A 469	W01-358-8802	38
9 10-14 A 491	W01-358-9467	42
9 10-14 A 492	W01-358-9482	42
9 10-14 A 496	W01-358-9797	43
9 10-14 A 546	W01-358-8810	39
9 10-14 A 575	W01-358-9634	62
9 10-14 A545	W01-358-8806	39
9 10-14 P 312	W01-358-9069	41
9 10-14 P 335	W01-358-9059	40
9 10-14 P 344	W01-358-9008	40
9 10-14 P 345	W01-358-9010	40
9 10-14 P 346	W01-358-9011	40
9 10-14 P 347	W01-358-9063	40
9 10-14 P 348	W01-358-9068	41
9 10-14 P 349	W01-358-9071	41
9 10-14 P 450	W01-358-9568	23
9 10-14 P 461	W01-358-9567	23
9 10-14 P 462	W01-358-8805	38
9 10-14 P 489	W01-358-8803	38
9 10-14 P 493	W01-358-9483	42
9 10-14 P 494	W01-358-9484	43
9 10-14 P 577	W01-358-8813	39
9 10-14 P 718	W01-358-9507	43
9 10-16 A 354	W01-358-9228	48
9 10-16 P 310	W01-358-9082	45
9 10-16 P 325	W01-358-9096	46
9 10-16 P 332	W01-358-9093	46
9 10-16 P 333	W01-358-9083	45
9 10-16 P 351	W01-358-9193	46

Firestone

1T & Convuluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
9 10-16 P 352	W01-358-9194	46
9 10-16 P 353	W01-358-9227	47
9 10-16 P 371	W01-358-9256	48
9 10-16 P 372	W01-358-9092	45
9 10-16 P 376	W01-358-9392	49
9 10-16 P 392	W01-358-9304	48
9 10-16 P 393	W01-358-9026	45
9 10-16 P 394	W01-358-9004	44
9 10-16 P 409	W01-358-9223	47
9 10-16 P 416	W01-358-9296	48
9 10-16 P 441	W01-358-9213	47
9 10-16 P 441	W01-358-9219	47
9 10-16 P 449	W01-358-8829	74
9 10-16 P 497	W01-358-8919	18
9 10-16 P 498	W01-358-8924	44
9 10-16 P 500	W01-358-9474	49
9 10-16 P 510	W01-358-9944	50
9 10-16 P 547	W01-358-9496	49
9 10-16 P 549	W01-358-9643	63
9 10-16 P 710	W01-358-9299	63
9 10-17.5 A 535	W01-358-9948	52
9 10-17.5 P 406	W01-358-9287	53
9 10-17.5 P 418	W01-358-9342	50
9 10-17.5 P 426	W01-358-9902	51
9 10-17.5 P 429	W01-358-9923	51
9 10-17.5 P 430	W01-358-9942	52
9 10-17.5 P 436	W01-358-8944	63
9 10-17.5 P 436	W01-358-9015	28
9 10-17.5 P 440	W01-358-9375	54
9 10-17.5 P 443	W01-358-9921	51
9 10-17.5 P 445	W01-358-9473	71
9 10-17.5 P 451	W01-358-9376	15
9 10-17.5 P 452	W01-358-9947	52
9 10-17.5 P 454	W01-358-9936	52
9 10-17.5 P 467	W01-358-9472	71

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
9 10-17.5 P 475	W01-358-9943	52
9 10-17.5 P 501	W01-358-9470	71
9 10-17.5 P 502	W01-358-9471	71
9 10-17.5 P 519	W01-358-9373	54
9 10-17.5 P 519	W01-358-9373	54
9 10-17.5 P 520	W01-358-9297	53
9 10-17.5 P 521	W01-358-9371	54
9 10-17.5 P 548	W01-358-9935	51
9 10-17.5 P 550	W01-358-9647	55
9 10-17.5 P 551	W01-358-9649	55
9 10-17.5 P 731	W01-358-9966	50
9 10-17.5 P 732	W01-358-9947	52
9 10-17.5 P 733	W01-358-9223	47
9 10-17.5 P 779	W01-358-6258	74
9 10-17.5 P 831	W01-358-6262	64
9 10-17.5 P428	W01-358-9922	51
9 10-19 A 358	W01-358-9394	59
9 10-19 P 315	W01-358-9101	57
9 10-19 P 326	W01-358-9192	57
9 10-19 P 355	W01-358-9203	57
9 10-19 P 356	W01-358-9238	57
9 10-19 P 357	W01-358-9240	57
9 10-19 P 358	W01-358-9394	59
9 10-19 P 359	W01-358-9350	59
9 10-19 P 383	W01-358-9394	59
9 10-19 P 384	W01-358-9243	58
9 10-19 P 390	W01-358-9245	58
9 10-19 P 391	W01-358-9362	48
9 10-19 P 435	W01-358-9265	61
9 10-19 P 438	W01-358-9349	58
9 10-19 P 439	W01-358-9348	58
9 10-19 P 470	W01-358-9346	58
9 10-19 P 472	W01-358-8852	56
9 10-19 P 552	W01-358-8855	56
9 10-19 P 553	W01-358-8856	56

Cross References

1T & Convuluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
9 10-19 P 765	W01-358-8842	56
9 10-21 A 361	W01-358-9321	60
9 10-21 A 505	W01-358-9367	60
9 10-21 P 360	W01-358-9320	59
9 10-21 P 361	W01-358-9321	60
9 10-21 P 448	W01-358-9370	60
9 10-21 P 505	W01-358-9367	60
9 10-21 P 511	W01-358-9338	60
9 10B-17.5 A 323	W01-358-9275	71
9 10B-17.5 A 362	W01-358-9274	70
9 10B-17.5 P 554	W01-358-9491	72
9 10BP-16 P 569	W01-358-9644	64
9 10BP-20 P 738	W01-358-9646	64
9 10BP-22 P 739	W01-358-9645	65
9 10D-21 A 324	W01-358-9250	72
9 10D-21 A 363	W01-358-9252	73
9 10D-21 A 555	W01-358-9269	73
9 10S-16 A 382	W01-358-9780	75
9 10S-16 A 382	W01-358-9781	75
9 9-10 S 538	W01-358-9625	22
9 9-10 S 576	W01-358-9675	22
9 9-10 S 861	W01-358-9541	21
9 9-10 S 862	W01-358-9618	21
9 9-12 A 334	W01-358-9075	15
9 9-12 A 464	W01-358-8900	15
9 9-12 P 314	W01-358-9422	14
9 9-12 P 379	W01-358-9379	22
9 9-12 P 447	W01-358-9378	16
9 9-12 P 478	W01-358-9377	16
9 9-12 P 479	W01-358-9387	16
9 9-12 P 515	W01-358-9616	15
9 9-12 P 516	W01-358-9476	17
9 9-12 P 563	W01-358-9448	17
9 9-12 P 705	W01-358-9421	67
9 9-14 A 337	W01-358-9439	20

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
9 9-14 A 517	W01-358-8903	64
9 9-16 P 568	W01-358-9626	20
9 95-15 A 455	W01-358-8949	27
9 9-9 P 756	W01-358-9651	66
9 9-9 P 767	W01-358-5789	69
9 9-9 S 537	W01-358-9622	21
9 9-9 S 859	W01-358-9547	21
9 9-9 S 860	W01-358-9617	21
9 9B-20 P 740	W01-358-9621	22
9 9B-22 P 741	W01-358-9619	23
9 9K-12 P 780	W01-358-9681	24
9 9K-15 P 417	W01-358-9295	28
9 9K-15 P 424	W01-358-9293	27
9 9K-15 P423	W01-358-9294	27
9 9K-15 P425	W01-358-9291	27
9-10-12 P 485	W01-358-8932	35
9-10-14 A 490	W01-358-9336	42
10 10.5-15 P 460	W01-358-8709	80
10 10-15 P 453	W01-358-8751	77
10 10-15 S 518	W01-358-8752	77
10 10-15 S 522	W01-358-8755	77
10 10-15 S 711	W01-358-8710	82
10 10-15 S 711	W01-358-8756	78
10 10-15 S 713	W01-358-8753	77
10 10-16 S 533	W01-358-8713	81
10 10-21 P 486	W01-358-8749	79
10 10-21 P 494	W01-358-9580	82
10 1021 P 570	W01-358-8748	78
10 10-21 P 774	W01-358-8746	78
10 10B-13 S 513	W01-358-8729	79
10 10-15 S 773	W01-358-8740	77
10 10-16 S 526	W01-358-8708	81
11 10.5 17 A 377	W01-358-9144	86
11 10.5-15 A 414	W01-358-9215	84
11 10.5-15 A 415	W01-358-9200	83



1T & Convuluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
11 10.5-15 A 419	W01-358-8052	95
11 10.5-15 A 420	W01-358-9277	84
11 10.5-15 A 421	W01-358-9216	84
11 10.5-15 A 422	W01-358-9218	84
11 10.5-15 A 506	W01-358-9204	84
11 10.5-17 A 316	W01-358-9177	86
11 10.5-17 A 316	W01-358-9179	87
11 10.5-17 A 317	W01-358-9121	85
11 10.5-17 A 364	W01-358-9148	86
11 10.5-17 A 365	W01-358-9149	86
11 10.5-17 A 366	W01-358-9179	87
11 10.5-17 A 367	W01-358-9961	87
11 10.5-17 A 368	W01-358-9135	85
11 10.5-17 A 388	W01-358-9221	87
11 10.5-17 A 405	W01-358-9164	86
11 10.5-17 A 507	W01-358-8778	85
11 10.5-17 A 556	W01-358-9116	85
11 10.5-19 A 321	W01-358-9138	88
11 10.5-19 A 431	W01-358-9134	88
11 10.5-19 A 508	W01-358-8779	87
11 10.5-19 A 509	W01-358-8780	88
11 10.5-19 A 557	W01-358-8781	88
11 10.521 A 313	W01-358-8792	89
11 10.5-21 A 313	W01-358-9122	89
11 10.5-21 A 318	W01-358-9152	90
11 10.5-21 A 318	W01-358-9158	90
11 10.5-21 A 370	W01-358-9156	90
11 10.5-21 A 558	W01-358-9199	90
11 10.5-22 A 530	W01-358-5503	91
11 10.5-22 A 530	W01-358-5511	92
11 10.5-22 S 712	W01-358-9264	92
11 10.5-22 S 750	W01-358-5505	91
11 10.5A-16 P 523	W01-358-8053	95
11 10.5B-18 P743	W01-358-8088	83
11 10.5C-16 A 320	W01-358-8050	95

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
11 10.5C-16 A 380	W01-358-8051	95
11 10.5F-17 P 745	W01-358-8774	95
FD 120-20 509	W01-358-7325	118
FD 120-20 715	W01-358-7705	118
FD 200-19 310	W01-358-6902	104
FD 200-19 315	W01-358-6905	104
FD 200-19 319	W01-358-6900	103
FD 200-19 320	W01-358-6910	103
FD 200-19 362	W01-358-6908	105
FD 200-19 448	W01-358-6941	105
FD 200-19 450	W01-358-6940	105
FD 200-19 452	W01-358-6932	105
FD 200-19 452	W01-358-7686	106
FD 200-19 499	W01-358-6856	104
FD 200-19 499	W01-358-6935	105
FD 200-19 504	W01-358-6926	103
FD 200-19 505	W01-358-6897	104
FD 200-19 506	W01-358-6949	106
FD 200-19 539	W01-358-6890	103
FD 200-19 724	W01-358-6884	104
FD 200-22 524	W01-358-7795	106
FD 200-22 529	W01-358-6883	107
FD 200-22 706	W01-358-6886	107
FD 200-25 426	W01-358-6943	108
FD 200-25 427	W01-358-6945	108
FD 200-25 428	W01-358-6947	109
FD 200-25 429	W01-358-6948	109
FD 200-25 453	W01-358-6927	108
FD 200-25 454	W01-358-6944	108
FD 200-25 463	W01-358-6946	109
FD 200-25 507	W01-358-6960	109
FD 200-25 511	W01-358-6962	109
FD 330-22 313	W01-358-7400	113
FD 330-22 318	W01-358-7403	113
FD 330-22 327	W01-358-7424	115

Cross References

1T & Convoluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
FD 330-22 331	W01-358-7410	115
FD 330-22 334	W01-358-7437	115
FD 330-22 337	W01-358-7401	113
FD 330-22 343	W01-358-7429	115
FD 330-22 346	W01-358-7404	114
FD 330-22 363	W01-358-7180	112
FD 330-22 364	W01-358-7405	114
FD 330-22 366	W01-358-7408	114
FD 330-22 367	W01-358-7409	114
FD 330-22 368	W01-358-7423	115
FD 330-22 471	W01-358-7183	112
FD 330-22 472	W01-358-7181	112
FD 330-22 500	W01-358-7344	113
FD 330-22365	W01-358-7406	114
FD 330-30 323	W01-358-7443	116
FD 330-30 340	W01-358-7447	116
FD 330-30 369	W01-358-7444	116
FD 330-30 370	W01-358-7446	116
FD 330-30 371	W01-358-7472	121
FD 330-30 372	W01-358-7473	117
FD 330-30 373	W01-358-7483	117
FD 330-30 502	W01-358-7499	117
FD 330-30 512	W01-358-6789	116
FD 330-30-513	W01-358-7790	117
FD 331-26 480	W01-358-7555	121
FD 331-26 514	W01-358-7545	122
FD 331-26 541	W01-358-7550	121
FD 530-22 311	W01-358-7135	110
FD 530-22 316	W01-358-7140	110
FD 530-22 321	W01-358-7136	110
FD 530-22 342	W01-358-7146	111
FD 530-22 345	W01-358-7123	110
FD 530-22 374	W01-358-7145	111
FD 530-30 449	W01-358-6803	111
FD 530-30 451	W01-358-6801	110

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
FD 530-30 518	W01-358-6800	111
FD 530-30 519	W01-358-6808	112
FD 530-30 532	W01-358-6805	112
FD 530-35 530	W01-358-7557	122
FD 530-35 543	W01-358-6799	122
FD 530-35-510	W01-358-7788	106
FD 530-35-544	W01-358-7782	122
FD 530-35-545	W01-358-7781	122
FS 330-11 467	W01-358-6994	100
FS 330-11 468	W01-358-7009	100
FS 330-11 474	W01-358-7008	100
FS 530-14 339	W01-358-7112	102
FS 530-14 442	W01-358-7103	100
FS 530-14 446	W01-358-7104	101
FS 530-14 447	W01-358-7105	101
FS 530-14 515	W01-358-7093	101
FS 530-14 516	W01-358-7096	102
FS 530-14 517	W01-358-7088	101
FS 530-14 538	W01-358-7094	101
FT 330-29 430	W01-358-8006	125
FT 330-29 431	W01-358-8008	125
FT 330-29 432	W01-358-8010	125
FT 330-29 433	W01-358-8016	126
FT 330-29 466	W01-358-8027	126
FT 330-29 469	W01-358-8025	126
FT 330-29 494	W01-358-8018	126
FT 330-29 498	W01-358-8030	127
FT 330-29 525	W01-358-8033	127
FT 330-29 546	W01-358-7994	124
FT 330-29 547	W01-358-7995	124
FT 330-29 548	W01-358-7998	125
FT 530-32 325	W01-358-7818	129
FT 530-32 329	W01-358-7798	129
FT 530-32 336	W01-358-7808	129
FT 530-32 535	W01-358-7797	128



1T & Convuluted Contitech Assembly Number to Firestone

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
FT 530-32 536	W01-358-7796	128
FT 530-32-333	W01-358-7800	129
FT 530-35 436	W01-358-7838	130
FT 530-35 437	W01-358-7839	130
FT 530-35 438	W01-358-7844	131
FT 530-35 439	W01-358-7848	131
FT 530-35 441	W01-358-7850	132
FT 530-35 455	W01-358-7843	130
FT 530-35 456	W01-358-7846	131
FT 530-35 457	W01-358-7847	131
FT 530-35 521	W01-358-7845	131
FT 530-35 522	W01-358-7855	132
FT 530-35 523	W01-358-7859	132
FT 530-35 534	W01-358-7862	132
FT 530-35 537	W01-358-7853	132

CONTI PART NO.	FIRESTONE PART NO.	PAGE NO.
FT330-29413	W01-358-8032	127
SK 68-10 P01	W21-760-9001	156
SK 68-15 P01	W21-760-9000	155
SZ 70-5060 P02	W02-358-7046	138
SZ 70-5067	W01-358-9651	66
SZ 70-5075 P02	W02-358-7100	140
SZ 70-7065 P02	W02-358-7092	154
SZ 70-7077	W02-358-7075	147
SZ 70-7077 P02	W02-358-7103	147
SZ 70-8077	W02-358-7064	151
SZ 70-8082	W02-358-7082	152
SZ 70-9065 P02	W02-358-7152	153
SZ 70-9087	W02-358-7092	154
SZ70-8077 P02	W02-358-7108	151

Cross References

1T & Convoluted Bellows Index by Bellows Number

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE	
1T-STYLE BELLOWS	#N/A
1T14C-1	7, 8
1T14C-3	8 - 10
1T14C-5	10, 11
1T14C-6	11
1T14C-7	12
1T14C-8	12
1T14CB-1	12, 13
1T14CP-3	#N/A
1T14F-2 (Replaced by 1T14C-1)	#N/A
1T14F-4 (Replaced by 1T14C-3)	#N/A
1T14F-8 (Replaced by 1T14C-7)	#N/A
1T15A (Replaced by 1T15M-0)	#N/A
1T15A-3 (Replaced by 1T15M-2)	#N/A
1T15AA-3 (Replaced by 1T15LP-3)	#N/A
1T15AA-6 (Replaced by 1T15LP-6)	#N/A
1T15AB-7 (Replaced by 1T15MPW-7)	#N/A
1T15AE-5 (Replaced by 1T15LP-5)	#N/A
1T15AF-6 (Replaced by 1T15SN-6)	#N/A
1T15AG-9 (Replaced by 1T15MM-9)	#N/A
1T15B (Replaced by 1T15L-2)	#N/A
1T15B-2 (Replaced by 1T15L-2 or 1T15S-5)	#N/A
1T15B-3 (Replaced by 1T15S-6)	#N/A
1T15CCR-6	14
1T15DR-5.5	#N/A
1T15K-0 (Replaced by 1T15M-0)	#N/A
1T15K-1 (Replaced by 1T15M-6)	#N/A
1T15K-2 (Replaced by 1T15M-9)	#N/A
1T15K-4 (Replaced by 1T15M-4)	#N/A
1T15KW-(-1) (Replaced by 1T15LA-(-1))	#N/A
1T15KW-0 (Replaced by 1T15LA-0)	#N/A
1T15KW-1.5 (Replaced by 1T15L-1.5)	#N/A
1T15L-0.5	#N/A

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE cont.	
1T15L-1.5	14, 15
1T15L-2	15 - 18
1T15L-2.5X (Replaced by 1T15LC-2.5)	#N/A
1T15L-3	18
1T15L-4	18 - 20
1T15L-6	20
1T15L-8X (Replaced by 1T15M-6)	#N/A
1T15L-9	20
1T15LA-(-1)	21
1T15LA-0	21, 22
1T15LB-10	22
1T15LC-12	23
1T15LC-2.5	22, 23
1T15LC-4.5	23
1T15LP-2	24
1T15LP-3	24 - 27
1T15LP-5	27, 28
1T15LP-6	28
1T15M-0	28 - 31
1T15M-0.5	32
1T15M-11	59 - 61
1T15M-2	32 - 38
1T15M-3 (Replaced by 1T15MT-3)	#N/A
1T15M-4	38 - 44
1T15M-6	44 - 50
1T15M-7 (Replaced by 1T15M-7.5)	#N/A
1T15M-7.5	50 - 53
1T15M-8 (Replaced by 1T15M-7.5)	#N/A
1T15M-9	56 - 59
1T15MBTW-10	64
1T15MBTW-12	65
1T15MBTW-6	64
1T15MJ-6	61
1T15MLW-7	63

1T & Convuluted Bellows Index by Bellows Number

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE cont.	
1T15MM-5 (Replaced by 1T15MW-6)	#N/A
1T15MM-9	61
1T15MN-7 (Replaced by 1T15M-7.5)	#N/A
1T15MP-7	#N/A
1T15MPW-6	#N/A
1T15MPW-7	63, 64
1T15MR-2	62
1T15MT-3	62
1T15MT-6	63
1T15MT-8	#N/A
1T15MT-9	#N/A
1T15MW-10 (Replaced by 1T15MM-9)	#N/A
1T15MW-6	63
1T15S-5	65
1T15S-6 (Replaced by 1T15LP-3)	#N/A
1T15SN-3	65
1T15SN-6	66
1T15T-1	66
1T15T-2	67
1T15TM-1	67
1T15TQ-1	68, 69
1T15TQ-5	#N/A
1T15V-1	70
1T15V-11	72, 73
1T15V-3	70
1T15V-8	70 - 72
1T15VL-9 (Replaced by 1T15M-2)	#N/A
1T15VLT-10.5 (Replaced by 1T17CL-9.5)	#N/A
1T15VM-3.5 (Replaced by 1T15VP-4)	#N/A
1T15VM-4 (Replaced by 1T15VP-4)	#N/A
1T15VM-8	#N/A
1T15VMR-8	#N/A
1T15VMW-8	74

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE cont.	
1T15VP-4	73
1T15X-1 (Replaced by 1T15M-7.5)	#N/A
1T15XBZR-7.5	#N/A
1T15XMR-7	74
1T15XNR-5	74
1T15XR-9	74
1T15Y-1 (Replaced by 1T15TQ-1)	#N/A
1T15Y-5 (Replaced by 1T15TQ-5)	#N/A
1T15ZR-3 (use 1T15MT-3)	#N/A
1T15ZR-6	75
1T17AZR-4.5	76
1T15AEZR-5	#N/A
1T17B-11	78, 79
1T17B-5	76 - 78
1T17BB-2	79
1T17BP-4	#N/A
1T17BP-17	79
1T17C-3	79, 80
1T17C-6	#N/A
1T17C-6.5	#N/A
1T17C-8	80
1T17CA-3	80
1T17CA-5	80
1T17CA-6	81
1T17CA-6.5	81
1T17CD-3	81
1T17CL-5	82
1T17CL-9.5	82
1T19E-1 (Replaced by 1T19F-7)	#N/A
1T19E-2 (Replaced by 1T19F-11)	#N/A
1T19F-11	#N/A
1T19F-12	#N/A
1T19F-14	#N/A
1T19F-16	#N/A

Cross References

1T & Convoluted Bellows Index by Bellows Number

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE cont.	
1T19F-3	#N/A
1T19F-5	#N/A
1T19F-7	#N/A
1T19F-9	#N/A
1T19FC-5	#N/A
1T19FC-6	#N/A
1T19FC-8	#N/A
1T19L-11	89 - 91
1T19L-12	91, 92
1T19L-14	92, 93
1T19L-16	93
1T19L-3	82, 83
1T19L-5	83, 84
1T19L-7	85 - 87
1T19L-9	87, 88
1T19LC-5	93, 94
1T19LC-6	94
1T19LC-8	94
1T19G-8	#N/A
1T19J-1	82
1T19J-6 (can be 1T19ZK-5.7)	#N/A
1T19LC-11	#N/A
1T19LE-8	94
1T19LE-12	94
1T19LF-7	95
1T19N-9	#N/A
1T19ZK-5.7	95
1T19ZK-6.7	#N/A
1T26D-7	#N/A
1T30E-1 (Replaced by 1T19F-7)	#N/A
1T60BA-326	#N/A
1T66E-11.8 (Replaced by 1T66G-11.8)	#N/A
1T66G-11.8	#N/A
1T66G-19.8	#N/A

BELLOW NO.	PAGE NO.
SINGLE CONVOLUTED	
113-1x88-1 (Obsolete No replacement)	#N/A
19	100
19-.75	100
113	100, 101
113-.5	101
113-1	101, 102
126	102
150	103
DOUBLE CONVOLUTED	
20	103 - 106
20-1	107
20-2	107 - 109
21	110, 111
21-2	110, 112
22	112 - 115
22-1.5	116, 117
25 (Replaced by 268C)	#N/A
26	117, 118
28	118, 119
29	119
201	119
203	119
205	120
215	120
218	120
224	120, 121
228-1.5	121, 122
233-2	122
252	123
255-1.5 (Replaced by 267-1.5)	#N/A
256-2	123
257	#N/A
257-1	#N/A

1T & Convoluted Bellows Index by Bellows Number

BELLOW NO.	PAGE NO.
DOUBLE CONVOLUTED cont.	
264	123
267-1.5	123
TRIPLE CONVOLUTED	
38	124 - 127
39	127
312	128
313	128, 129

BELLOW NO.	PAGE NO.
TRIPLE CONVOLUTED cont.	
320	129
321	130
323	130
333	130 - 133
352	133
354	134

Cross References

1T & Convoluted Bellows Index by Size

BELLOW NO.	PAGE NO.
1T-REVERSIBLE SLEEVE	
6.31" DIA. BEAD PLATE, 6.62" MOLDED DIA.	
1T14C-1	7, 8
1T14C-3	8 - 10
1T14C-5	10, 11
1T14C-6	11
1T14C-7	12
1T14C-8	12
9.00" DIA. BEAD PLATE, 7.75" MOLDED DIA.	
1T15S-5 or 1T15AA-3	13, 65
1T15S-6 or 1T15AA-3	13, 65
1T15SN-3	65
1T15SN-6	66
1T15T-1	66
1T15TM-1	67
1T15TQ-1	68, 69
1T15T-2	67
9.00" DIA. BEAD PLATE, 9.12" MOLDED DIA.	
1T15AA-3	13
1T15AA-6	14
1T15LA-(-1) 1T15KW- (-1)	21
1T15LA-0 1T15KW-0	21, 22
1T15-L-1.5	#N/A
1T15L-1.5	14, 15
1T15LP-1.5	23
1T15L-2	15 - 18
1T15LP-2	24
1T15LC-2.5	22, 23
1T15L-3	18
1T15L-4	18 - 20
1T15LC-4.5	23
1T15LP-5	27, 28
1T15L-6	20
1T15LP-6	28
1T15L-9	20

BELLOW NO.	PAGE NO.
9.00" DIA. BEAD PLATE, 9.12" MOLDED DIA.	
1T15LB-10	22
1T15LC-12	23
9.00" DIA. BEAD PLATE, 10.12" MOLDED DIA.	
1T15M-0	28 - 31
1T15M-2	32 - 38
1T15MR-2	62
1T15MT-3	62
1T15M-4	38 - 44
1T15M-6	44 - 50
1T15MBTW-6	64
1T15MJ-6	61
1T15MT-6	63
1T15MW-6	63
1T15MLW-7	63
1T15M-7.5	50 - 53
1T15M-8	53 - 55
1T15M-9	56 - 59
1T15MM-9	61
1T15MBTW-10	64
1T15M-11	59 - 61
1T15MBTW-12	65
1T15V-1	70
1T15V-3	70
1T15VP-4	73
1T15V-8	70 - 72
1T15VMW-8	74
1T15V-11	72, 73
9.00" DIA. BEAD PLATE, 10.62" MOLDED DIA.	
1T15ZR-6	75
10.38" DIA. BEAD PLATE, 10.12" MOLDED DIA.	
1T17AZR-4.5	76
1T17AEZR-5	76
1T17BB-2	79
1T17B-5	76 - 78

Firestone

1T & Convoluted Bellows Index by Size

BELLOW NO.	PAGE NO.
10.38" DIA. BEAD PLATE, 10.12" MOLDED DIA.	
1T17B-11	78, 79
1T17BP-17	79
1T17C-3	79, 80
1T17CA-3	80
1T17CD-3	81
1T17CA-5	80
1T17CL-5	82
1T17CA-6	81
1T17CA-6.5	81
1T17C-8	80
1T17CL-9.5	82
11.31" DIA. BEAD PLATE, 10.62" MOLDED DIA.	
1T19F-3 or 1T19L-3	82, 83
1T19F-5 or 1T19L-5	83, 84
1T19L-5	83, 84
1T19LC-5	93, 94
1T19FC-6 or 1T19LC-6	94
1T19LF-7	95
1T19F-7 or 1T19L-7	85 - 87
1T19FC-8 or 1T19LC-8	94
1T19LE-8	94
1T19F-9 or 1T19L-9	87, 88
1T19F-11 or 1T19L-11	89 - 91
1T19F-12 or 1T19L-12	91, 92
1T19F-14 or 1T19L-14	92, 93
1T19F-16 or 1T19L-16	93
1T19LE-8	94
1T19J-1	82
1T19N-9 or 1T19L-9	87, 88
1T19ZK-5.7	95
12.21" DIA. BEAD PLATE, 12.62" MOLDED DIA.	
1T66E-11.8	96

BELLOW NO.	PAGE NO.
SINGLE CONVOLUTED	
11.31" DIA. BEAD PLATE, 14.12" MOLDED DIA.	
113-1X88-1	#N/A
9.00" DIA. BEAD PLATE, 12.00" MOLDED DIA.	
19	100
19-.75	100
11.31" DIA. BEAD PLATE, 14.12" MOLDED DIA.	
113	100, 101
113-.5	101
113-1	101, 102
19.00" DIA. BEAD PLATE, 21.50" MOLDED DIA.	
126	102
6.31" DIA. BEAD PLATE, 8.88" MOLDED DIA.	
150	103
DOUBLE CONVOLUTED	
4.5" DIA. BEAD PLATE, 5.75" MOLDED DIA.	
25	#N/A
255-1.5	#N/A
5.31" DIA. BEAD PLATE, 7.25" MOLDED DIA.	
224	120, 121
264	123
5.31" DIA. BEAD PLATE, 7.44" MOLDED DIA.	
26	117, 118
6.31" DIA. BEAD PLATE, 8.88" MOLDED DIA.	
20	103 - 106
20-1	107
20-2	107 - 109
9.00" DIA. BEAD PLATE, 12.00" MOLDED DIA.	
22	112 - 115
22-1.5	116, 117
228-1.5	121, 122
228-1.5	121, 122
10.38" DIA. BEAD PLATE, 12.00" MOLDED DIA.	
252	123

Cross References

1T & Convuluted Bellows Index by Size

BELLOW NO.	PAGE NO.
11.31" DIA. BEAD PLATE, 14.5" MOLDED DIA.	
21	110, 111
205	120
21-2	110, 112
233-2	122
256-2	123
13.79" DIA. BEAD PLATE, 16.00" MOLDED DIA.	
28	118, 119
15.13" DIA. BEAD PLATE, 16.00" MOLDED DIA.	
201	119
17.75" DIA. BEAD PLATE, 19.5" MOLDED DIA.	
203	119
16.5" DIA. BEAD PLATE, 19.5" MOLDED DIA.	
203	119
17.75" DIA. BEAD PLATE, 19.5" MOLDED DIA.	
218	120
19.00" DIA. BEAD PLATE, 21.5" MOLDED DIA.	
29	119
25.13" DIA. BEAD PLATE, 26.3" MOLDED DIA.	
215	120

BELLOW NO.	PAGE NO.
TRIPLE CONVULUTED	
9.00" DIA. BEAD PLATE, 11.7" MOLDED DIA.	
38	124 - 127
354	134
10.38" DIA. BEAD PLATE, 11.7" MOLDED DIA.	
352	133
352	133
11.31" DIA. BEAD PLATE, 14.5" MOLDED DIA.	
39	127
313	128, 129
333	130 - 133
13.79" DIA. BEAD PLATE, 16.00" MOLDED DIA.	
312	128
15.13" DIA. BEAD PLATE, 16.00" MOLDED DIA.	
312	128
16.5" DIA. BEAD PLATE, 19.5" MOLDED DIA.	
323	130
19.00" DIA. BEAD PLATE, 21.5" MOLDED DIA.	
320	129
25.13" DIA. BEAD PLATE, 26.3" MOLDED DIA.	
321	130

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
3819	1T19G-9	Aluminum		NAD-19654	1T19F-3 or 1T19L-3	82, 83
3822	1T15M-2	Aluminum		NBD-10378	1T15M-2	32 - 38
3853	1T15M-9	Aluminum		NBD-14153	1T15M-11	59 - 61
3882	1T17CA-5	Steel		NAD-31635	1T17CA-6	81
3894	1T19G-5	Aluminum	WC1-M58-1653	NAD-34318	1T19LC-5	93, 94
8789	1T15S-6	Plastic	N/A	NBD-8881	1T15S-6 or 1T15AA-3	13, 65
9505	1T15T-0	Plastic	WC1-358-1642	NBD-14537	1T15TM-1	67
9505	1T15T-0	Plastic	WC1-358-1642	NBD-14537	1T15TQ-1	68, 69
9505	1T15T-0	Plastic	WC1-358-1642	NBD-14537	1T15T-2	67
9505	1T15T-0	Plastic	WC1-358-1642	NBD-14537	1T15T-1	66
9505	1T15T-0	Plastic	WC1-358-1642	NBD-14537	1T15TM-1	67
9508	1T14C-1	Plastic	WC1-358-0754	NBD-10441	1T14CB-1	12, 13
9508	1T14C-1	Plastic	WC1-358-0754	NBD-10441	1T14C-3	8 - 10
9525	1T17B-6	Plastic	WC1-358-1609	NAD-26906	1T17CA-5	80
9525	1T17B-6	Plastic	WC1-358-1609	NAD-26906	1T17B-5	76 - 78
9527	1T15ZR-6	Plastic	WC1-358-1627	NAD-27265	1T15ZR-6	75
9528	1T15V-1	Plastic	WC1-358-0667	NBD-14404	1T17C-3	79, 80
9528	1T15V-1	Plastic	WC1-358-0667	NBD-14404	1T15M-2	32 - 38
9528	1T15V-1	Plastic	WC1-358-0667	NBD-14404	1T15V-1	70
9528	1T15V-1	Plastic	WC1-358-0667	NBD-14404	1T15V-3	70
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-6	44 - 50
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-9	56 - 59
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-7.5	50 - 53
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-2	32 - 38
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-6	44 - 50
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-6	44 - 50
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15M-7.5	50 - 53
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15V-8	70 - 72
9530	1T15M-6	Plastic	WC1-358-9452	NAD-27809	1T15L-9	20
9531	1T15MP-6	Plastic	WC1-358-1626	NAD-28197	1T15M-9	56 - 59
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T17B-11	78, 79
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-4	38 - 44
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-9	56 - 59
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15MPW-7	63, 64

Cross References

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-6	44 - 50
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-9	56 - 59
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15LP-5	27, 28
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-2	32 - 38
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-6	44 - 50
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15V-8	70 - 72
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-6	44 - 50
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15L-9	20
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15LB-10	22
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15L-6	20
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15MBTW-6	64
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15MBTW-10	64
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-4	38 - 44
9532	1T15M-6	Plastic	WC1-358-1619	NAD-29827	1T15M-7.5	50 - 53
9533	1T17BB-2	Plastic	WC1-358-1644	NAD-30515	1T17CD-3	81
9533	1T17BB-2	Plastic	WC1-358-1644	NAD-30515	1T17BB-2	79
9534	1T15S-6	Plastic	N/A	NAD-29634	1T15S-6 or 1T15AA-3	13, 65
9534	1T15S-6	Plastic	N/A	NAD-29634	1T15S-5 or 1T15AA-3	13, 65
9534	1T15S-6	Plastic	N/A	NAD-29634	1T15AA-3	13
9535	1T15S-6	Aluminum	N/A	NAD-29592	1T15SN-3	65
9535	1T15S-6	Plastic	N/A	NAD-29592	1T15S-6 or 1T15AA-3	13, 65
9535	1T15S-6	Plastic	N/A	NAD-29592	1T15SN-6	66
9535	1T15S-6	Plastic	N/A	NAD-29592	1T15AA-3	13
9535	1T15S-6	Plastic	N/A	NAD-29592	1T15S-6 or 1T15AA-3	13, 65
9536	1T15S-6	Plastic	WC1-358-0755	NAD-29594	1T15AA-6	14
9536	1T15S-6	Plastic	WC1-358-0755	NAD-29594	1T15S-6 or 1T15AA-3	13, 65
9536	1T15S-6	Plastic	WC1-358-0755	NAD-29594	1T15S-6 or 1T15AA-3	13, 65
9536	1T15S-6	Plastic	WC1-358-0755	NAD-29594	1T15AA-3	13
9537	1T17B-7	Plastic	WC1-358-1637	NAD-29798	1T17CA-6.5	81
9538	1T15M-6	Plastic	WC1-358-1628	NAD-27740	1T15M-6	44 - 50
9538	1T15M-6	Plastic	WC1-358-1628	NAD-27740	1T15M-8	53 - 55
9538	1T15M-6	Plastic	WC1-358-1628	NAD-27740	1T15MT-6	63

Firestone

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9538	1T15M-6	Plastic	WC1-358-1628	NAD-27740	1T15M-8	53 - 55
9538	1T15M-6	Plastic	WC1-358-1628	NAD-27740	1T15MPW-7	63, 64
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T17B-11	78, 79
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29825	1T15LP-5	27, 28
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15M-6	44 - 50
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15M-9	56 - 59
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29848	1T15M-11	59 - 61
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15V-8	70 - 72
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15LC-12	23
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15MBTW-12	65
9540	1T15M-9	Plastic	WC1-358-0664	NAD-29828	1T15M-7.5	50 - 53
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-4	38 - 44
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-6	44 - 50
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15LP-5	27, 28
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-2	32 - 38
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15V-8	70 - 72
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-4	38 - 44
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-7.5	50 - 53
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15M-7.5	50 - 53
9544	1T15M-4	Plastic	WC1-358-0666	NAD-29826	1T15MPW-7	63, 64
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15M-2	32 - 38
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15M-4	38 - 44
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15L-2	15 - 18
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15L-4	18 - 20
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15LP-5	27, 28
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15LP-2	24
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15M-4	38 - 44
9549	1T15M-2	Plastic	WC1-358-1616	NAD-29454	1T15M-2	32 - 38
9550	1T15M-2	Plastic	WC1-358-1652	NAD-29456	1T15MT-3	62
9550	1T15M-2	Plastic	WC1-358-1652	NAD-29456	1T15MT-3	62
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-6	44 - 50
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-9	56 - 59
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-11	59 - 61
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-9	56 - 59
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-11	59 - 61

Cross References

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-6	44 - 50
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-9	56 - 59
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15V-8	70 - 72
9553	1T15M-9	Plastic	WC1-358-9453	NAD-29467	1T15M-11	59 - 61
9555	1T14C-1	Plastic	WC1-358-0609	NBD-10500	1T14C-1	7, 8
9555	1T14C-1	Plastic	WC1-358-0609	NBD-10500	1T14CB-1	12, 13
9557	1T15MP-6	Plastic	WC1-358-1654	NAD-31181	1T15VMW-8	74
9557	1T15MP-6	Plastic	WC1-358-6262	NAD-31181	1T15MPW-7	63, 64
9560	1T15M-6	Plastic	WC1-358-1620	NAD-32768	1T15M-6	44 - 50
9560	1T15M-6	Plastic	WC1-358-1620	NAD-32768	1T15M-6	44 - 50
9560	1T15M-6	Plastic	WC1-358-1620	NAD-32768	1T15M-8	53 - 55
9561	1T15M-6	Plastic	WC1-358-1606	NAD-32767	1T15MT-6	63
9561	1T15M-6	Plastic	WC1-358-1606	NAD-32767	1T15M-8	53 - 55
9562	1T19L-9	Plastic	WC1-358-1651	NAD-33610	1T19L-11	89 - 91
9563	1T15M-6	Plastic	N/A	NAD-34178	1T15M-7.5	50 - 53
9569	1T15KW-0	Plastic	WC1-358-1629	NAD-27754	1T15M-0.5	32
9569	1T15KW-0	Plastic	WC1-358-1629	NAD-27754	1T15LA-0 1T15KW-0	21, 22
9569	1T15KW-0	Plastic	WC1-358-1629	NAD-27754	1T15LA-(-1) 1T15KW-(-1)	21
9569	1T15KW-0	Plastic	WC1-358-1629	NAD-27754	1T15LP-2	24
9569	1T15KW-0	Plastic	WC1-358-1629	NAD-27754	1T15LA-0 1T15KW-0	21, 22
9570	1T15KW-1.5	Plastic	WC1-358-0647	NAD-18162	1T15M-0	28 - 31
9570	1T15KW-1.5	Plastic	WC1-358-0647	NAD-18162	1T15L-1.5	14, 15
9571	1T15KW-1.5	Plastic	WC1-358-0646	NAD-18130	1T15M-2	32 - 38
9571	1T15KW-1.5	Plastic	WC1-358-0646	NAD-18130	1T15M-0	28 - 31
9571	1T15KW-1.5	Plastic	WC1-358-0646	NAD-18130	1T15L-2	15 - 18
9571	1T15KW-1.5	Plastic	WC1-358-0646	NAD-18130	1T15L-1.5 1T15KW-1.5	#N/A
9571	1T15KW-1.5	Plastic	WC1-358-0646	NAD-18130	1T15T-1	66
9572	1T15KW-1.5	Plastic	N/A	NAD-18161	1T15L-1.5	#N/A
9572	1T15KW-1.5	Plastic	N/A	NAD-18161	1T15M-0	28 - 31
9572	1T15KW-1.5	Plastic	N/A	NAD-18161	1T15L-2	15 - 18
9572	1T15KW-1.5	Plastic	N/A	NAD-18161	1T15LP-2	24
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-2	32 - 38
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-4	38 - 44

Firestone

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-4	38 - 44
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-0	28 - 31
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15L-3	18
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15LP-5	27, 28
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-0.5	32
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-4	38 - 44
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-2	32 - 38
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15L-2	15 - 18
9573	1T15KW-1.5	Plastic	WC1-358-1634	NAD-18162	1T15M-2	32 - 38
9575	1T66E-11	Plastic	N/A	NAD-26944	1T66E-11.8	96
9579	1T19F-9	Plastic	WC1-358-1679	NAD-19969	1T19N-9 or 1T19L-9	87, 88
9580	1T19F-11	Plastic	WC1-358-0528	NAD-27909	1T19F-12 or 1T19L-12	91, 92
9580	1T19F-11	Plastic	WC1-358-0528	NAD-27909	1T19LC-11	#N/A
9580	1T19F-11	Plastic	WC1-358-0528	NAD-27909	1T19F-9 or 1T19L-9	87, 88
9580	1T19F-11	Plastic	WC1-358-0528	NAD-27909	1T19F-11 or 1T19L-11	89 - 91
9580	1T19F-11	Plastic	WC1-358-0528	NAD-27909	1T19F-7 or 1T19L-7	#N/A
9594	1T19LC-5	Plastic	WC1-358-1614	NAD-28384	1T19FC-6 or 1T19LC-6	94
9594	1T19LC-5	Plastic	WC1-358-1614	NAD-28384	1T19FC-8 or 1T19LC-8	94
9594	1T19LC-5	Plastic	WC1-358-1614	NAD-28384	1T19LF-7	95
9596	1T15S-6	Plastic	N/A	NAD-31791	1T15AA-3	13
9602	1T15V-5	Aluminum	WC1-358-1613	NAD-28351	1T17B-5	76 - 78
9602	1T15V-5	Aluminum	WC1-358-1613	NAD-28351	1T15VP-4	73
9603	1T15V-5	Plastic	WC1-358-1635	NAD-29630	1T17C-3	79, 80
9603	1T15V-5	Aluminum	WC1-358-1635	NAD-29630	1T17B-5	76 - 78
9603	1T15V-5	Aluminum	WC1-358-1635	NAD-29630	1T17C-3	79, 80
9603	1T15V-5	Aluminum	WC1-358-1635	NAD-29630	1T17C-6.5	#N/A
9603	1T15V-5	Aluminum	WC1-358-1635	NAD-29630	1T17B-5	76 - 78
9604	1T15ZR-6	Aluminum	WC1-358-1624	NAD-30174	1T15ZR-6	75
9642	1T19F-9	Aluminum	N/A	NAD-33001	1T19F-11 or 1T19L-11	89 - 91
9644	1T19ZR-6.2	Steel	N/A	NAD-31862	1T19ZK-5.7	95

Cross References

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9645	1T15CCR-6	Steel	N/A	NAD-31622	1T15AA-6	14
9646	1T17B17	Steel	N/A	NAD-31215	1T17BP-17	79
9648	1T17B-4	Steel	WC1-358-1649	NAD-31288	1T17CA-3	80
9651	1T14C-3	Aluminum	WC1-358-9095	NBD-11498	1T14C-1	7, 8
9651	1T14C-3	Aluminum	WC1-358-9095	NBD-11498	1T14C-3	8 - 10
9651	1T14C-3	Aluminum	WC1-358-9095	NBD-11498	1T14C-5	10, 11
9651	1T14C-3	Aluminum	WC1-358-9095	NBD-11498	1T14CB-1	12, 13
9653	1T15M-9	Aluminum	WC1-358-9453	NBD-10437	1T15M-11	59 - 61
9654	1T15M-0	Aluminum	WC1-358-0663	NBD-10438	1T15L-2	15 - 18
9654	1T15M-0	Aluminum	WC1-358-0663	NBD-10438	1T15M-0	28 - 31
9654	1T15M-0	Aluminum	WC1-358-0663	NBD-10438	1T15L-2	15 - 18
9654	1T15M-0	Aluminum	WC1-358-0663	NBD-10438	1T15T-1	66
9655	1T15M-0	Aluminum	WC1-358-9454	NBD-10439	1T15M-0	28 - 31
9655	1T15M-0	Aluminum	WC1-358-9454	NBD-10439	1T15M-0	28 - 31
9655	1T15M-0	Aluminum	WC1-358-9454	NBD-10439	1T15M-0	28 - 31
9655	1T15M-0	Aluminum	WC1-358-9454	NBD-10439	1T15TM-1	67
9655	1T15M-0	Aluminum	WC1-358-9454	NBD-10439	1T15L-2	15 - 18
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15M-4	38 - 44
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15LP-2	24
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15M-2	32 - 38
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15M-4	38 - 44
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15L-4	18 - 20
9656	1T15M-2	Aluminum	WC1-358-0652	NBD-10267	1T15M-4	38 - 44
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-5 or 1T19L-5	83, 84
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-7 or 1T19L-7	85 - 87
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-9 or 1T19L-9	87, 88
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-7	#N/A
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-5 or 1T19L-5	83, 84
9657	1T19E-1	Aluminum	WC1-358-9450	NAD-18101	1T19F-7 or 1T19L-7	85 - 87
9658	1T19E-2	Aluminum	WC1-358-1640	NAD-18102	1T19F-11 or 1T19L-11	89 - 91
9659	1T15T-3	Aluminum	WC1-358-0683	NBD-10472	1T15LP-1.5	23
9659	1T15T-3	Aluminum	WC1-358-0683	NBD-10472	1T15L-4	18 - 20

Firestone

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9659	1T15T-3	Aluminum	WC1-358-0683	NBD-10472	1T15L-2	15 - 18
9659	1T15T-3	Aluminum	WC1-358-0683	NBD-10472	1T15L-2	15 - 18
9663	1T15L-2	Aluminum	N/A	NBD-12639	1T15LC-2.5	22, 23
9663	1T15L-2	Aluminum	N/A	NBD-12639	1T15LC-4.5	23
9666	1T19G-9	Aluminum	N/A	NAD-19631	1T19LE-12	94
9666	1T19G-9	Aluminum	N/A	NAD-19631	1T19LE-8	94
9669	1T19F-12	Aluminum	WC1-358-1602	NAD-26291	1T19F-12 or 1T19L-12	91, 92
9669	1T19F-12	Aluminum	WC1-358-1602	NAD-26291	1T19F-14 or 1T19L-14	92, 93
9669	1T19F-12	Aluminum	WC1-358-1602	NAD-26291	1T19F-16 or 1T19L-16	93
9671	1T17AZF	Steel	N/A	NAD-32590	1T17AEZR-5	76
9671	1T17AZF	Steel	N/A	NAD-32590	1T17AZR-4.5	76
9676	1T15ZR-6	Steel	N/A	NAD-31612	1T15ZR-6	75
9677	1T19E-2	Steel	N/A	NAD-32770	1T19F-11 or 1T19L-11	89 - 91
9681	1T15Y-1	Aluminum	WC1-358-1612	NBD-14213	1T15TQ-1	68, 69
9689	1T15V-11	Aluminum	WC1-358-1607	NAD-28838	1T17CL-9.5	82
9690	1T15V-11	Aluminum	N/A	NAD-28840	1T17C-8	80
9691	1T15L-4	Aluminum	WC1-358-0606	NBD-14503	1T15L-4	18 - 20
9694	1T15MM-9	Aluminum	WC1-358-1694	NAD-25396	1T15MLW-7	63
9694	1T15MM-9	Aluminum	WC1-358-1694	NAD-25396	1T15LP-6	28
9694	1T15MM-9	Aluminum	WC1-358-1694	NAD-25396	1T15MM-9	61
9694	1T15MM-9	Aluminum	WC1-358-1694	NAD-25396	1T15MW-6	63
9696	1T15M-7.5	Aluminum	WC1-358-1636	NBD-14366	1T15M-7.5	50 - 53
9702	1T15M-2	Aluminum	WC1-358-1608	NAD-27357	1T15MT-3	62
9708	1T14C-1	Aluminum	WC1-358-0600	NBD-8626	1T14C-1	7, 8
9708	1T14C-1	Aluminum	WC1-358-0600	NBD-8626	1T14C-1 or 1T14F-2	7, 8
9708	1T14C-1	Aluminum	WC1-358-0600	NBD-8626	1T14C-3 or 1T14F-4	8 - 10
9708	1T14C-1	Aluminum	WC1-358-0600	NBD-8626	1T14C-3	8 - 10
9708	1T14C-1	Aluminum	WC1-358-0600	NBD-8626	1T14C-7 or 1T14F-8	12
9727	1T15M-4	Aluminum	WC1-358-0651	NBD-8725	1T15M-4	38 - 44
9727	1T15M-4	Aluminum	WC1-358-0651	NBD-8725	1T15M-2	32 - 38
9727	1T15M-4	Aluminum	WC1-358-0651	NBD-8725	1T15M-6	44 - 50

Cross References

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9727	1T15M-4	Aluminum	WC1-358-0651	NBD-8725	1T15V-8	70 - 72
9727	1T15M-4	Aluminum	WC1-358-0651	NBD-8724	1T15M-4	38 - 44
9728	1T15V-7	Aluminum	WC1-358-0669	NBD-8987	1T15M-6	44 - 50
9728	1T15V-7	Aluminum	WC1-358-0669	NBD-8987	1T15V-8	70 - 72
9728	1T15V-7	Aluminum	WC1-358-0669	NBD-8987	1T15M-4	38 - 44
9734	1T15M-6	Aluminum	WC1-358-1610	NAD-28002	1T17B-5	76 - 78
9742	1T15M-2	Aluminum	WC1-358-0658	NBD-8055	1T15M-2	32 - 38
9743	1T15M-2	Aluminum	WC1-358-0653	NBD-8183	1T15L-2	15 - 18
9743	1T15M-2	Aluminum	WC1-358-0653	NBD-8183	1T15L-4	18 - 20
9744	1T15MJ-6	Aluminum	N/A	NBD-9673	1T15MJ-6	61
9745	1T15T-0	Aluminum	WC1-358-0682	NBD-8312	1T15T-1	66
9754	1T14C-7	Aluminum	WC1-358-1603	NBD-11689	1T14C-8	12
9754	1T14C-7	Aluminum	WC1-358-1603	NBD-11689	1T14C-6	11
9754	1T14C-7	Aluminum	WC1-358-1603	NBD-11689	1T14C-7	12
9754	1T14C-7	Aluminum	WC1-358-1603	NBD-11689	1T14C-6	11
9757	1T15B-2	Aluminum	N/A	NBD-9242	1T15S-6 or 1T15AA-3	13, 65
9757	1T15B-2	Aluminum	N/A	NBD-9242	1T15AA-3	13
9760	1T19F-11	Steel	WC1-358-0675	NAD-11668	1T19F-7 or 1T30E-1	#N/A
9765	1T19J-6	Aluminum	WC1-358-0684	NAD-29060	1T19J-6	#N/A
9766	1T19G-5	Aluminum	WC1-358-0631	NAD-28978	1T19FC-5 or 1T19LC-5	93, 94
9766	1T19G-5	Aluminum	WC1-358-0631	NAD-28978	1T19L-5	83, 84
9766	1T19G-5	Aluminum	WC1-358-0631	NAD-28978	1T19F-3 or 1T19L-3	82, 83
9766	1T19G-5	Aluminum	WC1-358-0631	NAD-28978	1T19F-5 or 1T19L-5	83, 84
9766	1T19G-5	Aluminum	WC1-358-0631	NAD-28978	1T19F-7 or 1T19L-7	85 - 87
9769	1T19J-2	Aluminum	WC1-358-0685	NBD-10180	1T19J-1	82
9778	1T14F-4	Aluminum	WC1-358-0686	NAD-18053	1T14C-5	10, 11
9778	1T14F-4	Aluminum	WC1-358-0686	NAD-18053	1T14C-3 or 1T14F-4	8 - 10
9778	1T14F-4	Aluminum	WC1-358-0686	NAD-18053	1T14C-7	12
9778	1T14F-4	Aluminum	WC1-358-0686	NAD-18053	1T14C-3	8 - 10
9802	1T17B-7	Aluminum	WC1-358-1611	NAD-27999	1T17CL-5	82
9802	1T17B-7	Aluminum	WC1-358-1611	NAD-27999	1T17B-5	76 - 78

Firestone

1T Piston Index by Piston Component Number

PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	PISTON DRAWING NO.	BELLOWS	PAGE NO.
9803	1T15V-11	Aluminum	WC1-358-0680	NAD-15324	1T15V-11	72, 73
9806	1T15L-6HG	Aluminum	WC1-358-0660	NBD-9611	1T15M-6	44 - 50
9809	1T15L-6HG	Aluminum	WC1-358-0660	NBD-9611	1T15M-6	44 - 50
9951	1T15M-6	Aluminum	WC1-358-0697	NAD-17833	1T15M-6	44 - 50

Cross References

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-11668	9760	1T19F-11	Steel	WC1-358-0675	1T19F-7 or 1T30E-1	#N/A
NAD-15324	9803	1T15V-11	Aluminum	WC1-358-0680	1T15V-11	72, 73
NAD-17833	9951	1T15M-6	Aluminum	WC1-358-0697	1T15M-6	44 - 50
NAD-18053	9778	1T14F-4	Aluminum	WC1-358-0686	1T14C-5	10, 11
NAD-18053	9778	1T14F-4	Aluminum	WC1-358-0686	1T14C-3 or 1T14F-4	8 - 10
NAD-18053	9778	1T14F-4	Aluminum	WC1-358-0686	1T14C-7	12
NAD-18053	9778	1T14F-4	Aluminum	WC1-358-0686	1T14C-3	8 - 10
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-5 or 1T19L-5	83, 84
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-7 or 1T19L-7	85 - 87
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-9 or 1T19L-9	87, 88
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-7	#N/A
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-5 or 1T19L-5	83, 84
NAD-18101	9657	1T19E-1	Aluminum	WC1-358-9450	1T19F-7 or 1T19L-7	85 - 87
NAD-18102	9658	1T19E-2	Aluminum	WC1-358-1640	1T19F-11 or 1T19L-11	89 - 91
NAD-18130	9571	1T15KW-1.5	Plastic	WC1-358-0646	1T15M-2	32 - 38
NAD-18130	9571	1T15KW-1.5	Plastic	WC1-358-0646	1T15M-0	28 - 31
NAD-18130	9571	1T15KW-1.5	Plastic	WC1-358-0646	1T15L-2	15 - 18
NAD-18130	9571	1T15KW-1.5	Plastic	WC1-358-0646	1T15L-1.5 1T15KW-1.5	#N/A
NAD-18130	9571	1T15KW-1.5	Plastic	WC1-358-0646	1T15T-1	66
NAD-18161	9572	1T15KW-1.5	Plastic	N/A	1T15-L-1.5	#N/A
NAD-18161	9572	1T15KW-1.5	Plastic	N/A	1T15M-0	28 - 31
NAD-18161	9572	1T15KW-1.5	Plastic	N/A	1T15L-2	15 - 18
NAD-18161	9572	1T15KW-1.5	Plastic	N/A	1T15LP-2	24
NAD-18162	9570	1T15KW-1.5	Plastic	WC1-358-0647	1T15M-0	28 - 31
NAD-18162	9570	1T15KW-1.5	Plastic	WC1-358-0647	1T15L-1.5	14, 15
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-2	32 - 38
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-4	38 - 44
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-4	38 - 44
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-0	28 - 31
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15L-3	18

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15LP-5	27, 28
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-0.5	32
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-4	38 - 44
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-2	32 - 38
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15L-2	15 - 18
NAD-18162	9573	1T15KW-1.5	Plastic	WC1-358-1634	1T15M-2	32 - 38
NAD-19631	9666	1T19G-9	Aluminum	N/A	1T19LE-12	94
NAD-19631	9666	1T19G-9	Aluminum	N/A	1T19LE-8	94
NAD-19654	3819	1T19G-9	Aluminum		1T19F-3 or 1T19L-3	82, 83
NAD-19969	9579	1T19F-9	Plastic	WC1-358-1679	1T19N-9 or 1T19L-9	87, 88
NAD-25396	9694	1T15MM-9	Aluminum	WC1-358-1694	1T15MLW-7	63
NAD-25396	9694	1T15MM-9	Aluminum	WC1-358-1694	1T15LP-6	28
NAD-25396	9694	1T15MM-9	Aluminum	WC1-358-1694	1T15MM-9	61
NAD-25396	9694	1T15MM-9	Aluminum	WC1-358-1694	1T15MW-6	63
NAD-26291	9669	1T19F-12	Aluminum	WC1-358-1602	1T19F-12 or 1T19L-12	91, 92
NAD-26291	9669	1T19F-12	Aluminum	WC1-358-1602	1T19F-14 or 1T19L-14	92, 93
NAD-26291	9669	1T19F-12	Aluminum	WC1-358-1602	1T19F-16 or 1T19L-16	93
NAD-26906	9525	1T17B-6	Plastic	WC1-358-1609	1T17CA-5	80
NAD-26906	9525	1T17B-6	Plastic	WC1-358-1609	1T17B-5	76 - 78
NAD-26944	9575	1T66E-11	Plastic	N/A	1T66E-11.8	96
NAD-27265	9527	1T15ZR-6	Plastic	WC1-358-1627	1T15ZR-6	75
NAD-27357	9702	1T15M-2	Aluminum	WC1-358-1608	1T15MT-3	62
NAD-27740	9538	1T15M-6	Plastic	WC1-358-1628	1T15M-6	44 - 50
NAD-27740	9538	1T15M-6	Plastic	WC1-358-1628	1T15M-8	53 - 55
NAD-27740	9538	1T15M-6	Plastic	WC1-358-1628	1T15MT-6	63
NAD-27740	9538	1T15M-6	Plastic	WC1-358-1628	1T15M-8	53 - 55
NAD-27740	9538	1T15M-6	Plastic	WC1-358-1628	1T15MPW-7	63, 64
NAD-27754	9569	1T15KW-0	Plastic	WC1-358-1629	1T15M-0.5	32
NAD-27754	9569	1T15KW-0	Plastic	WC1-358-1629	1T15LA-0 1T15KW-0	21, 22
NAD-27754	9569	1T15KW-0	Plastic	WC1-358-1629	1T15LA-(-1), 1T15KW-(-1)	21
NAD-27754	9569	1T15KW-0	Plastic	WC1-358-1629	1T15LP-2	24

Cross References

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-27754	9569	1T15KW-0	Plastic	WC1-358-1629	1T15LA-0 1T15KW-0	21, 22
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-6	44 - 50
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-9	56 - 59
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-7.5	50 - 53
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-2	32 - 38
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-6	44 - 50
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-6	44 - 50
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15M-7.5	50 - 53
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15V-8	70 - 72
NAD-27809	9530	1T15M-6	Plastic	WC1-358-9452	1T15L-9	20
NAD-27909	9580	1T19F-11	Plastic	WC1-358-0528	1T19F-12 or 1T19L-12	91, 92
NAD-27909	9580	1T19F-11	Plastic	WC1-358-0528	1T19LC-11	#N/A
NAD-27909	9580	1T19F-11	Plastic	WC1-358-0528	1T19F-9 or 1T19L-9	87, 88
NAD-27909	9580	1T19F-11	Plastic	WC1-358-0528	1T19F-11 or 1T19L-11	89 - 91
NAD-27909	9580	1T19F-11	Plastic	WC1-358-0528	1T19F-7 or 1T19I-7	#N/A
NAD-27999	9802	1T17B-7	Aluminum	WC1-358-1611	1T17CL-5	82
NAD-27999	9802	1T17B-7	Aluminum	WC1-358-1611	1T17B-5	76 - 78
NAD-28002	9734	1T15M-6	Aluminum	WC1-358-1610	1T17B-5	76 - 78
NAD-28197	9531	1T15MP-6	Plastic	WC1-358-1626	1T15M-9	56 - 59
NAD-28351	9602	1T15V-5	Aluminum	WC1-358-1613	1T17B-5	76 - 78
NAD-28351	9602	1T15V-5	Aluminum	WC1-358-1613	1T15VP-4	73
NAD-28384	9594	1T19LC-5	Plastic	WC1-358-1614	1T19FC-6 or 1T19LC-6	94
NAD-28384	9594	1T19LC-5	Plastic	WC1-358-1614	1T19FC-8 or 1T19LC-8	94
NAD-28384	9594	1T19LC-5	Plastic	WC1-358-1614	1T19LF-7	95
NAD-28838	9689	1T15V-11	Aluminum	WC1-358-1607	1T17CL-9.5	82
NAD-28840	9690	1T15V-11	Aluminum	N/A	1T17C-8	80
NAD-28978	9766	1T19G-5	Aluminum	WC1-358-0631	1T19FC-5 or 1T19LC-5	93, 94
NAD-28978	9766	1T19G-5	Aluminum	WC1-358-0631	1T19L-5	83, 84
NAD-28978	9766	1T19G-5	Aluminum	WC1-358-0631	1T19F-3 or 1T19L-3	82, 83

Firestone

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-28978	9766	1T19G-5	Aluminum	WC1-358-0631	1T19F-5 or 1T19L-5	83, 84
NAD-28978	9766	1T19G-5	Aluminum	WC1-358-0631	1T19F-7 or 1T19L-7	85 - 87
NAD-29060	9765	1T19J-6	Aluminum	WC1-358-0684	1T19J-6	#N/A
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15M-2	32 - 38
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15M-4	38 - 44
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15L-2	15 - 18
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15L-4	18 - 20
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15LP-5	27, 28
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15LP-2	24
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15M-4	38 - 44
NAD-29454	9549	1T15M-2	Plastic	WC1-358-1616	1T15M-2	32 - 38
NAD-29456	9550	1T15M-2	Plastic	WC1-358-1652	1T15MT-3	62
NAD-29456	9550	1T15M-2	Plastic	WC1-358-1652	1T15MT-3	62
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-6	44 - 50
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-9	56 - 59
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-11	59 - 61
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-9	56 - 59
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-11	59 - 61
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-6	44 - 50
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-9	56 - 59
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15V-8	70 - 72
NAD-29467	9553	1T15M-9	Plastic	WC1-358-9453	1T15M-11	59 - 61
NAD-29592	9535	1T15S-6	Plastic	N/A	1T15SN-3	65
NAD-29592	9535	1T15S-6	Plastic	N/A	1T15S-6 or 1T15AA-3	13, 65
NAD-29592	9535	1T15S-6	Plastic	N/A	1T15SN-6	66
NAD-29592	9535	1T15S-6	Plastic	N/A	1T15AA-3	13
NAD-29592	9535	1T15S-6	Plastic	N/A	1T15S-6 or 1T15AA-3	13, 65
NAD-29594	9536	1T15S-6	Plastic	WC1-358-0755	1T15AA-6	14
NAD-29594	9536	1T15S-6	Plastic	WC1-358-0755	1T15S-6 or 1T15AA-3	13, 65
NAD-29594	9536	1T15S-6	Plastic	WC1-358-0755	1T15S-6 or 1T15AA-3	13, 65
NAD-29594	9536	1T15S-6	Plastic	WC1-358-0755	1T15AA-3	13
NAD-29630	9603	1T15V-5	Aluminum	WC1-358-1635	1T17C-3	79, 80

Cross References

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-29630	9603	1T15V-5	Aluminum	WC1-358-1635	1T17B-5	76 - 78
NAD-29630	9603	1T15V-5	Aluminum	WC1-358-1635	1T17C-3	79, 80
NAD-29630	9603	1T15V-5	Aluminum	WC1-358-1635	1T17C-6.5	#N/A
NAD-29630	9603	1T15V-5	Aluminum	WC1-358-1635	1T17B-5	76 - 78
NAD-29634	9534	1T15S-6	Plastic	N/A	1T15S-6 or 1T15AA-3	13, 65
NAD-29634	9534	1T15S-6	Plastic	N/A	1T15S-5 or 1T15AA-3	13, 65
NAD-29634	9534	1T15S-6	Plastic	N/A	1T15AA-3	13
NAD-29798	9537	1T17B-7	Plastic	WC1-358-1637	1T17CA-6.5	81
NAD-29825	9540	1T15M-9	Plastic	WC1-358-0664	1T15LP-5	27, 28
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-4	38 - 44
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-6	44 - 50
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15LP-5	27, 28
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-2	32 - 38
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15V-8	70 - 72
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-4	38 - 44
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-7.5	50 - 53
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15M-7.5	50 - 53
NAD-29826	9544	1T15M-4	Plastic	WC1-358-0666	1T15MPW-7	63, 64
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T17B-11	78, 79
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-4	38 - 44
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-9	56 - 59
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15MPW-7	63, 64
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-6	44 - 50
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-9	56 - 59
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15LP-5	27, 28
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-2	32 - 38
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-6	44 - 50
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15V-8	70 - 72
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-6	44 - 50
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15L-9	20
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15LB-10	22
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15L-6	20
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15MBTW-6	64
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15MBTW-10	64

Firestone

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-4	38 - 44
NAD-29827	9532	1T15M-6	Plastic	WC1-358-1619	1T15M-7.5	50 - 53
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T17B-11	78, 79
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15M-6	44 - 50
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15M-9	56 - 59
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15V-8	70 - 72
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15LC-12	23
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15MBTW-12	65
NAD-29828	9540	1T15M-9	Plastic	WC1-358-0664	1T15M-7.5	50 - 53
NAD-29848	9540	1T15M-9	Plastic	WC1-358-0664	1T15M-11	59 - 61
NAD-30174	9604	1T15ZR-6	Aluminum	WC1-358-1624	1T15ZR-6	75
NAD-30515	9533	1T17BB-2	Plastic	WC1-358-1644	1T17CD-3	81
NAD-30515	9533	1T17BB-2	Plastic	WC1-358-1644	1T17BB-2	79
NAD-31181	9557	1T15MP-6	Plastic	WC1-358-1654	1T15VMW-8	74
NAD-31181	9557	1T15MP-6	Plastic	WC1-358-6262	1T15MPW-7	63, 64
NAD-31215	9646	1T17B17	Steel	N/A	1T17BP-17	79
NAD-31288	9648	1T17B-4	Steel	WC1-358-1649	1T17CA-3	80
NAD-31612	9676	1T15ZR-6	Steel	N/A	1T15ZR-6	75
NAD-31622	9645	1T15CCR-6	Steel	N/A	1T15AA-6	14
NAD-31635	3882	1T17CA-5	Steel		1T17CA-6	81
NAD-31791	9596	1T15S-6	Plastic	N/A	1T15AA-3	13
NAD-31862	9644	1T19ZR-6.2	Steel	N/A	1T19ZK-5.7	95
NAD-32590	9671	1T17AZF	Steel	N/A	1T17AEZR-5	76
NAD-32590	9671	1T17AZF	Steel	N/A	1T17AZR-4.5	76
NAD-32767	9561	1T15M-6	Plastic	WC1-358-1606	1T15MT-6	63
NAD-32767	9561	1T15M-6	Plastic	WC1-358-1606	1T15M-8	53 - 55
NAD-32768	9560	1T15M-6	Plastic	WC1-358-1620	1T15M-6	44 - 50
NAD-32768	9560	1T15M-6	Plastic	WC1-358-1620	1T15M-6	44 - 50
NAD-32768	9560	1T15M-6	Plastic	WC1-358-1620	1T15M-8	53 - 55
NAD-32770	9677	1T19E-2	Steel	N/A	1T19F-11 or 1T19L-11	89 - 91
NAD-33001	9642	1T19F-9	Aluminum	N/A	1T19F-11 or 1T19L-11	89 - 91
NAD-33610	9562	1T19L-9	Plastic	WC1-358-1651	1T19L-11	89 - 91
NAD-34178	9563	1T15M-6	Plastic	N/A	1T15M-7.5	50 - 53
NAD-34318	3894	1T19G-5	Aluminum	WC1-M58-1653	1T19LC-5	93, 94

Cross References

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NBD-10180	9769	1T19J-2	Aluminum	WC1-358-0685	1T19J-1	82
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15M-4	38 - 44
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15LP-2	24
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15M-2	32 - 38
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15M-4	38 - 44
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15L-4	18 - 20
NBD-10267	9656	1T15M-2	Aluminum	WC1-358-0652	1T15M-4	38 - 44
NBD-10378	3822	1T15M-2	Aluminum		1T15M-2	32 - 38
NBD-10437	9653	1T15M-9	Aluminum	WC1-358-9453	1T15M-11	59 - 61
NBD-10438	9654	1T15M-0	Aluminum	WC1-358-0663	1T15L-2	15 - 18
NBD-10438	9654	1T15M-0	Aluminum	WC1-358-0663	1T15M-0	28 - 31
NBD-10438	9654	1T15M-0	Aluminum	WC1-358-0663	1T15L-2	15 - 18
NBD-10438	9654	1T15M-0	Aluminum	WC1-358-0663	1T15T-1	66
NBD-10439	9655	1T15M-0	Aluminum	WC1-358-9454	1T15M-0	28 - 31
NBD-10439	9655	1T15M-0	Aluminum	WC1-358-9454	1T15M-0	28 - 31
NBD-10439	9655	1T15M-0	Aluminum	WC1-358-9454	1T15M-0	28 - 31
NBD-10439	9655	1T15M-0	Aluminum	WC1-358-9454	1T15TM-1	67
NBD-10439	9655	1T15M-0	Aluminum	WC1-358-9454	1T15L-2	15 - 18
NBD-10441	9508	1T14C-1	Plastic	WC1-358-0754	1T14CB-1	12, 13
NBD-10441	9508	1T14C-1	Plastic	WC1-358-0754	1T14C-3	8 - 10
NBD-10472	9659	1T15T-3	Aluminum	WC1-358-0683	1T15LP-1.5	23
NBD-10472	9659	1T15T-3	Aluminum	WC1-358-0683	1T15L-4	18 - 20
NBD-10472	9659	1T15T-3	Aluminum	WC1-358-0683	1T15L-2	15 - 18
NBD-10472	9659	1T15T-3	Aluminum	WC1-358-0683	1T15L-2	15 - 18
NBD-10500	9555	1T14C-1	Plastic	WC1-358-0609	1T14C-1	7, 8
NBD-10500	9555	1T14C-1	Plastic	WC1-358-0609	1T14CB-1	12, 13
NBD-11498	9651	1T14C-3	Aluminum	WC1-358-9095	1T14C-1	7, 8
NBD-11498	9651	1T14C-3	Aluminum	WC1-358-9095	1T14C-3	8 - 10
NBD-11498	9651	1T14C-3	Aluminum	WC1-358-9095	1T14C-5	10, 11
NBD-11498	9651	1T14C-3	Aluminum	WC1-358-9095	1T14CB-1	12, 13
NBD-11689	9754	1T14C-7	Aluminum	WC1-358-1603	1T14C-8	12
NBD-11689	9754	1T14C-7	Aluminum	WC1-358-1603	1T14C-6	11
NBD-11689	9754	1T14C-7	Aluminum	WC1-358-1603	1T14C-7	12
NBD-11689	9754	1T14C-7	Aluminum	WC1-358-1603	1T14C-6	11
NBD-12639	9663	1T15L-2	Aluminum	N/A	1T15LC-2.5	22, 23

Firestone

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NBD-12639	9663	1T15L-2	Aluminum	N/A	1T15LC-4.5	23
NBD-14153	3853	1T15M-9	Aluminum		1T15M-11	59 - 61
NBD-14213	9681	1T15Y-1	Aluminum	WC1-358-1612	1T15TQ-1	68, 69
NBD-14366	9696	1T15M-7.5	Aluminum	WC1-358-1636	1T15M-7.5	50 - 53
NBD-14404	9528	1T15V-1	Plastic	WC1-358-0667	1T17C-3	79, 80
NBD-14404	9528	1T15V-1	Plastic	WC1-358-0667	1T15M-2	32 - 38
NBD-14404	9528	1T15V-1	Plastic	WC1-358-0667	1T15V-1	70
NBD-14404	9528	1T15V-1	Plastic	WC1-358-0667	1T15V-3	70
NBD-14503	9691	1T15L-4	Aluminum	WC1-358-0606	1T15L-4	18 - 20
NBD-14537	9505	1T15T-0	Plastic	WC1-358-1642	1T15TM-1	67
NBD-14537	9505	1T15T-0	Plastic	WC1-358-1642	1T15TQ-1	68, 69
NBD-14537	9505	1T15T-0	Plastic	WC1-358-1642	1T15T-2	67
NBD-14537	9505	1T15T-0	Plastic	WC1-358-1642	1T15T-1	66
NBD-14537	9505	1T15T-0	Plastic	WC1-358-1642	1T15TM-1	67
NBD-8055	9742	1T15M-2	Aluminum	WC1-358-0658	1T15M-2	32 - 38
NBD-8183	9743	1T15M-2	Aluminum	WC1-358-0653	1T15L-2	15 - 18
NBD-8183	9743	1T15M-2	Aluminum	WC1-358-0653	1T15L-4	18 - 20
NBD-8312	9745	1T15T-0	Aluminum	WC1-358-0682	1T15T-1	66
NBD-8626	9708	1T14C-1	Aluminum	WC1-358-0600	1T14C-1	7, 8
NBD-8626	9708	1T14C-1	Aluminum	WC1-358-0600	1T14C-1 or 1T14F-2	7, 8
NBD-8626	9708	1T14C-1	Aluminum	WC1-358-0600	1T14C-3 or 1T14F-4	8 - 10
NBD-8626	9708	1T14C-1	Aluminum	WC1-358-0600	1T14C-3	8 - 10
NBD-8626	9708	1T14C-1	Aluminum	WC1-358-0600	1T14C-7 or 1T14F-8	12
NBD-8724	9727	1T15M-4	Aluminum	WC1-358-0651	1T15M-4	38 - 44
NBD-8725	9727	1T15M-4	Aluminum	WC1-358-0651	1T15M-4	38 - 44
NBD-8725	9727	1T15M-4	Aluminum	WC1-358-0651	1T15M-2	32 - 38
NBD-8725	9727	1T15M-4	Aluminum	WC1-358-0651	1T15M-6	44 - 50
NBD-8725	9727	1T15M-4	Aluminum	WC1-358-0651	1T15V-8	70 - 72
NBD-8881	8789	1T15S-6	Plastic	N/A	1T15S-6 or 1T15AA-3	13, 65
NBD-8987	9728	1T15V-7	Aluminum	WC1-358-0669	1T15M-6	44 - 50
NBD-8987	9728	1T15V-7	Aluminum	WC1-358-0669	1T15V-8	70 - 72
NBD-8987	9728	1T15V-7	Aluminum	WC1-358-0669	1T15M-4	38 - 44

Cross References

1T Piston Index by Piston Drawing Number

PISTON DRAWING NO.	PISTON COMPONENT NO.	PISTON TYPE	MATERIAL	PISTON AON	BELLOWS	PAGE NO.
NBD-9242	9757	1T15B-2	Aluminum	N/A	1T15S-6 or 1T15AA-3	13, 65
NBD-9242	9757	1T15B-2	Aluminum	N/A	1T15AA-3	13
NBD-9611	9806	1T15L-6HG	Aluminum	WC1-358-0660	1T15M-6	44 - 50
NBD-9611	9809	1T15L-6HG	Aluminum	WC1-358-0660	1T15M-6	44 - 50
NBD-9673	9744	1T15MJ-6	Aluminum	N/A	1T15MJ-6	61

Firestone

All Parts Assembly Order Number Index

AON'S	PAGE NO.	AON'S	PAGE NO.	AON'S	PAGE NO.
W01-358-1190	74	W01-358-5511	92	W01-358-6905	104
W01-358-1191	74	W01-358-5702	12	W01-358-6908	105
W01-358-2119	7	W01-358-5712	12	W01-358-6910	103
W01-358-2120	7	W01-358-5765	67	W01-358-6926	103
W01-358-2131	7	W01-358-5766	67	W01-358-6927	108
W01-358-3020	#N/A	W01-358-5770	68	W01-358-6932	105
W01-358-3400	120	W01-358-5771	68	W01-358-6935	105
W01-358-3402	121	W01-358-5772	68	W01-358-6940	105
W01-358-3406	121	W01-358-5773	68	W01-358-6941	105
W01-358-3420	123	W01-358-5775	68	W01-358-6943	108
W01-358-5297	12	W01-358-5776	69	W01-358-6944	108
W01-358-5310	7	W01-358-5777	69	W01-358-6945	108
W01-358-5311	7	W01-358-5789	69	W01-358-6946	109
W01-358-5319	13	W01-358-5792	69	W01-358-6947	109
W01-358-5323	8	W01-358-5900	107	W01-358-6948	109
W01-358-5328	8	W01-358-6258	74	W01-358-6949	106
W01-358-5335	10	W01-358-6262	64	W01-358-6960	109
W01-358-5336	11	W01-358-6392	107	W01-358-6962	109
W01-358-5405	8	W01-358-6789	116	W01-358-6994	100
W01-358-5406	8	W01-358-6799	122	W01-358-7008	100
W01-358-5408	8	W01-358-6800	111	W01-358-7009	100
W01-358-5410	9	W01-358-6801	110	W01-358-7025	124, 138
W01-358-5412	9	W01-358-6803	111	W01-358-7043	100
W01-358-5414	9	W01-358-6805	112	W01-358-7057	124
W01-358-5422	9	W01-358-6808	112	W01-358-7088	101
W01-358-5423	9	W01-358-6817	108	W01-358-7093	101
W01-358-5426	12	W01-358-6831	123	W01-358-7094	101
W01-358-5429	12	W01-358-6856	104	W01-358-7096	102
W01-358-5433	10	W01-358-6883	107	W01-358-7103	100
W01-358-5434	10	W01-358-6884	104	W01-358-7104	101
W01-358-5436	10	W01-358-6886	107	W01-358-7105	101
W01-358-5439	11	W01-358-6890	103	W01-358-7112	102
W01-358-5503	91	W01-358-6897	104	W01-358-7113	102
W01-358-5505	91	W01-358-6900	103	W01-358-7117	102
W01-358-5509	92	W01-358-6902	104	W01-358-7118	120

Cross References

All Parts Assembly Order Number Index

AON'S	PAGE NO.
W01-358-7123	110
W01-358-7135	110
W01-358-7136	110
W01-358-7140	110
W01-358-7145	111
W01-358-7146	111
W01-358-7180	112
W01-358-7181	112
W01-358-7183	112
W01-358-7185	113
W01-358-7226	119
W01-358-7230	120
W01-358-7244	119
W01-358-7271	118
W01-358-7273	119
W01-358-7274	130
W01-358-7275	119
W01-358-7276	129
W01-358-7279	117
W01-358-7286	128
W01-358-7294	120
W01-358-7304	130
W01-358-7325	118
W01-358-7330	118
W01-358-7344	113
W01-358-7400	113
W01-358-7401	113
W01-358-7403	113
W01-358-7404	114
W01-358-7405	114
W01-358-7406	114
W01-358-7408	114
W01-358-7409	114
W01-358-7410	115
W01-358-7423	115

AON'S	PAGE NO.
W01-358-7424	115
W01-358-7429	115
W01-358-7437	115
W01-358-7443	116
W01-358-7444	116
W01-358-7446	116
W01-358-7447	116
W01-358-7462	103
W01-358-7472	121
W01-358-7473	117
W01-358-7483	117
W01-358-7499	117
W01-358-7505	118
W01-358-7512	119
W01-358-7545	122
W01-358-7550	121
W01-358-7555	121
W01-358-7557	122
W01-358-7667	33
W01-358-7686	106
W01-358-7705	118
W01-358-7726	102
W01-358-7761	128
W01-358-7781	122
W01-358-7782	122
W01-358-7788	106
W01-358-7790	117
W01-358-7792	123
W01-358-7794	123
W01-358-7795	106
W01-358-7796	128
W01-358-7797	128
W01-358-7798	129
W01-358-7800	129
W01-358-7808	129

AON'S	PAGE NO.
W01-358-7816	127
W01-358-7818	129
W01-358-7838	130
W01-358-7839	130
W01-358-7843	130
W01-358-7844	131
W01-358-7845	131
W01-358-7846	131
W01-358-7847	131
W01-358-7848	131
W01-358-7850	132
W01-358-7852	127
W01-358-7853	132
W01-358-7855	132
W01-358-7859	132
W01-358-7862	132
W01-358-7872	133
W01-358-7892	106
W01-358-7897	107
W01-358-7915	128
W01-358-7927	120
W01-358-7954	133
W01-358-7956	133
W01-358-7990	124
W01-358-7994	124
W01-358-7995	124
W01-358-7996	125
W01-358-7998	125
W01-358-8006	125
W01-358-8008	125
W01-358-8010	125
W01-358-8014	126
W01-358-8016	126
W01-358-8018	126
W01-358-8025	126

Firestone

All Parts Assembly Order Number Index

AON'S	PAGE NO.	AON'S	PAGE NO.	AON'S	PAGE NO.
W01-358-8027	126	W01-358-8708	81	W01-358-8800	73
W01-358-8030	127	W01-358-8709	80	W01-358-8802	38
W01-358-8032	127	W01-358-8710	82	W01-358-8803	38
W01-358-8033	127	W01-358-8713	81	W01-358-8805	38
W01-358-8038	134	W01-358-8723	76	W01-358-8806	39
W01-358-8039	134	W01-358-8724	79	W01-358-8810	39
W01-358-8043	133	W01-358-8729	79	W01-358-8813	39
W01-358-8050	95	W01-358-8733	79	W01-358-8816	39
W01-358-8051	95	W01-358-8735	81	W01-358-8817	39
W01-358-8052	95	W01-358-8737	80	W01-358-8824	44
W01-358-8053	95	W01-358-8738	80	W01-358-8829	74
W01-358-8055	82	W01-358-8740	77	W01-358-8842	56
W01-358-8088	83	W01-358-8744	78	W01-358-8852	56
W01-358-8091	94	W01-358-8746	78	W01-358-8855	56
W01-358-8092	93	W01-358-8748	78	W01-358-8856	56
W01-358-8093	94	W01-358-8749	79	W01-358-8864	56
W01-358-8171	111	W01-358-8751	77	W01-358-8868	11
W01-358-8180	#N/A	W01-358-8752	77	W01-358-8872	13
W01-358-8184	14	W01-358-8753	77	W01-358-8878	34
W01-358-8197	33	W01-358-8755	77	W01-358-8882	32
W01-358-8198	33	W01-358-8756	78	W01-358-8886	14
W01-358-8201	33	W01-358-8760	82	W01-358-8888	50
W01-358-8203	34	W01-358-8761	83	W01-358-8900	15
W01-358-8204	34	W01-358-8764	89	W01-358-8901	15
W01-358-8207	34	W01-358-8774	95	W01-358-8903	64
W01-358-8235	123	W01-358-8776	85	W01-358-8911	65
W01-358-8500	83	W01-358-8778	85	W01-358-8918	18
W01-358-8597	23	W01-358-8779	87	W01-358-8919	18
W01-358-8600	67	W01-358-8780	88	W01-358-8922	19
W01-358-8614	80	W01-358-8781	88	W01-358-8924	44
W01-358-8617	81	W01-358-8782	78	W01-358-8927	44
W01-358-8623	81	W01-358-8787	83	W01-358-8930	35
W01-358-8632	76	W01-358-8792	89	W01-358-8931	35
W01-358-8636	79	W01-358-8793	94	W01-358-8932	35
W01-358-8676	76	W01-358-8796	89	W01-358-8934	35

Cross References

All Parts Assembly Order Number Index

AON'S	PAGE NO.
W01-358-8935	35
W01-358-8942	19
W01-358-8944	63
W01-358-8949	27
W01-358-8951	19
W01-358-8958	24
W01-358-8959	24
W01-358-8961	28
W01-358-8963	28
W01-358-8964	28
W01-358-8965	14
W01-358-8971	29
W01-358-8972	29
W01-358-8976	29
W01-358-8977	11
W01-358-8979	11
W01-358-8984	96
W01-358-8986	29
W01-358-8991	36
W01-358-8992	13
W01-358-8997	13
W01-358-9004	44
W01-358-9008	40
W01-358-9010	40
W01-358-9011	40
W01-358-9015	28
W01-358-9026	45
W01-358-9029	29
W01-358-9031	30
W01-358-9033	30
W01-358-9036	30
W01-358-9039	30
W01-358-9043	65
W01-358-9049	25
W01-358-9053	36

AON'S	PAGE NO.
W01-358-9059	40
W01-358-9063	40
W01-358-9068	41
W01-358-9069	41
W01-358-9070	41
W01-358-9071	41
W01-358-9073	25
W01-358-9075	15
W01-358-9076	65
W01-358-9077	30
W01-358-9078	36
W01-358-9082	45
W01-358-9083	45
W01-358-9092	45
W01-358-9093	46
W01-358-9096	46
W01-358-9097	61
W01-358-9098	61
W01-358-9101	57
W01-358-9105	36
W01-358-9113	36
W01-358-9116	85
W01-358-9118	37
W01-358-9121	85
W01-358-9122	89
W01-358-9134	88
W01-358-9135	85
W01-358-9138	88
W01-358-9144	86
W01-358-9148	86
W01-358-9149	86
W01-358-9152	90
W01-358-9156	90
W01-358-9158	90
W01-358-9164	86

AON'S	PAGE NO.
W01-358-9177	86
W01-358-9179	87
W01-358-9192	57
W01-358-9193	46
W01-358-9194	46
W01-358-9199	90
W01-358-9200	83
W01-358-9201	90
W01-358-9203	57
W01-358-9204	84
W01-358-9210	46
W01-358-9211	47
W01-358-9213	47
W01-358-9214	91
W01-358-9215	84
W01-358-9216	84
W01-358-9218	84
W01-358-9219	47
W01-358-9221	87
W01-358-9223	47
W01-358-9227	47
W01-358-9228	48
W01-358-9238	57
W01-358-9240	57
W01-358-9243	58
W01-358-9245	58
W01-358-9249	70
W01-358-9250	72
W01-358-9251	70
W01-358-9252	73
W01-358-9256	48
W01-358-9259	65
W01-358-9260	66
W01-358-9264	92
W01-358-9265	61

Firestone

All Parts Assembly Order Number Index

AON'S	PAGE NO.
W01-358-9268	62
W01-358-9269	73
W01-358-9270	73
W01-358-9274	70
W01-358-9275	71
W01-358-9277	84
W01-358-9284	18
W01-358-9285	25
W01-358-9287	53
W01-358-9290	25
W01-358-9291	27
W01-358-9293	27
W01-358-9294	27
W01-358-9295	28
W01-358-9296	48
W01-358-9297	53
W01-358-9299	63
W01-358-9302	37
W01-358-9304	48
W01-358-9307	32
W01-358-9308	31
W01-358-9320	59
W01-358-9321	60
W01-358-9325	37
W01-358-9332	31
W01-358-9333	31
W01-358-9334	31
W01-358-9335	41
W01-358-9336	42
W01-358-9338	60
W01-358-9339	37
W01-358-9342	50
W01-358-9346	58
W01-358-9348	58
W01-358-9349	58

AON'S	PAGE NO.
W01-358-9350	59
W01-358-9362	48
W01-358-9365	37
W01-358-9366	38
W01-358-9367	60
W01-358-9368	60
W01-358-9370	60
W01-358-9371	54
W01-M58-9372	54
W01-358-9373	54
W01-358-9375	54
W01-358-9376	15
W01-358-9377	16
W01-358-9378	16
W01-358-9379	22
W01-358-9387	16
W01-358-9388	49
W01-358-9392	49
W01-358-9394	59
W01-358-9402	66
W01-358-9410	66
W01-358-9415	19
W01-358-9421	67
W01-358-9422	14
W01-358-9423	67
W01-358-9438	19
W01-358-9439	20
W01-358-9440	16
W01-358-9445	16
W01-358-9447	17
W01-358-9448	17
W01-358-9457	17
W01-358-9459	17
W01-358-9463	42
W01-358-9466	49

AON'S	PAGE NO.
W01-358-9467	42
W01-358-9470	71
W01-358-9471	71
W01-358-9472	71
W01-358-9473	71
W01-358-9474	49
W01-358-9476	17
W01-358-9477	18
W01-358-9478	10
W01-358-9482	42
W01-358-9483	42
W01-358-9484	43
W01-358-9491	72
W01-358-9496	49
W01-358-9501	72
W01-358-9502	72
W01-358-9504	72
W01-358-9505	31
W01-358-9507	43
W01-358-9538	61
W01-358-9541	21
W01-358-9547	21
W01-358-9553	25
W01-358-9554	24
W01-358-9556	38
W01-358-9559	20
W01-358-9560	20
W01-358-9562	18
W01-358-9565	22
W01-358-9566	23
W01-358-9567	23
W01-358-9568	23
W01-358-9578	70
W01-358-9579	73
W01-358-9580	82

Cross References

All Parts Assembly Order Number Index

AON'S	PAGE NO.
W01-358-9581	82
W01-358-9582	70
W01-358-9584	14
W01-358-9585	43
W01-358-9586	69
W01-358-9587	26
W01-358-9589	13
W01-358-9592	26
W01-358-9597	26
W01-358-9599	26
W01-358-9616	15
W01-358-9617	21
W01-358-9618	21
W01-358-9619	23
W01-358-9621	22
W01-358-9622	21
W01-358-9625	22
W01-358-9626	20
W01-358-9634	62
W01-358-9640	62
W01-358-9643	63
W01-358-9644	64
W01-358-9645	65
W01-358-9646	64
W01-358-9647	55
W01-358-9648	74
W01-358-9649	55
W01-358-9650	66
W01-358-9651	66
W01-358-9652	26
W01-358-9654	55
W01-358-9663	55
W01-358-9668	#N/A
W01-358-9675	22
W01-358-9681	24

AON'S	PAGE NO.
W01-358-9690	50
W01-358-9697	43
W01-358-9774	62
W01-358-9780	75
W01-358-9781	75
W01-358-9782	75
W01-358-9797	43
W01-358-9798	44
W01-358-9811	87
W01-358-9825	94
W01-358-9855	20
W01-358-9875	59
W01-358-9876	59
W01-358-9891	92
W01-358-9896	93
W01-358-9902	51
W01-358-9915	93
W01-358-9921	51
W01-358-9922	51
W01-358-9923	51
W01-358-9928	93
W01-358-9929	93
W01-358-9935	51
W01-358-9936	52
W01-358-9942	52
W01-358-9943	52
W01-358-9944	50
W01-358-9947	52
W01-358-9948	52
W01-358-9953	27
W01-358-9961	87
W01-358-9966	50
W01-358-9971	53
W01-358-9972	53
W01-358-9974	53

AON'S	PAGE NO.
W01-358-9984	88
W01-358-9985	91
W01-M58-6260	63
W01-M58-6317	63
W01-M58-8650	34
W01-M58-8712	80
W01-M58-8798	94
W01-M58-9642	54
W01-M58-9656	55
W02-358-4003	150
W02-358-6754	140
W02-358-7001	139
W02-358-7002	139
W02-358-7007	145
W02-358-7012	148
W02-358-7017	150
W02-358-7024	152
W02-358-7029	150
W02-358-7031	144
W02-358-7032	148
W02-358-7035	146
W02-358-7036	152
W02-358-7037	147
W02-358-7038	151
W02-358-7040	142
W02-358-7041	141
W02-358-7042	148
W02-358-7043	153
W02-358-7044	153
W02-358-7045	149
W02-358-7046	138
W02-358-7049	142
W02-358-7054	142
W02-358-7055	143
W02-358-7056	149

Firestone

All Parts Assembly Order Number Index

AON'S	PAGE NO.
W02-358-7058	141
W02-358-7059	141
W02-358-7061	147
W02-358-7064	151
W02-358-7067	150
W02-358-7070	145
W02-358-7073	143
W02-358-7074	148
W02-358-7075	147
W02-358-7076	141
W02-358-7079	138
W02-358-7080	145
W02-358-7081	153
W02-358-7082	152
W02-358-7083	155
W02-358-7085	144
W02-358-7086	138
W02-358-7087	146
W02-358-7092	154

AON'S	PAGE NO.
W02-358-7093	154
W02-358-7098	142
W02-358-7100	140
W02-358-7103	147
W02-358-7106	144
W02-358-7108	151
W02-358-7109	151
W02-358-7110	155
W02-358-7115	#N/A
W02-358-7116	146
W02-358-7118	#N/A
W02-358-7132	140
W02-358-7149	143
W02-358-7150	139
W02-358-7151	149
W02-358-7152	153
W02-358-7155	140
W02-358-7200	154
W02-358-7201	139

AON'S	PAGE NO.
W02-358-7204	145
W02-358-7205	152
W02-358-7206	146
W02-358-7207	#N/A
W02-358-7208	149
W02-358-7209	144
W02-358-9901	143
W02-358-9902	#N/A
W21-760-9000	155
W21-760-9001	156
W21-760-9002	156
W21-760-9011	156
W26-358-9911	156
W26-358-9912	157
W26-358-9913	157
WC1-358-3874	75
WC1-358-3876	75
WC1-358-3900	76
WC1-358-3901	76

Firestone

**World's Number 1
Air Spring.**



FIRESTONE INDUSTRIAL PRODUCTS COMPANY

Air Spring Warranty Evaluation Criteria



Firestone air springs are designed to provide years and thousands of miles of trouble free service. The durability of Firestone air springs is such that they will often outlast other maintenance items on your suspension, such as bushings, shocks, leveling valves or regulators. Airidesprings by Firestone are warranted to be free of material defects and/or workmanship for various periods of time, depending upon the application.

Firestone Industrial Products Company offers a complete line of Airide springs, with replacement springs available for virtually every vehicular air suspension system.

Since each individual air spring is closely examined and pressure tested at the factory, the vast majority of premature failures and consequent warranty returns are found not to be defective, but fail because of abuse caused by other problems associated with the suspension.


Before you install a new air spring, you should carefully examine the old one to determine what caused it to fail. If it was due to a defect in the suspension system, then the new air spring may also fail unless you correct the problem.

The information on the next two pages was developed to illustrate the types of failures that may occur, and to assist you in determining the cause and corrective action required.

AIRIDE[™] SPRINGS

When applied and maintained properly, *Airide*® springs can provide thousands of miles of trouble-free service. Most failures are caused by a lack of suspension maintenance or improper application. This is a guide to common air spring failures that are *not* covered by warranty.

MISALIGNMENT




Appearance or Condition

- Off-center bumper contact
- Same as abrasion or bottoming out

Possible Causes

- Worn bushing
- Improper suspension installation

LOOSE GIRDLE HOOP



Appearance or Condition

- Rubber bellows distorted and girdle hoop torn loose

Possible Causes

- Running at extended positions with low air pressure

BOTTOMING OUT



Appearance or Condition

- Bead plate concave
- Internal bumper loose
- Hole in girdle hoop area (convoluted)
- Hole in bead plate junction area
- Leaking around blind nuts

Possible Causes

- Broken or defective shock absorber
- Defective leveling valve
- Overloaded vehicle
- Pressure regulator set too low
- Wrong air spring (too tall)

Warranty Evaluation Criteria

ABRASION



Appearance or Condition

- Hole rubbed into side of bellows
- Hole in bellows area that rolls over piston (reversible sleeve style)

Possible Causes

- Structural interference, such as:
 - broken shock
 - loose air line
 - misalignment
 - worn bushings
- No air pressure (reversible sleeve style)
- Foreign material (sand, rocks, etc.)
- Wrong air spring

CIRCUMFERENTIAL CUTS





Appearance or Condition

- Bellows cut in circle at bead plate junction
- Bellows cut in circle at piston junction (reversible sleeve style)

Possible Causes

- High pressure, fully extended for long periods of time
- Impact in compressed position

OVER EXTENSION



Appearance or Condition

- Bead plate convex, especially around blind nuts or studs
- Rubber bellows separated from bead plate
- Leaking at blind nuts or studs
- Leaking at end closure (reversible sleeve)
- Loose girdle hoop on convoluted style

Possible Causes

- Broken or wrong shock absorber
- Defective leveling valve
- Ride position too high
- Defective upper stop (lift)
- Wrong air spring (too short)

PREVENTIVE MAINTENANCE CHECKLIST

Listed below are items that can be checked when the vehicle is in for periodic maintenance.

Never attempt to service the air suspension on a truck or trailer with the air springs inflated.

1 Inspect the O.D. of the airspring. Check for signs of irregular wear or heat cracking.

2 Inspect air lines to make sure contact doesn't exist between the air line and the O.D. of the air spring. Air lines can rub a hole in an air spring very quickly.

3 Check to see that there is sufficient clearance around the complete circumference of the air spring while at its maximum diameter.

4 Inspect the O.D. of the piston for buildup of foreign materials. (On a reversible sleeve style air spring, the piston is the bottom component of the air spring).

5 Correct ride height should be maintained. All vehicles with air springs have a specified ride height established by the O.E.M. manufacturer. This height, which is found in your service manual, should be maintained within 1/4". This dimension can be checked with the vehicle loaded or empty.

6 Leveling valves (or height control valves) play a large part in ensuring that the total air spring system works as required. Clean, inspect and replace, if necessary.

7 Make sure you have the proper shock absorbers and check for leaking hydraulic oil and worn or broken end connectors. If a broken shock is found, replace it immediately. The shock absorber will normally limit the rebound of an air spring and keep it from overextending.

8 Check the tightness of all mounting hardware (nuts and bolts). If loose, re-torque to the manufacturer's specifications. Do not over-tighten.

CLEANING

9 APPROVED Approved cleaning media are soap and water, methyl alcohol, ethyl alcohol and isopropyl alcohol.

NON-APPROVED Non-approved cleaning media include all organic solvents, open flames, abrasives and direct pressurized steam cleaning.

The total inspection process described on this page can be done in just a matter of minutes. If you find one of the above conditions exists, please take corrective action to ensure that it is fixed properly. It will save you both time and money.

Firestone

**World's Number 1
Air Spring.**










FIRESTONE INDUSTRIAL PRODUCTS COMPANY

1-800-888-0650

www.firestoneip.com

Alignment Definitions

Alignment is based on the orientation of the lower bead plate or piston compared to the upper bead plate. Alignments other than those shown are noted in the bottom view.

BEAD PLATE TOP VIEW	BEAD PLATE OR PISTON BOTTOM VIEW	
	PARALLEL ALIGNMENT	45 DEGREE ALIGNMENT
I. 		
II. 		
III. 		90° ALIGN. 

Firestone

Notes